




MCSEALS CC

Specialist Supplier of High-
Quality Conveyor Products,
Bearings, Rubber &
Industrial Products

BULK MATERIALS HANDLING & PROCESSING INDUSTRIES

About Mcseals

Mcseals is a leading South African company specializing in the supply of high-quality conveyor products, bearings, rubber and industrial products to the bulk materials handling and processing industries.

With over 40 years of experience, we have established ourselves as a trusted partner for major manufacturers both locally and internationally.





Our History.

Founded in 1982 by Walter Mckenzie, Mcseals has built a strong reputation for delivering exceptional service and products.

Our journey began with a focus on supplying idler conveyor components and over the years, we have expanded our product range to include industrial bearings, seals, pulley lagging, v-belts, conveyor belts & accessories, rubber products, complete conveyor idlers, locking elements and many more industrial products.

Our Vision.

At Mcseals, we are passionate about being the preferred supplier of high-quality engineered products.

We strive to provide the best service possible, exceeding our customers' expectations and building long-lasting relationships.



Our Products Include:

- Conveyor Idler/Roller Components
- Industrial Bearings and Seals
- Rubber Products
- Pulley Lagging
- Conveyor Belts & Accessories
- Complete Conveyor Idlers
- Power Transmission Products

Our Scope of service

With over 40 years of experience in bulk materials handling and processing components, we have established ourselves as a trusted partner both locally and internationally in the mining, automotive, agriculture and manufacturing sectors.





Committed To Excellence

Mcseals is committed to delivering high quality products that meet strict quality control processes.

We are proud to have built partnerships with premium manufacturers.

Accreditations

- All plastic components manufactured to strict ISO quality standards.
- All rubber products are manufactured to strict ISO quality standards.

We are a leading South African company specializing in the supply of high-quality conveyor products to the bulk materials handling and processing industries. We operate across Southern, Central and Northern Africa with a vision to expand globally.





Plastic Bearing Housings

Plastic Bearing Housings

Plastic bearing housings are manufactured in polypropylene, nylon, fibre filled nylon and high impact nylon material (moulded with copper wire earth for steel tubing)

Customised Sizes & Designs On Request

- **MS0042:** 50mm Plastic Bearing Housing
- **MS0403:** 89mm Plastic Bearing Housing for 20mm or 25mm Shaft
- **MS0007:** 101mm Plastic Bearing Housing for 20mm or 25mm Shaft
- **MS0004:** 127mm Plastic Bearing Housing for 25mm Shaft
- **MS0513:** 127mm Fixed Face Plastic Bearing Housing for 25mm Shaft to Suit HDPE Pipe
- **MS0262:** 127mm Fixed Face Plastic Bearing Housing for 20/25mm Shaft to Suit HDPE Pipe
- **MS0356:** 127mm Fixed Face Polyprop Bearing Housing for 20/25mm Shaft to Suit Steel Pipe
- **MS0357/S:** 25mm Rocker Seal to Suit MS0513 Housing
- **MS0505:** 127mm Fixed Face Plastic Bearing Housing for 25mm Shaft to Suit Steel Pipe
- **MS0506:** 25mm Rocker Seal to Suit MS0505 Housing
- **MS0185:** 127mm Plastic Bearing Housing for 25mm Shaft to Suit HDPE Pipe
- **MS0501:** 127mm Plastic Bearing Housing for 30mm Shaft
- **MS0008:** 127mm Plastic Bearing Housing for 25mm Shaft to Suit HDPE Tube
- **MS0447:** 114mm Plastic Bearing Housing for 25mm Shaft
- **MS0234:** 25mm Lip Seal to Suit MS0447
- **MS0236:** 152mm Plastic Bearing Housing for 25mm Shaft
- **MS0448:** 152mm Plastic Bearing Housing for 30/35mm Shaft
- **MS0449:** 30/35mm Rocker Seal to Suit MS0448 Housing
- **MS0457:** 152mm Plastic Bearing Housing for 40mm Shaft to Suit Steel Pipe
- **MS0458:** 40mm Rocker Seal to suit MS0457
- **MS0543:** HDPE Sleeve to suit 40 Shaft





Conveyor Idler Labyrinth Seals

Conveyor idler Labyrinth Seals

Conveyor labyrinth seals are an essential component for each roller. The different types of labyrinth seals prevent sand, dust, moisture etc. to enter the interior of the cushioning roller, but also extends the life of the roller.

Customised Sizes & Designs On Request

20 Series to Fit a 20mm Shaft:

- MS0171: 20mm Triple Labyrinth Seal

25 Series to Fit a 25mm Shaft:

- MS0170: 25mm Triple Labyrinth Seal
- MS0263: 25mm Double Labyrinth Seal
- MS0241: 25mm 5-Part Labyrinth Seal

30 Series to Fit a 30mm Shaft:

- MS0126: 30×72 Triple Labyrinth Seal
- MS0483: 30×62 Triple Labyrinth Seal

35 Series to Fit a 35mm Shaft:

- MS0127: 35mm Triple Labyrinth Seal


40 Series to Fit a 40mm Shaft:

- MS0214: 40mm Triple Labyrinth Seal

60 Series to Fit a 60mm Shaft:

- MS0437: 60mm Triple Labyrinth Seal





Conveyor Idler Dust Covers

Conveyor Idler Dust Covers

Dust covers in the mining industry serve as protective barriers for shafts and equipment, guarding against the ingress of dust, debris, and other contaminants.

These covers help maintain the integrity of machinery components, prolonging their lifespan and ensuring optimal performance in rugged mining environments.

Customised Sizes & Designs On Request

20 Series to Fit a 20mm Shaft:

- MS0011: 20mm Soft PVC Dust Cover
- MS0111: 20mm LDPE Dust Cover

25 Series to Fit a 25mm Shaft:

- MS0010: 25mm Soft PVC Dust Cover
- MS0110: 25mm LDPE Dust Cover
- MS0135: 25mm Hard PVC Dust Cover

30 Series to Fit a 30mm Shaft:

- MS0124: 30mm Dust Cover to Suit MS0126
- MS0483/04: 30mm Dust Cover to Suit MS0483

35 Series to Fit a 35mm Shaft:

- MS0125: 35mm Dust Cover

40 Series to Fit a 40mm Shaft:

- MS0217: 40mm Hard PVC Dust Cover

60 Series to Fit a 60mm Shaft:

- MS0438: 60mm Dust Cover to Suit MS0437





Precision Idler Impact Rubbers

Precision Idler Impact Rubbers

Precision Impact rubbers are installed on the roller shell, which significantly soften the impacts at the loading points on the conveyor belt. They also reduce vibration which allows for the extension of the bearing assembly and conveyor belt. It comprises of wear-resistant and shock-absorbing rubber.

- **MS0099/A:** 108mm to Suit 57mm Pipe, 20mm Thickness
- **MS0100/A:** 108mm to Suit 57mm Pipe, 50mm Thickness
- **MS0037/A:** 133mm to Suit 57mm Pipe, 33.5mm Thickness
- **MS0425/A:** 133mm to Suit 76mm Pipe, 33.5mm Thickness
- **MS0445/A:** 133mm to Suit 89mm Pipe, 33.5mm Thickness
- **MS0375/A:** 152mm to Suit 57mm Pipe, 48.5mm Thickness
- **MS0418/A:** 152mm to Suit 76mm Pipe, 40.5mm Thickness
- **MS0419/A:** 152mm to Suit 89mm Pipe, 40.5mm Thickness
- **MS0413/A:** 152mm to Suit 101mm Pipe, 40.5mm Thickness
- **MS0407/A:** 159mm to Suit 101mm Pipe, 40.5mm Thickness
- **MS0700/A:** 150mm to Suit 90mm Pipe, 50mm Thickness
- **MS0701/A:** 152mm to Suit 98mm Pipe, 50mm Thickness
- **MS0702/A:** 152mm to Suit 110mm Pipe, 45mm Thickness
- **MS0703/A:** 165mm to Suit 114mm Pipe, 40.5mm Thickness
- **MS0704/A:** 178mm to Suit 95mm Pipe, 40.5mm Thickness
- **MS0705/A:** 178mm to Suit 110mm Pipe, 40.5mm Thickness
- **MS0706/A:** 178mm to Suit 114mm Pipe, 40.5mm Thickness
- **MS0707/A:** 152mm to Suit 55mm pipe, 50mm Thickness
- **MS0708/A:** 130mm to Suit 98mm pipe, 36mm thickness
- **MS0709/A:** 133mm to Suit 101mm pipe, 45mm thickness





Plastic Gravity Roller Components

Plastic Gravity Roller Components

Gravity Roller Components are integral parts of conveyor systems in various industrial settings, including warehouses, distribution centres, and manufacturing plants, to move, streamlining, sorting and packing operations, transporting goods on assembly lines, loading and unloading trucks at loading docks.

These components typically include bearing housings with bearings to support conveyor rollers, along with seals for shaft protection. They facilitate the smooth movement of goods or materials along the conveyor line, relying on gravity repulsion. Gravity roller components are designed for durability, efficiency and ensuring reliable operation in material handling applications.

- **MS0397:** 38mm Bearing Housing with 6002 2RS Bearing to Suit 1.6mm Tube
- **MS0398:** 50mm Bearing Housing with 6002 2RS Bearing to Suit 2mm Tube
- **MS0399:** 60mm Bearing Housing with 6002 2RS Bearing to Suit 2mm Tube
- **MS0400:** 63mm Bearing Housing with 6002 2RS Bearing to Suit 2mm Tube
- **MS0401:** 63.5mm Bearing Housing with 6204 2RS Bearing to Suit 2mm Tube
- **MS0402:** 76mm Bearing Housing with 6005 2RS Bearing to Suit 2mm Tube
- **MS0426/8:** 8mm Shaft Small Seal
- **MS0426/10:** 10mm Shaft Small Seal
- **MS0426/12:** 12mm Shaft Small Seal
- **MS0426/14:** 14mm Shaft Small Seal
- **MS0427/8:** 8mm Shaft Big Seal
- **MS0427/10:** 10mm Shaft Big Seal
- **MS0427/12:** 12mm Shaft Big Seal
- **MS0427/14:** 14mm Shaft Big Seal
- **MS0428/16:** 16mm Shaft Seal
- **MS0428/20:** 20mm Shaft Seal



Conveyor Idler Bearings

Conveyor idler Bearings

Conveyor idler bearings allow the rollers in a conveyor system to rotate smoothly, handling the system's load and speed. Selecting the right type depends on factors like the expected load, speed, and operating environment.

- **6304 2RS C3 for 20mm Shaft**
- **6205 2RS C3 for 25mm Shaft**
- **6306 2RS C3 for 30mm Shaft**
- **6207 2RS C3 for 35mm Shaft**
- **6308 2RS C3 for 40mm Shaft**
- **6312 2RS C3 for 60mm Shaft**
- **Various sizes on request**



Steel Bearing Housings

Steel Bearing Housings

Steel end caps are used for conveyor rollers in heavy-duty applications to provide superior strength, durability, and impact resistance. The specific type of steel end cap depends on the environmental conditions and the required load capacity.

- **MS0498/A:** 3 and a Half Inch to Suit 20 or 25mm Shaft Applications
- **MS0309/A:** 4 Inch to Suit 20 or 25mm Shaft Applications
- **MS0368/A:** 5 Inch to Suit 25mm Shaft Applications
- **MS0502/A:** 5 Inch to Suit 30mm Shaft Applications
- **MS0430/A:** 6 Inch to Suit 25mm Shaft Applications
- **MS0350/A:** 6 Inch to Suit 30mm Shaft Applications
- **MS0500/A:** 6 Inch to Suit 40mm Shaft Applications
- **MS0813/A:** 182.2mm to Suit 30 or 35mm Shaft Applications



External Circlips

External Circlips

For conveyor rollers, an external circlip - also known as a snap ring or retaining ring - is used to securely hold components like bearings on a shaft. It fits into a machined groove on the outer diameter of the shaft, preventing lateral movement and enabling parts to rotate smoothly.

- **20 Series for 20mm Shaft**
- **25 Series for 25mm Shaft**
- **30 Series for 30mm Shaft**
- **35 Series for 35mm Shaft**
- **40 Series for 40mm Shaft**
- **60 Series for 60mm Shaft**
- **Various sizes on request**



Grease Retainers

Grease Retainers

They are used when sealed bearings are not used to keep the grease from running out the bearing when the rollers get hot.

- **MS0153: 25×52 Grease Retainer**
- **MS0101: 25×72 Grease Retainer**
- **MS0429: 30×72 Grease Retainer**
- **MS0406: 40×90 Grease Retainer**



Steel Welsh Plugs

Steel Welsh Plugs

Steel Welsh plugs are manufactured from high quality automotive steel and are used to cover the outer ends of the conveyor frame.

- **Welsh 52: 52mm Steel Welsh Plug**
- **Welsh 76: 76mm Steel Welsh Plug**



Polypropylene Plugs and PVC Hats

Polypropylene Plugs and PVC Hats

PVC Hats are used to increase the shaft size from 25mm to 30mm. They are used when clients do not want to replace their 30mm slotted brackets. Polypropylene plugs are used to cap off the ends of the tube frames or blank off one side of a roller, a typical example would be a weighbridge.

- **MS0012: Hard PVC Hat**
- **MS0343: 52mm Small Polypropylene Plug**
- **MS0342: 69mm Large Polypropylene Plug**
- **MS0392: 55mm Large Polypropylene Plug**





Industrial Bearings & Seals

Industrial Bearings & Seals

Industrial bearings are crucial components that reduce friction and allow for smooth motion in machinery, while seals protect the bearings by preventing contamination and retaining lubrication. The right bearing and seal combination for a specific application depends on factors like load type, speed, operating environment, and precision requirements.

- Deep groove ball bearings
- Angular contact ball bearings
- Self-aligning ball bearings
- Spherical roller ball bearings
- Cylindrical roller bearings
- Thrust ball bearings
- Tapered bearings
- Ball bearing units
- Various Seals
- Bearing Accessories

STOCKISTS OF

- | | |
|----------|---------|
| • SKF | • NSK |
| • TIMKEN | • NACHI |
| • FAG | • KOYO |
| • NTN | • ISO |






Rubber Products

Rubber Products

Mcseals offers standard rubber product lines as well as custom-moulded rubber products to various customers in the industrial sectors, such as mining, automotive, agriculture and manufacturing.

- Precision Impact Rubbers
- Rubber Hoses
- Industrial Rubber Products
- Automotive Rubbers
- Rubber Sheetting
- Rubber Cleats
- Hydraulic Hoses
- Gaskets
- Couplings
- Oil Seals
- O-Rings





Pulley Lagging

Pulley Lagging

Pulley lagging is the application of a protective rubber or composite covering to conveyor pulleys. It improves grip between the pulley and conveyor belt, reduces belt slippage, protects the pulley from wear and corrosion and helps extend the service life of the conveyor system.

Widths

Our pulley lagging is available in widths of

1000mm, 1200mm, 1400mm & 1500mm

Diamond Pulley Lagging

Thickness

8mm
10mm
12mm
15mm
20mm
25mm

RHINO Lagging

Thickness

8mm
10mm
12mm
15mm
20mm

FR Pulley Lagging

Thickness

8mm
10mm
12mm
15mm

RHINO FR Pulley Lagging

Thickness

10mm
12mm
15mm

Plain is in 20mm

Plain Pulley Lagging

Thickness

6mm
8mm
10mm





V-Belts

V-Belts

V-belts are flexible, reinforced belts with a V-shaped cross section used to transmit power between pulleys. They provide efficient , reliable power transmission while reducing vibration and maintaining smooth operation in a wide range of industrial machinery and equipment



- **Classical V-Belts:** Suitable for standard industrial applications requiring moderate power transmission.
- **Wedge V-Belts:** Designed for compact drives with higher power capacity.
- **Normal Harvester Belts:** These belts are specifically designed to provide high performance and durability for normal harvester applications.
- **Flat Belts :** Made from high-quality rubber and polyester cord, our Flat Belts ensure optimal performance and durability in agricultural applications.
- **Rubber Track Harvester Belts:** Rubber track harvesters require specialized belts to endure high-speed and high-torque operations while maintaining flexibility and durability.





Conveyor Belts & Accessories

Conveyor Belts

Conveyor belts are engineered for continuous, reliable material handling in demanding industrial environments. Manufactured in various grades and specifications, they offer durability, high tensile strength, and resistance to abrasion, impact, heat and other operating conditions.




- **Splicing Kits**

Conveyor belt splicing kits provide the essential components required for reliable and durable conveyor belt joining. Designed to facilitate efficient belt installation and repair, they help restore belt integrity and minimise downtime in demanding industrial and material-handling applications.

- **Repair Kits**

Conveyor belt repair kits provide essential components for repairing damaged or worn conveyor belts. Designed for efficient on-site maintenance, they help restore belt integrity, minimise downtime, and extend the service life of conveyor systems in demanding industrial applications.






Complete Conveyor Idlers

Complete Conveyor Idlers

Conveyor idlers are essential components of belt conveyor systems, supporting the conveyor belt and material load while ensuring smooth and efficient belt movement. Designed for durability and reliable performance, our idlers are suitable for a wide range of mining, quarrying, and industrial applications.





Locking Elements


Locking Elements

Locking elements provide a secure connection between the hub and shaft, ensuring reliable torque transmission and preventing unwanted movement during operation. Designed for easy installation and removal, they are suitable for a variety of applications



- **Standard Locking Elements:** A friction-based shaft-hub connection used to securely mount components such as pulleys, gears and sprockets without keys or splines.
- **High-Torque Locking Elements:** Designed for applications requiring high torque transmission and strong clamping forces.
- **Flanged Locking Elements:** Provides a secure, keyless shaft-to-hub connection with an integrated flange for positive positioning and easy installation. Suitable for applications such as conveyor pulleys, sprockets, gears and other rotating equipment.
- **Self-Centering Locking Elements:** Automatically centers the hub on the shaft while providing a strong clamping connection, helping maintain alignment.
- **Heavy-Duty Locking Elements:** Suitable for demanding conveyor applications exposed to high loads, shock loads and continuous operation.





Sprockets & Chains

Sprockets & Chains

Sprockets and chains are widely used in industrial machinery to transmit power and motion between rotating shafts. They provide reliable, positive drive systems for equipment such as conveyors, packaging machines, manufacturing machinery, agricultural equipment, and material-handling systems. They are particularly useful where high loads, accurate movement, and dependable operation are required.



- **Sprockets**

A sprocket is a toothed wheel specifically designed to engage with the links of a chain. Its purpose is to drive, guide, or transfer motion through the chain, converting the rotation of a shaft into controlled mechanical movement.

- **Chains**

A chain is a series of interconnected links designed to transmit mechanical power and motion. Its purpose is to transfer torque from one shaft to another while also allowing machinery such as conveyors and drive systems to move continuously and reliably.





Industrial Products

Industrial Products

Mcseals can source and supply everything from basic consumables (lubricants, fasteners, cleaning supplies) and raw materials (chemicals, metals) to specialized equipment (machinery, tools, power tools) and personal protective equipment (PPE).




- **Machinery & Equipment:** Welding machines and material handling equipment.
- **Tools:** Hand tools, power tools and precision measuring equipment.
- **Safety Gear:** Safety helmets, gloves and other protective equipment.
- **Consumables:** Lubricants, cleaning products and packaging materials.
- **Materials:** Raw materials like chemicals and metals, as well as fasteners and plumbing materials.
- **Vulcanizing material**
For fabric and steel cord reinforced belts
- **Adhesive Systems**
- **Cold bond systems**
Available for splicing fabric belts and repairing conveyor belt damage
- **Hot bond systems**
Available for splicing fabric belts and repairing conveyor belt damage
- **Mill Liners**
- **Pulleys**
- **Thermal and Acoustic Insulation**







BUILT ON PRECISION, DRIVEN BY INNOVATION.



MCSEALS CC

MCSEALS CC
Unit 2 New Market Commercial Park
39 Heidelberg Avenue, New Market
Alberton, South Africa 1449

Phone: +27 (0) 11 568 2169 | Email: enquiries@mcseals.co.za | www.mcseals.co.za