

GROUP

SAB

UNCONTROLLED WHEN PRINTED

TITLE

INSTRUMENT PANEL SUBSTRUCTURE

| ITEM<br>NO | DESIGNATION                                                  | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U | E | L* |
|------------|--------------------------------------------------------------|-----------------------------------------------------------|-----------|---|---|----|
|            |                                                              |                                                           |           | O | X | M* |
| 014        | NUT, HEX., M 5                                               | D8046/000934005008<br>D8046/000934005008                  | 3         |   |   |    |
| 015        | WASHER, LOCK, 5 MM                                           | D8046/912004005103<br>D8046/912004005103                  | 3         |   |   |    |
| 016        | SCREW, OVAL HEAD, WITH<br>CROSS-TYPE SLOT, M4 BY 6<br>MM LG. | D8046/007985004123<br>D8046/007985004123                  | 1         |   |   |    |
| 017        | WASHER, LOCK, 4 MM                                           | D8046/912004004102<br>D8046/912004004102                  | 1         |   |   |    |
| 018        | BRACKET                                                      | D8046/4256891241<br>D8046/4256891241                      | 1         |   |   |    |

ISSUE NO: 6

REPAIR PARTS SCALE : 02155

PAGE NO: 383

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)



GROUP SD

UNCONTROLLED WHEN PRINTED


TITLE DOOR, HINGES AND LOCKING MECHANISM

| ITEM NO                                                       | DESIGNATION                                                                   | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001                                                           | LOCK, CLIP 6 MM                                                               | D8046/912001 006001<br>D8046/912001 006001                | 2         |             |             |                |
| 002                                                           | PIN, HEAD, 8 MM BY 22<br>MM LG                                                | D8046/001444 006100<br>D8046/001444 006100                | 2         |             |             |                |
| 003                                                           | DOOR CHECK                                                                    | D8046/000 720 01 16<br>D8046/000 720 01 16                | 2         |             |             |                |
| 004                                                           | PLUG, HINGE                                                                   | D8046/000 997 51 86<br>D8046/000 997 51 86                | 4         |             |             |                |
| 005                                                           | DOOR, VEHICULAR<br>(RIGHT, INCLUDES SD 006 TO<br>SD 010)                      | 2510 12-300-3183<br>D8046/4257200705<br>D8046/4257200705  | 1         | EA          | N           | M              |
| 9001                                                          | DOOR, VEHICULAR<br>(LEFT, INCLUDES SD 006 TO<br>SD 009 AND SD 9002)           | 2510 12-300-3184<br>D8046/4257201305<br>D8046/4257201305  | 1         | EA          | N           | M              |
| 006                                                           | SCREW, HEX. HEAD, M10 BY 25<br>MM LG.<br>(ALSO PART OF SD 005 AND<br>SD 9002) | D8046/000933 010105<br>D8046/000933 010105                | 8         |             |             |                |
| 007                                                           | WASHER, LOCK, 10 MM<br>(ALSO PART OF SD 005 AND<br>SD 9001)                   | D8046/912004 010102<br>D8046/912004 010102                | 8         |             |             |                |
| 008                                                           | WASHER, 10.5 MM<br>(ALSO PART OF SD 005 AND<br>SD 9001)                       | D8046/000125 010518<br>D8046/000125 010518                | 8         |             |             |                |
| 009                                                           | PLATE, HINGE<br>(ALSO PART OF SD 005 AND<br>SD 9001)                          | D8046/425 723 00 41<br>D8046/425 723 00 41                | 4         |             |             |                |
| 010                                                           | DOOR SHELL, RIGHT<br>(USE SD 005)                                             | /NIL<br>/NIL                                              | 1         |             |             |                |
| 9002                                                          | DOOR SHELL, LEFT<br>(USE SD 9001)                                             | /NIL<br>/NIL                                              | 1         |             |             |                |
| 011                                                           | PULL ROD, RIGHT                                                               | D8046/425 723 03 69<br>D8046/425 723 03 69                | 1         |             |             |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 384 |                                                                               |                                                           |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)


## GROUP SD

02155



## DOOR, HINGES AND LOCKING MECHANISM

| ITEM NO                                             | DESIGNATION                                                                                                                                             | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 9003                                                | PULL ROD, LEFT                                                                                                                                          | D8046/425 723 02 69<br>D8046/425 723 02 69                | 1         |             |             |                |
| 012                                                 | CLIP, SPRING TENSION<br>STEEL, ZINC, COATED, 20.6 MM LG                                                                                                 | 5340 12-175-1889<br>D8046/1009940160<br>D8046/1009940160  | 2         | EA          | X           | M              |
| 013                                                 | LOCK, VEHICLE RIGHT HAND<br>DOOR, ANGLE SHAPED WITH<br>SAFETY TORSION DROP DEVICE                                                                       | 2540 12-175-1886<br>D8046/4257230101<br>D8046/4257230101  | 1         | EA          | X           | M              |
| 9004                                                | LOCK, VEHICLE LEFT HAND DOOR,<br>ANGLE SHAPED WITH SAFETY<br>TORSION DROP DEVICE                                                                        | 2540 12-175-1888<br>D8046/4257230001<br>D8046/4257230001  | 1         | EA          | X           | M              |
| 014                                                 | SLIDE, DOOR INNER LOCK                                                                                                                                  | D8046/381 723 00 46<br>D8046/381 723 00 46                | 2         |             |             |                |
| 015                                                 | SCREW, OVAL HEAD, WITH<br>CROSS TYPE SLOT, M5 BY 30                                                                                                     | D8046/007985 005149<br>D8046/007985 005149                | 2         |             |             |                |
| 016                                                 | LOCKING EYE, RIGHT                                                                                                                                      | D8046/381 723 01 04<br>D8046/381 723 01 04                | 1         |             |             |                |
| 9005                                                | LOCKING EYE, LEFT                                                                                                                                       | D8046/381 723 00 04<br>D8046/381 723 00 04                | 1         |             |             |                |
| 017                                                 | PIN                                                                                                                                                     | D8046/381 723 00 38<br>D8046/381 723 00 38                | 2         |             |             |                |
| 018                                                 | SCREW, COUNTERSUNK, CROSS<br>SLOTTED M8 BY 20 MM LG.                                                                                                    | D8046/000965 008008<br>D8046/000965 008008                | 4         |             |             |                |
| 019                                                 | SCREW, COUNTERSUNK, CROSS<br>SLOTTED, M6 BY 16                                                                                                          | D8046/000965 006014<br>D8046/000965 006014                | 6         |             |             |                |
| 020                                                 | NUT, HEX, SELF-LOCKING, LOW<br>TYPE, M6                                                                                                                 | D8046/913002 006005<br>D8046/913002 006005                | 4         |             |             |                |
| 021                                                 | HANDLE, DOOR C/W LOCK & KEY,<br>43MM HEAD DIA, 25 MM SHANK<br>LG, 30 MM SHANK DIA, 200MM<br>O/A LG, 44 MM HANDLE HEIGHT<br>(INCLUDES SD 022 AND SD 023) | 2540 12-176-3648<br>D8046/4258937003<br>D8046/4258937003  | 2         | EA          | X           | M              |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 385 |                                                                                                                                                         |                                                           |           |             |             |                |

**GROUP SD****02155****DOOR, HINGES AND LOCKING MECHANISM**


GROUP SD

UNCONTROLLED WHEN PRINTED

TITLE DOOR, HINGES AND LOCKING MECHANISM

| ITEM NO                                                       | DESIGNATION                                                   | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO    | NO<br>OFF | U<br>O | E<br>X | L*<br>M* |
|---------------------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------|-----------|--------|--------|----------|
| 022                                                           | HANDLE, DOOR<br>(USE SD 021)                                  | /NIL<br>/NIL                                                 | 2         |        |        |          |
| 023                                                           | KEY<br>(ALSO PART OF SD 021)                                  | D8046/000 760 00 06<br>D8046/000 760 00 06                   | 2         |        |        |          |
| 9006                                                          | BLANK, KEY                                                    | D8046/000 766 37 06<br>D8046/000 766 37 06                   | 4         |        |        |          |
| 9007                                                          | HEAD, KEY                                                     | D8046/000 766 44 06<br>D8046/000 766 44 06                   | 4         |        |        |          |
| 024                                                           | PAD, REAR                                                     | D8046/381 766 00 97<br>D8046/381 766 00 97                   | 2         |        |        |          |
| 025                                                           | PAD, FRONT                                                    | D8046/381 766 01 97<br>D8046/381 766 01 97                   | 2         |        |        |          |
| 026                                                           | CLAMP CLIP                                                    | 5975 12-179-8307<br>D8046/0049884378<br>D8046/0049884378     | 2         | EA     | X      | LM       |
| 027                                                           | REINFORCEMENT                                                 | D8046/381 720 06 06<br>D8046/381 720 06 06                   | 2         |        |        |          |
| 028                                                           | HANDLE, DOOR, INSIDE                                          | D8046/425 760 00 59<br>D8046/425 760 00 59                   | 2         |        |        |          |
| 029                                                           | SCREW, OVAL HEAD, WITH<br>CROSS TYPE SLOT, M6 BY 10<br>MM LG. | D8046/007985 006161<br>D8046/007985 006161                   | 4         |        |        |          |
| 030                                                           | WASHER, LOCK, 6 MM                                            | D8046/912004 006102<br>D8046/912004 006102                   | 8         |        |        |          |
| 031                                                           | RING, RETAINING 6 MM                                          | 5365 66-118-7154<br>D8046/006799006003<br>D8046/006799006003 | 2         | EA     | X      | M        |
| 032                                                           | PIN                                                           | D8046/425 991 51 12<br>D8046/425 991 51 12                   | 2         |        |        |          |
| 033                                                           | HANDLE                                                        | D8046/381 766 00 43<br>D8046/381 766 00 43                   | 2         |        |        |          |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 386 |                                                               |                                                              |           |        |        |          |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SD****02155****DOOR, HINGES AND LOCKING MECHANISM**




GROUP SD

UNCONTROLLED WHEN PRINTED

TITLE DOOR, HINGES AND LOCKING MECHANISM

| ITEM NO                                                       | DESIGNATION                            | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>I | E<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|----------------------------------------|-----------------------------------------------------------|-----------|--------|--------|----------------|
| 034                                                           | SCREW, SHEET METAL, 4.2 MM<br>BY 13 MM | D8046/007982 004203<br>D8046/007982 004203                | 2         |        |        |                |
| 035                                                           | LOCK, CAP TO DOOR                      | D8046/000 994 04 45<br>D8046/000 994 04 45                | 2         |        |        |                |
| 036                                                           | CAP, RIGHT                             | D8046/425 723 01 74<br>D8046/425 723 01 74                | 1         |        |        |                |
| 9008                                                          | CAP, LEFT                              | D8046/425 723 00 74<br>D8046/425 723 00 74                | 1         |        |        |                |
| 037                                                           | EDGE GUARD SECTION, 485 MM             | D8046/001 987 22 72<br>D8046/001 987 22 72                | 2         |        |        |                |
| 038                                                           | PLUG, EXPANSION                        | D8046/309 987 01 44<br>D8046/309 987 01 44                | 8         |        |        |                |
| 039                                                           | SCREW, HEX. HEAD, M8 BY 25<br>MM LG.   | D8046/000933 008153<br>D8046/000933 008153                | 12        |        |        |                |
| 040                                                           | WASHER, LOCK, 8MM                      | D8046/912004 008102<br>D8046/912004 008102                | 12        |        |        |                |
| 041                                                           | WASHER, 8.4 MM                         | D8046/000125 008418<br>D8046/000125 008418                | 12        |        |        |                |
| 042                                                           | LEAF, BUTT HINGE                       | 5340 12-175-1000<br>D8046/4257230241<br>D8046/4257230241  | 4         | EA     | X      | M              |
| 043                                                           | SCREW, HEX. HEAD, M6 BY 10<br>MM LG.   | D8046/000933 006122<br>D8046/000933 006122                | 4         |        |        |                |
| 9009                                                          | DOOR FLAP                              | D8046/0008302742<br>D8046/0008302742                      | 4         |        |        |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 387 |                                        |                                                           |           |        |        |                |


\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SE****02155****WINDOWS, SEALS AND WINDING MECHANISM**

| ITEM NO | DESIGNATION                                                                                       | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O | E<br>X | L*<br>M* |
|---------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|--------|--------|----------|
| 001     | WEATHERSTRIP, LEFT<br>(WEATHERSTRIP SPECIAL SHAPED<br>LEFT AND RIGHT HAND)                        | 5330 12-176-2608<br>D8046/4257250420<br>D8046/4257250420             | 2         | EA     | X      | LM       |
| 002     | GLASS, DOOR, FIXED<br>TOUGHENED, 551.0 MM H, 266.0<br>MM AT BASE TAPERING TO 207.0<br>MM AT APEX. | 2510 66-118-6966<br>Z4067/YA 425 725 03 10<br>Z4067/YA 425 725 03 10 | 2         | EA     | X      | M        |
| 003     | FRAME, WINDOW, VEHICULAR                                                                          | 2510 12-300-3182<br>D8046/4257200630<br>D8046/4257200630             | 2         | EA     | X      | M        |
| 004     | RAIL<br>(TO BE ADAPTED DURING<br>ASSEMBLY)                                                        | 5330 12-181-0213<br>D8046/3096730031<br>D8046/3096730031             | 4         | EA     | X      | M        |
| 005     | GLASS, DOOR, LOWERING<br>GLASS, DOOR, LOWERING, TOUGHENE<br>D, 587.0 MMBY 572.0 MM                | 2510 66-118-6965<br>Z4067/YA 425 725 02 10<br>Z4067/YA 425 725 02 10 | 2         | EA     | X      | M        |
| 006     | ADHESIVE TAPE, 2070 MM                                                                            | D8046/003 989 81 85<br>D8046/003 989 81 85                           | 1         |        |        |          |
| 007     | NONMETALLIC CHANNEL 365 MM                                                                        | 9390 12-175-3253<br>D8046/0019874257<br>D8046/0019874257             | 2         | EA     | X      | M        |
| 008     | CHANNEL, LIFT, VEHICLE WINDOW<br>GLASS                                                            | 2540 12-326-9718<br>D8046/6737250001<br>Z4067/6737250001             | 2         | EA     |        | M        |
| 009     | FRAME, WINDOW, VEHICULAR                                                                          | 2510 12-300-3181<br>D8046/4257200430<br>D8046/4257200430             | 2         | EA     | X      | M        |
| 010     | NUT RETAINER                                                                                      | D8046/000 990 71 91<br>D8046/000 990 71 91                           | 4         |        |        |          |
| 011     | SCREW, OVAL HEAD, WITH<br>CROSS TYPE SLOT, M6 BY 16<br>MM LG.                                     | D8046/007985 006193<br>D8046/007985 006193                           | 4         |        |        |          |
| 012     | CLIP, SPRING TENSION                                                                              | 5340 12-175-2636<br>D8046/3819880078<br>D8046/3819880078             | 8         | EA     | X      | M        |
| 013     | SEAL, NONMETALLIC SPECIAL<br>SHAPED SECTION T                                                     | 5330 12-176-8871<br>D8046/4257250139<br>D8046/4257250139             | 1         | EA     | X      | M        |

GROUP SE

02155



WINDOWS, SEALS AND WINDING MECHANISM

GROUP SE  
TITLE WINDOW, SEALS AND WINDING MECHANISM

UNCONTROLLED WHEN PRINTED

| ITEM NO | DESIGNATION                                                                                                                                                         | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O | E<br>X | L*<br>M* |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------|--------|--------|----------|
| 9001    | SEALING RAIL, CRANK OPERATED WINDOW, LEFT                                                                                                                           | 5330 12-176-8872<br>D8046/4257250039<br>D8046/4257250039  | 1         | EA     | X      | M        |
| 014     | SCREW, SHEET METAL, COUNTER SUNK, WITH CROSS-TYPE SLOT, 3.5 MM BY 13 MM LG.                                                                                         | D8046/007982 003238<br>D8046/007982 003238                | 10        |        |        |          |
| 015     | COVERING, INSIDE RIGHT                                                                                                                                              | D8046/425 727 06 71<br>D8046/425 727 06 71                | 1         |        |        |          |
| 9002    | COVERING, INSIDE LEFT                                                                                                                                               | D8046/425 727 05 71<br>D8046/425 727 05 71                | 1         |        |        |          |
| 016     | PLUG                                                                                                                                                                | D8046/000 997 46 86<br>D8046/000 997 46 86                | 18        |        |        |          |
| 017     | SEAL, NONMETALLIC SPECIAL SHAPED SECTION OPENING, RIGHT                                                                                                             | 5330 66-118-7155<br>D8046/4256900598<br>D8046/4256900598  | 1         | EA     | X      | M        |
| 9003    | SEAL, NONMETALLIC SPECIAL SHAPED SECTION DOOR OPENING, LEFT                                                                                                         | 5330 12-197-2825<br>D8046/4256900098<br>D8046/4256900098  | 1         | EA     | X      | M        |
| 018     | CLIP, SPRING TENSION                                                                                                                                                | 5340 12-300-6646<br>D8046/0049884578<br>D8046/0049884578  | 4         | EA     | X      | M        |
| 019     | SCREW, OVAL HEAD, COUNTERSUNK, CROSS SLOTTED, M6 BY 10 MM LG.                                                                                                       | D8046/000966 006016<br>D8046/000966 006016                | 2         |        |        |          |
| 020     | HANDLE, WINDOW REGULATOR CRANK SHAPED, PLASTICS, 80 MM CRANK RAD, SECURED BY SERRATIONS & CLAMP SCREW, 11 MM ID, 16 TEETH, 6.5MM DIA SCREW HOLE, 90 DEG COUNTERSINK | 2540 12-175-1891<br>D8046/3817250060<br>D8046/3817250060  | 2         | EA     | X      | LM       |
| 021     | SPACER WINDOW REGULATOR HANDLE, PLASTIC, 75 MM OD, 9 MM MIN THK, 14.5 MM MAX THK 12 MM DIA BORE                                                                     | 2540 12-175-1267<br>D8046/4257250043<br>D8046/4257250043  | 2         | EA     | X      | LM       |
| 022     | SCREW, HEX. HEAD, M6 BY 10                                                                                                                                          | D8046/000933 006122<br>D8046/000933 006122                | 8         |        |        |          |

ISSUE NO: 6


REPAIR PARTS SCALE : 02155

PAGE NO: 389

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

GROUP SE

02155



WINDOWS, SEALS AND WINDING MECHANISM

GROUP

SE

UNCONTROLLED WHEN PRINTED

TITLE

WINDOW, SEALS AND WINDING MECHANISM


| ITEM<br>NO | DESIGNATION                                                                                                                               | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U      | E      | L*       |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------|--------|--------|----------|
|            |                                                                                                                                           |                                                           |           | O<br>I | X<br>P | M*<br>H* |
| 023        | WASHER, TOOTHED, LOCK,<br>6.4 MM.                                                                                                         | D8046/006797 006242<br>D8046/006797 006242                | 8         |        |        |          |
| 024        | REGULATOR, VEHICLE WINDOW<br>HAND OPERATED, RIGHT SIDE,<br>380 MM LIFT ARM LENGTH, 540<br>MM LIFT ARM MAX TRAVEL, 11<br>MM DIA CRANKSHAFT | 2540 12-180-6167<br>D8046/3817250102<br>D8046/3817250102  | 1         | EA     | X      | M        |
| 9004       | REGULATOR, VEHICLE WINDOW<br>HAND OPERATED, LEFT SIDE,<br>380 MM LIFT ARM LENGTH, 540<br>MM LIFT ARM MAX TRAVEL, 11<br>MM DIA CRANKSHAFT  | 2540 12-180-6166<br>D8046/3817250002<br>D8046/3817250002  | 1         | EA     | X      | M        |
| 025        | RUBBER STRIP 160 MM LG                                                                                                                    | 5330 66-118-7158<br>D8046/0019873933<br>D8046/0019873933  | 2         | EA     | X      | M        |

ISSUE NO: 6

REPAIR PARTS SCALE : 02155

PAGE NO: 390

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)


**GROUP SFA****02155**

**CAB ROOF, WINDSCREEN AND  
REAR WINDOW**



| ITEM NO                                             | DESIGNATION                                              | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|-----------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001                                                 | ROOF PANELLING                                           | D8046/4256500709<br>D8046/4256500709                                 | 1         |             |             |                |
| 002                                                 | SCREW                                                    | D8046/4259905022<br>D8046/4259905022                                 | 1         |             |             |                |
| 9001                                                | ADHESIVE TAPE                                            | D8046/0029890185<br>D8046/0029890185                                 | 1         |             |             |                |
| 003                                                 | FRAME PART                                               | D8046/4256520365<br>D8046/4256520365                                 | 1         |             |             |                |
| 004                                                 | REINFORCEMENT, LEFT                                      | D8046/4256500016<br>D8046/4256500016                                 | 1         |             |             |                |
| 9002                                                | REINFORCEMENT, RIGHT                                     | D8046/4256500116<br>D8046/4256500116                                 | 1         |             |             |                |
| 005                                                 | ROOF RAIL, OUTSIDE LEFT                                  | D8046/4256510501<br>D8046/4256510501                                 | 1         |             |             |                |
| 9003                                                | ROOF RAIL, OUTSIDE RIGHT                                 | D8064/4256510601<br>D8064/4256510601                                 | 1         |             |             |                |
| 006                                                 | EDGE GUARD SECTION                                       | D8046/0019872272<br>D8046/0019872272                                 | 1         |             |             |                |
| 007                                                 | COVERING, ROOF BOW                                       | D8046/4256953226<br>D8046/4256953226                                 | 1         |             |             |                |
| 008                                                 | RIVET                                                    | D8046/4409900092<br>D8046/4409900092                                 | 21        |             |             |                |
| 009                                                 | HEADLINER                                                | D8046/4256900450<br>D8046/4256900450                                 | 1         |             |             |                |
| 010                                                 | CLIP                                                     | D8046/4259880078<br>D8046/4259880078                                 | 5         |             |             |                |
| 011                                                 | GLASS, CAB, REAR<br>TOUGHENED, 705.0 MM, BY 357.0<br>MM. | 2510 66-118-6964<br>Z4067/YA 406 678 01 10<br>Z4067/YA 406 678 01 10 | 2         | EA          | X           | LM             |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 391 |                                                          |                                                                      |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SFA****02155**

**CAB ROOF, WINDSCREEN AND  
REAR WINDOW**

GROUP

SFA


UNCONTROLLED WHEN PRINTED

TITLE

CAB ROOF, WINDSCREEN AND REAR WINDOW

| ITEM<br>NO                                                    | DESIGNATION                                                                      | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO          | NO<br>OFF | U  | E | L* |
|---------------------------------------------------------------|----------------------------------------------------------------------------------|--------------------------------------------------------------------|-----------|----|---|----|
|                                                               |                                                                                  |                                                                    |           | O  | X | M* |
|                                                               |                                                                                  |                                                                    |           | I  | P | H* |
| 012                                                           | SEAL, NONMETALLIC SPECIAL<br>SHAPED SECTION PANEL                                | 5330 12-176-8875<br>D8046/4256780120<br>D8046/4256780120           | 2         | EA | X | LM |
| 013                                                           | WINDSHIELD GLASS, FLAT,<br>VEHICULAR 78.0 CM NOM LG,<br>65.5 CM NOM W, LAMINATED | 2510 66-117-3225<br>Z4067/YA425 671 13 10<br>Z4067/YA425 671 13 10 | 1         | EA | N | LM |
| 014                                                           | SEAL, NONMETALLIC SPECIAL<br>SHAPED SECTION RUBBER<br>SYNTHETIC, DOUBLE SHIELD.  | 5330 12-191-7916<br>D8046/4256710220<br>D8046/4256710220           | 1         | EA | X | LM |
| 015                                                           | ROOF RAIL, FRONT OUTSIDE                                                         | D8046/4256511101<br>D8046/4256511101                               | 1         |    |   |    |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 392 |                                                                                  |                                                                    |           |    |   |    |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SFB****02155****CUPOLA COVER, SEAL AND FITTINGS**


GROUP SFB

UNCONTROLLED WHEN PRINTED

TITLE CUPOLA COVER, SEAL AND FITTINGS

| ITEM NO                                                       | DESIGNATION                                                                       | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO    | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001                                                           | FLAP, ROOF MOUNTED                                                                | D8046/3817500008<br>D8046/3817500008                         | 1         |             |             |                |
| 002                                                           | SCREW, CAP, HEXAGON HEAD<br>METRIC, ZINC PLATED, M8 BY<br>20 MM LG                | 5305 12-156-4863<br>D8046/000933008147<br>D8046/000933008147 | 6         | EA          | X           | LM             |
| 003                                                           | WASHER, LOCK, 8 MM                                                                | D8046/912004008102<br>D8046/912004008102                     | 6         |             |             |                |
| 004                                                           | MOUNTING, FRONT LEFT<br>(BRACKET)                                                 | D8046/3817500420<br>D8046/3817500420                         | 1         |             |             |                |
| 005                                                           | MOUNTING, REAR RIGHT<br>(BRACKET)                                                 | D8046/3817500520<br>D8046/3817500520                         | 1         |             |             |                |
| 006                                                           | FASTENER ASSY, RIGHT<br>(INCLUDES SFB 026 TO<br>SFB 034)                          | D8046/3817500384<br>D8046/3817500384                         | 1         |             |             |                |
| 007                                                           | PLATE                                                                             | D8046/4257520811<br>D8046/4257520811                         | 2         |             |             |                |
| 008                                                           | NUT, RETAINER                                                                     | D8046/0019900091<br>D8046/0019900091                         | 4         |             |             |                |
| 009                                                           | WASHER, LOCK, 6 MM                                                                | D8046/912004006102<br>D8046/912004006102                     | 8         |             |             |                |
| 010                                                           | SCREW, OVAL HEAD, WITH CROSS<br>TYPE SLOT                                         | D8046/007985006197<br>D8046/007985006197                     | 4         |             |             |                |
| 011                                                           | COVERING<br>(FLAP INTERIOR PADDING)                                               | D8046/4257500154<br>D8046/4257500154                         | 1         |             |             |                |
| 012                                                           | CLIP                                                                              | D8046/4259880078<br>D8046/4259880078                         | 7         |             |             |                |
| 013                                                           | FASTENER ASSY,<br>(ROOF FLAP RELEASE, EXTERIOR<br>INCLUDES SFB 014 TO<br>SFB 024) | D8046/3817500484<br>D8046/3817500484                         | 1         |             |             |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 393 |                                                                                   |                                                              |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SFB****02155****CUPOLA COVER, SEAL AND FITTINGS**

GROUP SFB

UNCONTROLLED WHEN PRINTED

TITLE CUPOLA COVER, SEAL AND FITTINGS

| ITEM NO | DESIGNATION                                                                      | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO    | NO<br>OFF | U<br>O | E<br>X | L* |
|---------|----------------------------------------------------------------------------------|--------------------------------------------------------------|-----------|--------|--------|----|
| 014     | WASHER<br>(ALSO PART OF SFB 013)                                                 | D8046/3819901040<br>D8046/3819901040                         | 1         |        |        |    |
| 015     | WASHER<br>(ALSO PART OF SFB 013)                                                 | D8046/3819900940<br>D8046/3819900940                         | 2         |        |        |    |
| 016     | SCREW, HEX. HEAD, M6 BY 15<br>MM LG.                                             | D8046/000933006102<br>D8046/000933006102                     | 4         |        |        |    |
| 017     | SCREW, PAN HEAD, WITH NECK,<br>M6 BY MM LG.                                      | D8046/000923006015<br>D8046/000923006015                     | 1         |        |        |    |
| 018     | WASHER, SPRING TENSION<br>RD, STEEL, ZINC COATED, 8.4MM<br>ID, 15MM OD 0.8MM THK | 5310 12-142-8173<br>D8046/000137008204<br>D8046/000137008204 | 1         | EA     | X      | LM |
| 019     | HANDLE, FASTNER<br>(USE SFB 013)                                                 | /NIL<br>/NIL                                                 | 1         |        |        |    |
| 020     | PIN, SPECIAL<br>(HANDLE FASTNER)                                                 | D8046/381 991 02 05<br>D8046/381 991 02 05                   | 1         |        |        |    |
| 021     | WASHER, FLAT RD, STEEL, ZINC<br>COATED, 6.4 MM ID, 12.5 MM<br>OD, 1.6 MM THK     | 5310 12-184-8509<br>D8046/000125006421<br>D8046/000125006421 | 1         | EA     | X      | LM |
| 022     | NUT, FLAT HEX., 6 MM                                                             | D8046/000439006204<br>D8046/000439006204                     | 1         |        |        |    |
| 023     | PIN<br>(ALSO PART OF SFB 013)                                                    | D8046/3819910010<br>D8046/3819910010                         | 1         |        |        |    |
| 024     | SPRING, HELICAL, EXTENSION<br>(ALSO PART OF SFB 013)                             | 5360 12-178-9561<br>D8046/3817520624<br>D8046/3817520624     | 1         | EA     | X      | LM |
| 025     | FASTENER ASSY, LEFT<br>(INCLUDES SFB 026 TO 034)<br>SFB 039)                     | D8046/3817500284<br>D8046/3817500284                         | 1         |        |        |    |
| 026     | SLEEVE, CLAMPING, 5 MM BY<br>24 MM LG.<br>(ALSO PART OF SFB 006 AND<br>SFB 025)  | D8046/001481005030<br>D8046/001481005030                     | 2         |        |        |    |

ISSUE NO: 6

REPAIR PARTS SCALE : 02155


PAGE NO: 394

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)






| ITEM NO | DESIGNATION                                                           | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O | E<br>X | L*<br>M* |
|---------|-----------------------------------------------------------------------|-----------------------------------------------------------|-----------|--------|--------|----------|
| 027     | SPRING, HELICAL, COMPRESSION<br>(ALSO PART OF SFB 006 AND<br>SFB 025) | 5360 12-179-7718<br>D8046/3817520324<br>D8046/3817520324  | 2         | EA     | X      | LM       |
| 028     | FASTENER, BODY LEFT<br>(USE SFB 025)                                  | /NIL<br>/NIL                                              | 1         |        |        |          |
| 029     | CLIP, 5 MM<br>(ALSO PART OF SFB 006 AND<br>SFB 025)                   | D8046/912007005000<br>D8046/912007005000                  | 2         |        |        |          |
| 030     | PLATE, LOCK, 4 MM<br>(ALSO PART OF SFB 006 AND<br>SFB 025)            | D8046/006799004001<br>D8046/006799004001                  | 2         |        |        |          |
| 031     | HANDLE, FASTENER<br>(ALSO PART OF SFB 006 AND<br>SFB 025)             | D8046/3817520001<br>D8046/3817520001                      | 2         |        |        |          |
| 032     | SPRING, HELICAL, COMPRESSION<br>(ALSO PART OF SFB 006 AND<br>SFB 025) | D8046/3817520424<br>D8046/3817520424                      | 2         |        |        |          |
| 033     | PIN<br>(ALSO PART OF SFB 006 AND<br>SFB 025)                          | D8046/3819910001<br>D8046/3819910001                      | 2         |        |        |          |
| 034     | SCREW, SELF-LOCKING                                                   | D8046/000966006018<br>D8046/000966006018                  | 8         |        |        |          |
| 035     | SEAL, NONMETALLIC SPECIAL<br>SHAPED SECTION                           | 5330 12-180-6061<br>D8046/4257520398<br>/NIL              | 1         | EA     |        | LM       |
| 036     | NUT, FLAT HEX., M 10                                                  | D8046/000936012005<br>D8046/000936012005                  | 1         |        |        |          |
| 037     | WASHER                                                                | D8046/1239900223<br>D8046/1239900223                      | 2         |        |        |          |
| 038     | SPRING, HELICAL COMPRESSION,<br>COLD COILED                           | D8046/002098003004<br>D8046/002098003004                  | 1         |        |        |          |
| 039     | COVERING                                                              | D8046/3817520021<br>D8046/3817520021                      | 1         |        |        |          |
| 040     | PIN, FLAP LOCK                                                        | D8046/3819910112<br>D8046/3819910112                      | 1         |        |        |          |

**GROUP SG****02155****CAB INTERIOR FITTINGS**

| ITEM NO | DESIGNATION                                                                                                             | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O | E<br>X | L*<br>M* |
|---------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------|--------|--------|----------|
| 001     | SCREW, TAPPING, M5 BY 12 MM LG.                                                                                         | D8046/007516005501<br>D8046/007516005501                  | 6         |        |        |          |
| 002     | NUT, BLIND RIVETED                                                                                                      | D8046/913010005100<br>D8046/913010005100                  | 6         |        |        |          |
| 003     | VISOR, SUN, VEHICLE PLASTIC, 500 MM LG X 195 MM W, CUP MOUNTED<br>(INCLUDES SG 004 AND SG 005)                          | 2540 12-180-6730<br>D8046/3148100210<br>D8046/3148100210  | 2         | EA     | X      | LM       |
| 004     | CAP<br>(ALSO PART OF SG 003)                                                                                            | D8046/0008110018<br>D8046/0008110018                      | 2         |        |        |          |
| 005     | VISOR, SUN<br>(USE SG 003)                                                                                              | /NIL<br>/NIL                                              | 2         |        |        |          |
| 006     | COVERING                                                                                                                | D8046/3816950195<br>D8046/3816950195                      | 4         |        |        |          |
| 007     | HANDLE, BOW                                                                                                             | 5340 12-175-0987<br>D8046/3818150036<br>D8046/3818150036  | 2         | EA     | X      | LM       |
| 008     | SCREW, TAPPING                                                                                                          | D8046/007516005105<br>D8046/007516005105                  | 8         |        |        |          |
| 009     | SCREW, HEX. HEAD, M8 BY 18 MM LG.                                                                                       | D8046/000933008145<br>D8046/000933008145                  | 8         |        |        |          |
| 010     | SADDLE, RIFLE CLIP<br>(NO LONGER USED USE SG 9001)                                                                      | /NIL<br>/NIL                                              | 2         |        |        |          |
| 011     | CLIP, RIFLE<br>(NO LONGER USED, USE SG 9001)                                                                            | /NIL<br>/NIL                                              | 2         |        |        |          |
| 9001    | CLIP, SPRING TENSION PLASTIC, 67 MM LG, 31.5 MM THK, 25.4 MM W, OLIVE DRAB COLOUR<br>(MODIFIED VIDE EMEI, VEH G 617-25) | 5340 66-128-5508<br>Z5394/MYH3386<br>Z5394/MYH3386        | 2         | EA     | X      | LM       |
| 012     | BRACKET, RIFLE CLIP                                                                                                     | Z4067/YA4256400331<br>Z4067/YA4256400331                  | 2         |        |        |          |

**GROUP SG****02155****CAB INTERIOR FITTINGS**

GROUP

SG


UNCONTROLLED WHEN PRINTED

TITLE

CAB INTERIOR FITTINGS

| ITEM NO                                                       | DESIGNATION                                                                                                                                                                                                                           | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 013                                                           | WASHER, LOCK, 8 MM                                                                                                                                                                                                                    | D8046/912004008102<br>D8046/912004008102                  | 12        |             |             |                |
| 014                                                           | NUT, HEX., M 8                                                                                                                                                                                                                        | D8046/000934008010<br>D8046/000934008010                  | 4         |             |             |                |
| 015                                                           | SCREW, OVAL HEAD, WITH CROSS<br>TYPE SLOT, M6 BY 16 MM LG.                                                                                                                                                                            | D8046/007985006193<br>D8046/007985006193                  | 6         |             |             |                |
| 016                                                           | WASHER, LOCK, 6 MM                                                                                                                                                                                                                    | D8046/912004006102<br>D8046/912004006102                  | 6         |             |             |                |
| 017                                                           | BOX, RIFLE BUTT<br>(NO LONGER USED, USE<br>SG 9002)                                                                                                                                                                                   | /NIL<br>/NIL                                              | 2         |             |             |                |
| 9002                                                          | BOX,BUTT,RIFLE 185 MM LG. BY<br>51.5 MM D. BY 91 MM W.<br>POLYPROPYLENE, KMD 6100<br>UNSTABILISED, DRAB OLIVE,<br>3.5 MM THK W/ 4 BY 10 MM DIA<br>DRAIN HOLES, 4 BY<br>(BOX, BUTT STEYER RIFLE<br>MODIFED VIDE EMEI, VEH<br>G 617-25) | 2540 66-128-5542<br>Z5394/HYG3498<br>Z5394/HYG3498        | 2EA       | X           |             | LM             |
| 018                                                           | BRACKET                                                                                                                                                                                                                               | D8046/4256100736<br>D8046/4256100736                      | 1         |             |             |                |
| 019                                                           | HOOK, CLOTHES                                                                                                                                                                                                                         | D8046/38181400 01 9064<br>D8046/38181400 01 9064          | 2         |             |             |                |
| 020                                                           | SCREW, OVAL HEAD, SHEET<br>METAL, WITH CROSS-TYPE SLOT<br>4.2 MM BY 9.5 MM                                                                                                                                                            | D8046/007981004243<br>D8046/007981004243                  | 4         |             |             |                |
| 021                                                           | BRACKET, RIGHT, CO-DRIVERS<br>SEAT TO BODY                                                                                                                                                                                            | D8046/4256402377<br>D8046/4256402377                      | 1         |             |             |                |
| 022                                                           | BRACKET, CO-DRIVERS SEAT TO<br>BODY                                                                                                                                                                                                   | D8046/4256402077<br>D8046/4256402077                      | 1         |             |             |                |
| 023                                                           | SCREW, OVAL HEAD, WITH CROSS<br>TYPE SLOT, M8 BY 20 MM LG.                                                                                                                                                                            | D8046/007985008119<br>D8046/007985008119                  | 4         |             |             |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 397 |                                                                                                                                                                                                                                       |                                                           |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SG****02155****CAB INTERIOR FITTINGS**


GROUP SG  
TITLE CAB INTERIOR FITTINGS

UNCONTROLLED WHEN PRINTED

| ITEM NO                                                       | DESIGNATION                                                                                                                              | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO    | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 024                                                           | HANDLE, ON DOOR PILLAR                                                                                                                   | D8046/4258150136<br>D8046/4258150136                         | 2         |             |             |                |
| 025                                                           | BRACKET                                                                                                                                  | D8046/4256400577<br>D8046/4256400577                         | 1         |             |             |                |
| 026                                                           | BRACKET                                                                                                                                  | D8046/4256100636<br>D8046/4256100636                         | 1         |             |             |                |
| 027                                                           | BOX                                                                                                                                      | D8046/4256400553<br>D8046/4256400553                         | 1         |             |             |                |
| 028                                                           | PLATE REINFORCEMENT, JACK<br>BRACKET PLATE<br>REINFORCEMENT, JACK BRACKET<br>STEEL, 330 MM LG, 180 MM W, 2.5<br>MM THK, 6 BY 10 MM HOLES | 2510 66-128-2068<br>Z4067/YA4355830052<br>Z4067/YA4355830052 | 1         | EA          | X           | LM             |
| 029                                                           | SCREW, CAP, HEXAGON HEAD<br>METRIC, ZINC PLATED, M8 BY<br>20 MM LG                                                                       | 5305 12-156-4863<br>D8046/000933008147<br>D8046/000933008147 | 8         | EA          | X           | LM             |
| 030                                                           | BRACKET, HYDRAULIC JACK                                                                                                                  | Z4067/YA4355830014<br>Z4067/YA4355830014                     | 1         |             |             |                |
| 031                                                           | SCREW, HEX. HEAD, M10 BY 20<br>MM LG.                                                                                                    | D8046/000933010128<br>D8046/000933010128                     | 9         |             |             |                |
| 032                                                           | BOX SEAT                                                                                                                                 | D8046/4256600440<br>D8046/4256600440                         | 1         |             |             |                |
| 033                                                           | EDGE GUARD SECTION                                                                                                                       | D8046/0019877625<br>D8046/0019877625                         | 1         |             |             |                |
| 034                                                           | WASHER, FLAT 10 MM.                                                                                                                      | D8046/009021010202<br>D8046/009021010202                     | 8         |             |             |                |
| 035                                                           | WASHER, LOCK, 10MM                                                                                                                       | D8046/912004010102<br>D8046/912004010102                     | 8         |             |             |                |
| 036                                                           | SCREW, HEX. SOCKET HEAD,<br>M6 BY 12 MM LG.                                                                                              | D8046/914125006502<br>D8046/914125006502                     | 4         |             |             |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 398 |                                                                                                                                          |                                                              |           |             |             |                |


\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)



**GROUP SG****02155****CAB INTERIOR FITTINGS**



| ITEM NO                                                       | DESIGNATION                                                                            | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO    | NO<br>OFF | U<br>O | E<br>X | L*<br>M*<br>H* |
|---------------------------------------------------------------|----------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------|--------|--------|----------------|
| 037                                                           | WASHER, FLAT RD, STEEL, ZINC COATED, 6.4 MM ID, 12.5 MM OD, 1.6 MM THK                 | 5310 12-184-8509<br>D8046/000125006421<br>D8046/000125006421 | 4         | EA     | X      | LM             |
| 038                                                           | COVER ASSEMBLY, ENGINE<br>(INCLUDES SG 039 TO SG 042)                                  | D8046/4258800187<br>D8046/4258800187                         | 1         |        |        |                |
| 039                                                           | SCREW, COUNTERSUNK, WITH CROSS TYPE SLOT, 4.8 MM BY 13 MM LG.<br>(ALSO PART OF SG 038) | D8046/007982004314<br>D8046/007982004314                     | 2         |        |        |                |
| 040                                                           | ASHTRAY<br>(ALSO PART OF SG 038)                                                       | D8046/0008103330<br>D8046/0008103330                         | 1         |        |        |                |
| 041                                                           | COVER<br>(USE SG 038)                                                                  | /NIL<br>/NIL                                                 | 1         |        |        |                |
| 042                                                           | RUBBER, STRIP<br>(ALSO PART OF SG 038)                                                 | 9320 12-176-2610<br>D8046/0009874733<br>D8046/0009874733     | 1         | EA     | X      | LM             |
| 043                                                           | NUT, LOCK, M8                                                                          | D8046/913004008001<br>D8046/913004008001                     | 4         |        |        |                |
| 044                                                           | WASHER, 8.4 MM                                                                         | D8046/009021008205<br>D8046/009021008205                     | 4         |        |        |                |
| 045                                                           | BRACKET, FIRE EXTINGUISHER                                                             | Z4067/YA4358680114<br>Z4067/YA4358680114                     | 1         |        |        |                |
| 9003                                                          | PLATE, DESIGNATION                                                                     | 9905 12-314-4328<br>D8046/3185840438<br>D8046/3185840438     | 1         | EA     |        | LM             |
| 9004                                                          | LABEL, GUMMED                                                                          | D8046/4355840638<br>D8046/4355840638                         | 1         |        |        |                |
| 9005                                                          | PLATE, CONTROL SYMBOLS                                                                 | D8046/4255840315<br>D8046/4255840315                         | 1         |        |        |                |
| 9006                                                          | PLATE, DIFFERENTIAL LOCK                                                               | D8046/4355840115<br>D8046/4355840115                         | 1         |        |        |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 399 |                                                                                        |                                                              |           |        |        |                |

**GROUP SG****02155****CAB INTERIOR FITTINGS**

GROUP

SG

UNCONTROLLED WHEN PRINTED

TITLE

CAB INTERIOR FITTINGS

| ITEM<br>NO                                                    | DESIGNATION                                                                                                                     | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 9007                                                          | INSTRUCTION PLATE, ANTI<br>FREEZE                                                                                               | D8046/0005841711<br>D8046/0005841711                      | 1         |             |             |                |
| 9008                                                          | INSTRUCTION PLATE, SERVICE<br>DATA                                                                                              | Z4067/YA4355840110<br>Z4067/YA4355840110                  | 1         |             |             |                |
| 9009                                                          | SIGN, GUIDE, FORDING DEPTH                                                                                                      | D8046/A4355842321<br>D8046/A4355842321                    | 1         |             |             |                |
| 9010                                                          | NOMENCLATURE PLATE, TRUCK<br>CARGO                                                                                              | Z4067/YA4355840010<br>Z4067/YA4355840010                  | 1         |             |             |                |
| 9011                                                          | SIGN FACE, ADHESIVE GUIDE<br>SIGN, FORDING DEPTH                                                                                | 9905 12-310-4084<br>D8046/4355842321<br>D8046/4355842321  | 1         | EA          |             | LM             |
| 9012                                                          | CHASSIS IDENTIFICATION PLATE                                                                                                    | D8046/4355840003<br>D8046/4355840003                      | 1         |             |             |                |
| 9013                                                          | RIVET, BUTTON HEAD, 2.8 MM<br>BY 4.83 MM                                                                                        | D8046/910002002100<br>D8046/910002002100                  | 2         |             |             |                |
| 9014                                                          | PLATE, DESIGNATION<br>ALUMINIUM, 90 MM LG BY 73 MM W<br>AND 1 MM THK, LEGEND-MOD<br>RECORD ASSEMBLY CAT<br>NO.; FIGURES 1 TO 49 | 9905 66-039-2341<br>Z2877/TSEW77-2<br>Z2877/TSEW77-2      | 1         | EA          | X           | LM             |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 400 |                                                                                                                                 |                                                           |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)



## DRIVER'S SEAT

GROUP SHA  
TITLE DRIVERS SEAT


UNCONTROLLED WHEN PRINTED

| ITEM NO                                             | DESIGNATION                                                                                                                                                         | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O | E<br>X | L*<br>M*<br>H* |
|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|--------|--------|----------------|
| 001                                                 | SEAT ASSY., DRIVER<br>(INCLUDES SHA 002 TO<br>SHA 048 EARLY VERSION)                                                                                                | Z4067/YA4259100001<br>Z4067/YA4259100001                             | 1         |        |        |                |
| 9001                                                | SEAT, VEHICULAR DRIVER SEAT,<br>BOLT DOWN, W/BACKREST<br>(INCLUDES SHA 9002, SHA 9003<br>SHA 004, SHA 005, SHA 9004,<br>SHA 9005 TO SHA 048, LATER<br>VERSION SEAT) | 2540 66-139-4793<br>Z4067/YA4259100101<br>Z4067/YA4259100101         | 1         | EA     |        | LM             |
| 002                                                 | CUSHION, SEAT, VEHICULAR<br>RUBBER FOAM DRIVERS SEAT<br>(INCLUDES SHA 003 TO<br>SHA 005, ALSO PART OF<br>SHA 001)                                                   | 2540 66-118-6892<br>Z4067/YA 425 910 00 30<br>Z4067/YA 425 910 00 30 | 1         | EA     | X      | LM             |
| 9002                                                | CUSHION, SEAT VEHICULAR,<br>RUBBER FOAM DRIVERS SEAT<br>(INCLUDES SHA 003 TO<br>SHA 005, ALSO PART OF<br>SHA 9001, LATER VERSION<br>SEAT)                           | Z4067/YA4259100130<br>Z4067/YA4259100130                             | 1         |        |        |                |
| 003                                                 | COVER, SEAT, VEHICULAR<br>CUSHION.<br>(ALSO PART OF SHA 002)                                                                                                        | 2540 66-133-7195<br>Z4067/YA4259100046<br>Z4067/YA4259100046         | 1         | EA     | X      | LM             |
| 9003                                                | COVER, SEAT CUSHION<br>(ALSO PART OF SHA 9002<br>LATER VERSION)                                                                                                     | Z4067/YA4259100146<br>Z4067/YA4259100146                             | 1         |        |        |                |
| 004                                                 | PAD<br>(ALSO PART OF SHA 002)                                                                                                                                       | D8046/3819100050<br>D8046/3819100050                                 | 1         |        |        |                |
| 005                                                 | FRAME<br>(USE SHA 002)                                                                                                                                              | /NIL<br>/NIL                                                         | 1         |        |        |                |
| 006                                                 | CUSHION, SEAT BACK, VEHICULAR<br>PLASTIC, VINYL, RUBBER FOAM,<br>DRIVERS SEAT.<br>(INCLUDES SHA 007 TO<br>SHA 009, ALSO PART OF<br>SHA 001)                         | 2540 66-118-6891<br>Z4067/YA 425 910 00 37<br>Z4067/YA 425 910 00 37 | 1         | EA     | X      | LM             |
| 9004                                                | CUSHION, SEAT BACK,<br>VEHICULAR, DRIVER<br>(INCLUDES SHA 007 TO<br>SHA 009, ALSO PART OF<br>SHA 9001, LATER VERSION)                                               | Z4067/YA4259100137<br>Z4067/YA4259100137                             | 1         |        |        |                |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 401 |                                                                                                                                                                     |                                                                      |           |        |        |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

GROUP SHA

02155



DRIVER'S SEAT

GROUP SHA  
TITLE DRIVERS SEAT

UNCONTROLLED WHEN PRINTED

| ITEM NO | DESIGNATION                                                  | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO    | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------|--------------------------------------------------------------|--------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 007     | COVER, SEAT, VEHICULAR SEAT BACK.<br>(ALSO PART OF SHA 006)  | 2540 66-133-7196<br>Z4067/YA4259100047<br>Z4067/YA4259100047 | 1         | EA          | X           | LM             |
| 9005    | COVER, BACKREST<br>(ALSO PART OF SHA 9004,<br>LATER VERSION) | Z4067/YA4259100147<br>Z4067/YA4259100147                     | 1         |             |             |                |
| 008     | PAD<br>(ALSO PART OF SHA 006)                                | D8046/3819140616<br>D8046/3819140616                         | 1         |             |             |                |
| 009     | FRAME<br>(USE SHA 006)                                       | /NIL<br>/NIL                                                 | 1         |             |             |                |
| 010     | RIVET                                                        | D8046/3819900095<br>D8046/3819900095                         | 2         |             |             |                |
| 011     | MOUNTING, RIGHT                                              | D8046/3819100163<br>D8046/3819100163                         | 1         |             |             |                |
| 012     | DETENT                                                       | D8046/3819100262<br>D8046/3819100262                         | 2         |             |             |                |
| 013     | WASHER                                                       | D8046/3819901440<br>D8046/3819901440                         | 4         |             |             |                |
| 014     | LEVER, RIGHT                                                 | D8046/3819190761<br>D8046/3819190761                         | 1         |             |             |                |
| 015     | SHAFT                                                        | D8046/3819190198<br>D8046/3819190198                         | 1         |             |             |                |
| 016     | SPRING                                                       | D8046/3819190937<br>D8046/3819190937                         | 2         |             |             |                |
| 017     | LEVER, LEFT                                                  | D8046/3819190861<br>D8046/3819190861                         | 1         |             |             |                |
| 018     | MOUNTING, LEFT                                               | D8046/3819100063<br>D8046/3819100063                         | 1         |             |             |                |
| 019     | LOCK RING, 25 MM BY 1.2 MM                                   | D8046/000471025002<br>D8046/000471025002                     | 2         |             |             |                |

ISSUE NO: 6


REPAIR PARTS SCALE : 02155

PAGE NO: 402

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

GROUP SHA

02155



DRIVER'S SEAT



GROUP SHA  
TITLE DRIVERS SEAT


UNCONTROLLED WHEN PRINTED

| ITEM NO                                                       | DESIGNATION                                           | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO    | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 020                                                           | CAP                                                   | D8046/3819190013<br>D8046/3819190013                         | 2         |             |             |                |
| 021                                                           | WASHER, FITTED                                        | D8046/000988008015<br>D8046/000988008015                     | 2         |             |             |                |
| 022                                                           | LOCK                                                  | D8046/0009948945<br>D8046/0009948945                         | 4         |             |             |                |
| 023                                                           | HANDLE                                                | D8046/3819190060<br>D8046/3819190060                         | 1         |             |             |                |
| 024                                                           | SCREW, COUNTERSUNK, CROSS<br>SLOTTED, M8 BY 30 MM LG. | D8046/000965008007<br>D8046/000965008007                     | 4         |             |             |                |
| 025                                                           | WASHER, SERRATED, 8.4 MM                              | D8046/006798008301<br>D8046/006798008301                     | 4         |             |             |                |
| 026                                                           | SPRING                                                | D8046/3819190437<br>D8046/3819190437                         | 1         |             |             |                |
| 027                                                           | HANDLE                                                | D8046/3819190260<br>D8046/3819190260                         | 2         |             |             |                |
| 028                                                           | MOUNTING                                              | D8046/3819190963<br>D8046/3819190963                         | 4         |             |             |                |
| 029                                                           | MOUNTING                                              | D8046/3819190763<br>D8046/3819190763                         | 4         |             |             |                |
| 030                                                           | PIN, SPRING EEEV                                      | 5315 12-161-4043<br>D8046/001481002509<br>D8046/001481002509 | 4         | EA          | X           | LM             |
| 031                                                           | LINK, HEIGHT ADJUSTMENT                               | D8046/3819190298<br>D8046/3819190298                         | 2         |             |             |                |
| 032                                                           | RING, SUPPORTING                                      | D8046/3819190022<br>D8046/3819190022                         | 1         |             |             |                |
| 033                                                           | SPRING                                                | D8046/3819190337<br>D8046/3819190337                         | 1         |             |             |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 403 |                                                       |                                                              |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

GROUP SHA

02155



DRIVER'S SEAT

GROUP SHA  
TITLE DRIVERS SEAT


UNCONTROLLED WHEN PRINTED

| ITEM NO                                                       | DESIGNATION                                                                  | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO    | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|------------------------------------------------------------------------------|--------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 034                                                           | SPRING, HEIGHT ADJUSTMENT                                                    | D8046/3819190537<br>D8046/3819190537                         | 1         |             |             |                |
| 035                                                           | LEDGE, REAR RIGHT                                                            | D8046/3819190275<br>D8046/3819190275                         | 1         |             |             |                |
| 036                                                           | LEDGE, REAR LEFT                                                             | D8046/3819190175<br>D8046/3819190175                         | 1         |             |             |                |
| 037                                                           | SEAT FRAMEWORK                                                               | D8046/3819102220<br>D8046/3819102220                         | 1         |             |             |                |
| 038                                                           | RAIL, GUIDE                                                                  | D8046/3819100289<br>D8046/3819100289                         | 2         |             |             |                |
| 039                                                           | WASHER, LOCK, 6 MM                                                           | D8046/912004006102<br>D8046/912004006102                     | 6         |             |             |                |
| 040                                                           | SCREW, OVAL HEAD, WITH CROSS<br>TYPE SLOT, M6 BY 12                          | D8046/007985006157<br>D8046/007985006157                     | 6         |             |             |                |
| 041                                                           | WASHER, FLAT RD, STEEL, ZINC<br>COATED, 6.4 MM ID, 12.5 MM<br>OD, 1.6 MM THK | 5310 12-184-8509<br>D8046/000125006421<br>D8046/000125006421 | 1         | EA          | X           | LM             |
| 042                                                           | NAIL, GROOVED, 3 MM BY 12<br>MM LG.                                          | D8046/001476003021<br>D8046/001476003021                     | 8         |             |             |                |
| 043                                                           | LEDGE                                                                        | D8046/3819190075<br>D8046/3819190075                         | 2         |             |             |                |
| 044                                                           | SPRING, DETENT                                                               | D8046/3819190037<br>D8046/3819190037                         | 2         |             |             |                |
| 045                                                           | ADJUSTER ASSY<br>(INCLUDES SHA 046 TO<br>SHA 048)                            | D8046/3819100005<br>D8046/3819100005                         | 1         |             |             |                |
| 046                                                           | ADJUSTER<br>(USE SHA 045)                                                    | /NIL<br>/NIL                                                 | 1         |             |             |                |
| 047                                                           | SPRING<br>(ALSO PART OF SHA 045)                                             | D8046/3819190837<br>D8046/3819190837                         | 2         |             |             |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 404 |                                                                              |                                                              |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

GROUP SHA

02155



DRIVER'S SEAT

GROUP SHA  
TITLE DRIVERS SEAT


UNCONTROLLED WHEN PRINTED

| ITEM<br>NO                                                    | DESIGNATION                                   | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 048                                                           | RIVET, 5 MM BY 8 MM<br>(ALSO PART OF SHA 045) | D8046/000660005003<br>D8046/000660005003                  | 2         |             |             |                |
| 049                                                           | SCREW                                         | D8046/0009909822<br>D8046/0009909822                      | 4         |             |             |                |
| 050                                                           | RAIL                                          | D8046/3819100427<br>D8046/3819100427                      | 1         |             |             |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 405 |                                               |                                                           |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

## GROUP SHB

02155



## CO-DRIVER'S SEAT

GROUP SHB  
TITLE CO-DRIVERS SEAT


UNCONTROLLED WHEN PRINTED

| ITEM NO                                             | DESIGNATION                                                                                                                                   | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|--------|-------------|----------------|
| 001                                                 | SEAT ASSY., CO-DRIVER<br>(INCLUDES SHB 002 TO<br>SHB 030)                                                                                     | Z4067/YA4259107403<br>Z4067/YA4259107403                             | 1         |        |             |                |
| 002                                                 | CUSHION, SEAT BACK, VEHICULAR<br>PLASTIC, VINYL, RUBBER FOAM,<br>CO-DRIVERS SEAT<br>(INCLUDES SHB 003 TO<br>SHB 017, ALSO PART OF<br>SHB 001) | 2540 66-118-6890<br>Z4067/YA 425 910 10 32<br>Z4067/YA 425 910 10 32 | 1         | EA     | N           | LM             |
| 003                                                 | BRACKET<br>(ALSO PART OF SHB 002)                                                                                                             | D8046/4259101514<br>D8046/4259101514                                 | 1         |        |             |                |
| 004                                                 | BRACKET<br>(ALSO PART OF SHB 002)                                                                                                             | D8046/4259101414<br>D8046/4259101414                                 | 1         |        |             |                |
| 005                                                 | SCREW, COUNTERSUNK, CROSS-<br>SLOTTED, M6 BY 20 MM LG.,<br>(ALSO PART OF SHB 002 AND<br>SHB 021)                                              | D8046/000966006020<br>D8046/000966006020                             | 4         |        |             |                |
| 006                                                 | STAY ASSY.<br>(INCLUDES SHB 007 TO<br>SHB 009, ALSO PART OF<br>SHB 002)                                                                       | D8046/4259102210<br>D8046/4259102210                                 | 1         |        |             |                |
| 007                                                 | STAY<br>(USE SHB 002 OR SHB 006)                                                                                                              | /NIL<br>/NIL                                                         | 1         |        |             |                |
| 008                                                 | NUT, PLAIN, HEXAGON, METRIC,<br>STEEL, ZINC COATED, 10 MM<br>THD, 8 MM THK, 17 MM W A/F<br>(ALSO PART OF SHB 002 AND<br>SHB 006)              | D8046/000934010014<br>D8046/000934010014                             | 1         |        |             | LM             |
| 009                                                 | BALL SOCKET<br>(ALSO PART OF SHB 002 AND<br>SHB 006)                                                                                          | D8046/071805016102<br>D8046/071805016102                             | 1         |        |             |                |
| 010                                                 | SNAP RING, 16 MM<br>(ALSO PART OF SHB 002)                                                                                                    | D8046/071805016300<br>D8046/071805016300                             | 1         |        |             |                |
| 011                                                 | BRACKET<br>(ALSO PART OF SHB 002)                                                                                                             | D8046/4259101214<br>D8046/4259101214                                 | 1         |        |             |                |
| 012                                                 | SCREW, HEX. HEAD<br>(ALSO PART OF SHB 002 AND<br>SHB 021)                                                                                     | D8046/000933006048<br>D8046/000933006048                             | 21        |        |             |                |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 406 |                                                                                                                                               |                                                                      |           |        |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

## GROUP SHB

02155




## CO-DRIVER'S SEAT



| ITEM NO | DESIGNATION                                                                                                                                    | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 013     | WASHER, LOCK, 6 MM<br>(ALSO PART OF SHB 002 AND SHB 021)                                                                                       | D8046/912004006102<br>D8046/912004006102                             | 37        |             |             |                |
| 014     | SCREW, HEX. HEAD<br>(ALSO PART OF SHB 002 AND SHB 021)                                                                                         | D8046/000933006127<br>D8046/000933006127                             | 16        |             |             |                |
| 015     | HINGE<br>(ALSO PART OF SHB 002)                                                                                                                | D8046/4259805057<br>D8046/4259805057                                 | 2         |             |             |                |
| 016     | BACKREST<br>(USE SHB 002)                                                                                                                      | Z4067/YA 425 910 10 32<br>/NIL                                       | 1         |             |             |                |
| 017     | COVER, BACKREST<br>(ALSO PART OF SHB 002)                                                                                                      | Z4067/YA4259101147<br>Z4067/YA4259101147                             | 1         |             |             |                |
| 018     | WASHER, FLAT RD, STEEL, ZINC COATED, 6.4 MM ID, 12.5 MM OD, 1.6 MM THK                                                                         | 5310 12-184-8509<br>D8046/000125006421<br>D8046/000125006421         | 14        | EA          | X           | LM             |
| 019     | NUT, PLAIN, HEXAGON<br>METRIC, STEEL, ZINC COATED, 6 MM THD, 5 MM THK, 10 MM W A/F                                                             | 5310 12-156-4991<br>D8046/000934006007<br>D8046/000934006007         | 10        | EA          | X           | LM             |
| 020     | FRAME, SUPPORTING                                                                                                                              | Z4067/YA4259102420<br>Z4067/YA4259102420                             | 1         |             |             |                |
| 021     | CUSHION, SEAT, VEHICULAR<br>RUBBER FOAM CO-DRIVERS SEAT<br>(INCLUDES SHB 005, SHB 012, TO SHB 014 AND SHB 022 TO SHB 030 ALSO PART OF SHB 001) | 2540 66-118-6893<br>Z4067/YA 425 910 20 30<br>Z4067/YA 425 910 20 30 | 1         | EA          | N           | LM             |
| 022     | COVER, CUSHION<br>(ALSO PART OF SHB 021)                                                                                                       | Z4067/YA4259101846<br>Z4067/YA4259101846                             | 1         |             |             |                |
| 023     | BRACKET<br>(ALSO PART OF SHB 021)                                                                                                              | D8046/4259100714<br>D8046/4259100714                                 | 1         |             |             |                |
| 024     | CUSHION, SEAT, VEHICULAR<br>RUBBER FOAM DRIVERS SEAT                                                                                           | 2540 66-118-6892<br>Z4067/YA 425 910 00 30<br>/NIL                   | 1         | EA          | X           | LM             |
| 025     | HINGE<br>(ALSO PART OF SHB 021)                                                                                                                | D8046/4259100352<br>D8046/4259100352                                 | 1         |             |             |                |

## GROUP SHB

02155




CO-DRIVER'S SEAT

| ITEM NO | DESIGNATION                                                                | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O | E<br>X | L*<br>M* |
|---------|----------------------------------------------------------------------------|-----------------------------------------------------------|-----------|--------|--------|----------|
| 026     | EYE, 28 MM<br>(ALSO PART OF SHB 021)                                       | D8046/005293028003<br>D8046/005293028003                  | 2         |        |        |          |
| 027     | HANDLE<br>(ALSO PART OF SHB 021)                                           | D8046/4259120175<br>D8046/4259120175                      | 1         |        |        |          |
| 028     | DETENT ASSY.<br>(INCLUDES SHB 029 AND<br>SHB 030, ALSO PART OF<br>SHB 021) | D8046/4259100161<br>D8046/4259100161                      | 1         |        |        |          |
| 029     | DETENT<br>(USE SHB 028)                                                    | /NIL<br>/NIL                                              | 1         |        |        |          |
| 030     | SPRING<br>(ALSO PART OF SHB 021 AND<br>SHB 028)                            | D8046/4259190037<br>D8046/4259190037                      | 1         |        |        |          |
| 031     | SCREW, HEX. HEAD, M6 BY 15<br>MM LG.                                       | D8046/000933006102<br>D8046/000933006102                  | 6         |        |        |          |
| 032     | SNAP LOCK                                                                  | D8046/0009881963<br>D8046/0009881963                      | 1         |        |        |          |
| 033     | UNDERLAYER                                                                 | D8046/1169870040<br>D8046/1169870040                      | 1         |        |        |          |
| 034     | SCREW, HEX. HEAD, M6 BY 18<br>MM LG.                                       | D8046/900161006101<br>D8046/900161006101                  | 4         |        |        |          |
| 035     | SNAP LOCK                                                                  | D8046/0009881963<br>D8046/0009881963                      | 2         |        |        |          |
| 036     | PLATE                                                                      | D8046/4259100011<br>D8046/4259100011                      | 1         |        |        |          |
| 037     | WASHER, LOCK, 10 MM                                                        | D8046/912004010102<br>D8046/912004010102                  | 1         |        |        |          |
| 9001    | SCREW, COMBINATION, HEX.<br>HEAD                                           | D8046/913010005100<br>D8046/913010005100                  | 1         |        |        |          |

GROUP SHB

02155



CO-DRIVER'S SEAT

GROUP

SHB


UNCONTROLLED WHEN PRINTED

TITLE

CO-DRIVERS SEAT

| ITEM<br>NO                                          | DESIGNATION                           | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO  | U | E  | L* |
|-----------------------------------------------------|---------------------------------------|-----------------------------------------------------------|-----|---|----|----|
|                                                     |                                       |                                                           | OFF | O | X  | M* |
|                                                     |                                       |                                                           | I   | P | H* |    |
| 038                                                 | SCREW, HEX. HEAD, M10 BY 25<br>MM LG. | D8046/000933010105<br>D8046/000933010105                  | 1   |   |    |    |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 409 |                                       |                                                           |     |   |    |    |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SK****02155****CAB EXTERIOR FITTINGS AND  
REAR VISION MIRRORS**

GROUP

SK


UNCONTROLLED WHEN PRINTED

TITLE

CAB EXTERIOR FITTINGS AND REAR VISION MIRRORS

| ITEM<br>NO                                                    | DESIGNATION                                                                                              | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO      | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001                                                           | SIGN, UNIMOG 1700 L                                                                                      | D8046/425 810 08 69<br>D8046/425 810 08 69                     | 1         |             |             |                |
| 002                                                           | SIGN                                                                                                     | D8046/416 810 00 69<br>D8046/416 810 00 69                     | 1         |             |             |                |
| 003                                                           | WASHER, LOCK, 4MM                                                                                        | D8046/912004 004102<br>D8046/912004 004102                     | 2         |             |             |                |
| 004                                                           | NUT, HEX., M 4                                                                                           | D8046/000934 004006<br>D8046/000934 004006                     | 2         |             |             |                |
| 005                                                           | RIVET, BLIND, 2.8 MM BY<br>4.38 MM LG.                                                                   | D8046/910002 002100<br>D8046/910002 002100                     | 2         |             |             |                |
| 006                                                           | PLATE, BODY NUMBER                                                                                       | D8046/442 817 00 26<br>D8046/442 817 00 26                     | 1         |             |             |                |
| 007                                                           | PAD, BOTTOM                                                                                              | D8046/381 811 05 96<br>D8046/381 811 05 96                     | 2         |             |             |                |
| 008                                                           | PAD, TOP                                                                                                 | D8046/381 811 04 96<br>D8046/381 811 04 96                     | 2         |             |             |                |
| 009                                                           | ARM, REARVIEW MIRROR STEEL<br>AND ZINC, 654 MM LG, 6.3 MM<br>MTG HOLE DIA<br>(INCLUDES SK 010 TO SK 013) | 2540 12-303-4468<br>D8046/4258101513<br>D8046/4258101513       | 2         | AY          | N           | LM             |
| 010                                                           | SCREW<br>(ALSO PART OF SK 009)                                                                           | D8046/000 990 15 04<br>D8046/000 990 15 04                     | 2         |             |             |                |
| 011                                                           | SUPPORT REAR VIEW<br>BRACKET, UPPER, REAR VISION<br>MIRROR<br>(ALSO PART OF SK 009)                      | 2540 12-301-0447<br>D8046/001 811 02 14<br>D8046/001 811 02 14 | 2         | EA          | X           | LM             |
| 012                                                           | CLAMP<br>(ALSO PART OF SK 009)                                                                           | D8046/000 811 04 23<br>D8046/000 811 04 23                     | 2         |             |             |                |
| 013                                                           | BRACKET BEARING, LOWER, REAR<br>VISION MIRROR<br>(ALSO PART OF SK 009)                                   | 2540 66-134-8422<br>D8046/000 811 05 36<br>D8046/000 811 05 36 | 2         | EA          | X           | LM             |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 410 |                                                                                                          |                                                                |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SK****02155****CAB EXTERIOR FITTINGS AND  
REAR VISION MIRRORS**



GROUP

SK

UNCONTROLLED WHEN PRINTED

TITLE

CAB EXTERIOR FITTINGS AND REAR VISION MIRRORS


| ITEM NO | DESIGNATION                                                                                                                                                                                               | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 014     | SCREW, OVAL HEAD, TAPPING,<br>M6 BY 16                                                                                                                                                                    | D8046/007516 006503<br>D8046/007516 006503                           | 8         |             |             |                |
| 015     | MIRROR HEAD, VEHICULAR<br>RECTANGULAR W/ROUND ENDS,<br>382 MM LG, 192 MM W, SUPPORT<br>ADJUSTABLE FROM 14 MM TO 18<br>MM DIA, MIRROR RADIUS 1800<br>MM, SUPPORT OFF CENTRE<br>(INCLUDES SK 016 TO SK 020) | 2540 66-140-5227<br>Z4067/YA 425 810 02 16<br>Z4067/YA 425 810 02 16 | 2EA       |             |             | LM             |
| 016     | LIGHT, MARKER, CLEARANCE<br>PLASTICS, RED, CABLE CONNECTED<br>(ALSO PART OF SK 015)                                                                                                                       | 6220 66-118-6970<br>Z4067/YA 381 826 00 47<br>Z4067/YA 381 826 00 47 | 2EA       |             | X           | LM             |
| 017     | LAMP, INCANDESCENT<br>24V, 5W, BRASS FERRULE<br>BASE, "CYL" SHAPE, CLEAR<br>(ALSO PART OF SK 015)                                                                                                         | 6240 66-022-9412<br>Z0275/653<br>Z0275/653                           | 2EA       |             | X           | LM             |
| 018     | MIRROR BODY<br>(USE SK 015)                                                                                                                                                                               | /NIL<br>/NIL                                                         | 2         |             |             |                |
| 019     | MIRROR, REAR VIEW 15 CM NOM<br>WIDTH, 37 CM NOM LG, RUBBER-<br>ISED EDGE<br>(ALSO PART OF SK 015)                                                                                                         | 2540 66-117-3222<br>Z4067/YA425 811 0033<br>Z4067/YA425 811 0033     | 2EA       |             | X           | LM             |
| 020     | RECEPTACLE HOUSING, FEMALE<br>(ALSO PART OF SK 015)                                                                                                                                                       | Z4067/000 545 06 28<br>Z4067/000 545 06 28                           | 2         |             |             |                |
| 9001    | PIN                                                                                                                                                                                                       | Z4067/000 545 01 26<br>Z4067/000 545 01 26                           | 4         |             |             |                |
| 021     | PLUG HOUSING, MALE                                                                                                                                                                                        | Z4067/000 545 05 28<br>Z4067/000 545 05 28                           | 2         |             |             |                |
| 9002    | SOCKET                                                                                                                                                                                                    | Z4067/YA 000 545 02 26<br>Z4067/YA 000 545 02 26                     | 2         |             |             |                |
| 022     | CABLE<br>ASSEMBLY, POWER, ELECTRICAL<br>L/H MIRROR CLEARANCE LAMP                                                                                                                                         | 6150 66-118-6968<br>Z4067/YA 435 540 03 37<br>Z4067/YA 435 540 03 37 | 1EA       |             | X           | LM             |
| 9003    | CABLE<br>ASSEMBLY, POWER, ELECTRICAL<br>R/H MIRROR CLEARANCE LAMP                                                                                                                                         | 6150 66-118-6967<br>Z4067/YA 435 540 04 37<br>Z4067/YA 435 540 04 37 | 1EA       |             | X           | LM             |

ISSUE NO: 6

REPAIR PARTS SCALE : 02155

PAGE NO: 411

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SK****02155****CAB EXTERIOR FITTINGS AND  
REAR VISION MIRRORS**


GROUP SK

UNCONTROLLED WHEN PRINTED

TITLE CAB EXTERIOR FITTINGS AND REAR VISION MIRRORS

| ITEM NO                                             | DESIGNATION                             | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO      | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|-----------------------------------------------------|-----------------------------------------|----------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 023                                                 | TERMINAL, LUG                           | 5940 12-180-0596<br>D8046/900261008001<br>D8046/900261008001   | 1         | EA          | X           | LM             |
| 024                                                 | GROMMET                                 | Z4067/YA 623 997 00 81<br>Z4067/YA 623 997 00 81               | 2         |             |             |                |
| 025                                                 | TERMINAL, QUICK DISCONNECT              | 5940 12-159-3480<br>D8046/0005453726<br>D8046/0005453726       | 3         | EA          | X           | LM             |
| 026                                                 | WASHER, LOCK, 8 MM                      | D8046/912004 008102<br>D8046/912004 008102                     | 8         |             |             |                |
| 027                                                 | SCREW, HEX. HEAD, M8 BY 20<br>MM LG.    | D8046/000933 008147<br>D8046/000933 008147                     | 2         |             |             |                |
| 9004                                                | SCREW, HEX. HEAD, M8 BY 16<br>MM LG.    | D8046/000933 008212<br>D8046/000933 008212                     | 4         |             |             |                |
| 028                                                 | PANEL, ROCKER, LH<br>(FOOT STEP)        | 2510 12-175-9279<br>D8046/425 880 04 01<br>D8046/425 880 04 01 | 1         | EA          |             | LM             |
| 9005                                                | TREAD, METALLIC, NONSKID<br>(FOOT STEP) | 2510 12-175-9280<br>D8046/4258800501<br>D8046/4258800501       | 1         | EA          |             | LM             |
| 029                                                 | SCREW, HEX. HEAD, M8 BY 70<br>MM LG.    | D8046/000931 008278<br>D8046/000931 008278                     | 2         |             |             |                |
| 030                                                 | NUT, HEX., M8                           | D8046/000934 008010<br>D8046/000934 008010                     | 2         |             |             |                |
| 031                                                 | NUT, HEX., M 6                          | D8046/000934 006007<br>D8046/000934 006007                     | 3         |             |             |                |
| 032                                                 | WASHER, LOCK, 6 MM                      | D8046/912004 006102<br>D8046/912004 006102                     | 3         |             |             |                |
| 033                                                 | WASHER, 6.4 MM                          | D8046/000125 006421<br>D8046/000125 006421                     | 2         |             |             |                |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 412 |                                         |                                                                |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SK****02155**

# **CAB EXTERIOR FITTINGS AND REAR VISION MIRRORS**

GROUP

SK

UNCONTROLLED WHEN PRINTED

TITLE

CAB EXTERIOR FITTINGS AND REAR VISION MIRRORS


| ITEM<br>NO | DESIGNATION                                                                                                                 | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 034        | BRACKET, DOUBLE ANGLE<br>STEEL, 24.0 MM 1ST LEG<br>LTH, 32.0 MM 2ND LEG LTH, 58.0<br>MM CENTRE HT, 14.0 MM W, 4.0<br>MM THK | 5340 12-315-7237<br>D8046/425 750 15 14<br>D8046/425 750 15 14       | 1         | EA          | X           | LM             |
| 035        | HANDLE, BOW                                                                                                                 | 5340 12-175-1269<br>D8046/3817510170<br>D8046/3817510170             | 1         | EA          | X           | LM             |
| 036        | SCREW, OVAL HEAD,<br>COUNTERSUNK, CROSS SLOTTED                                                                             | D8046/000966 006052<br>D8046/000966 006052                           | 2         |             |             |                |
| 037        | BADGE                                                                                                                       | D8046/305 817 03 16<br>D8046/305 817 03 16                           | 1         |             |             |                |
| 038        | CLIP                                                                                                                        | D8046/002 988 75 78<br>D8046/002 988 75 78                           | 4         |             |             |                |
| 9006       | BELLOWS, PROTECTION RUBBER                                                                                                  | 9390 66-126-8402<br>D8046/YA 435 546 00 85<br>D8046/YA 435 546 00 85 | 1         | EA          | X           | LM             |
| 9007       | FERRULE, ELECTRICAL CONDUCTOR<br>W/BUE INSULATION SLEEVE, FOR<br>4 MM CABLE                                                 | 5940 66-052-4839<br>Z0645/8221<br>Z0645/8221                         | 4         | EA          | X           | LM             |
| 9008       | FERRULE, ELECTRICAL CONDUCTOR<br>0.406 IN. LG, 0.187<br>IN. OD, 0.164 IN. ID                                                | 5940 66-018-1142<br>Z0220/H852<br>Z0220/H852                         | 4         | PK          | X           | LM             |

ISSUE NO: 6

REPAIR PARTS SCALE : 02155

PAGE NO: 413

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SLA****02155****SEAT BELT, DRIVERS**

GROUP SLA  
TITLE SEAT BELT, DRIVERS

UNCONTROLLED WHEN PRINTED

| ITEM NO | DESIGNATION                                                                                                            | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001     | BELT, VEHICULAR SAFETY<br>COMBINATION LAP AND SHOULDER<br>FOR ADULTS, DRIVERS SEAT<br>(INCLUDES SLA 002 TO<br>SLA 005) | 2540 66-118-6895<br>Z4067/YA 425 860 02 85<br>Z4067/YA 425 860 02 85 | 1         | E           | A           | N LM           |
| 002     | WASHER<br>(ALSO PART OF SLA 001)                                                                                       | D8046/002 990 76 40<br>D8046/002 990 76 40                           | 3         |             |             |                |
| 003     | BUSHING<br>(ALSO PART OF SLA 001)                                                                                      | D8046/000 992 22 05<br>D8046/000 992 22 05                           | 2         |             |             |                |
| 004     | SCREW<br>(ALSO PART OF SLA 001)                                                                                        | D8046/003 990 37 01<br>D8046/003 990 37 01                           | 4         |             |             |                |
| 005     | CAP<br>(ALSO PART OF SLA 001)                                                                                          | D8046/000 868 05 30<br>D8046/000 868 05 30                           | 1         |             |             |                |
| 006     | SCREW                                                                                                                  | D8046/003 990 37 01<br>D8046/003 990 37 01                           | 2         |             |             |                |
| 007     | BRACKET                                                                                                                | D8046/425 910 21 14<br>D8046/425 910 21 14                           | 1         |             |             |                |
| 008     | RING, LOCK                                                                                                             | D8046/442 550 02 75<br>D8046/442 550 02 75                           | 1         |             |             |                |
| 009     | WASHER, 21 MM                                                                                                          | D8046/000125 021006<br>D8046/000125 021006                           | 1         |             |             |                |
| 010     | PIN                                                                                                                    | D8046/001444 020202<br>D8046/001444 020202                           | 1         |             |             |                |
| 011     | BRACKET                                                                                                                | D8046/381 910 00 14<br>D8046/381 910 00 14                           | 1         |             |             |                |
| 012     | FRAME PART                                                                                                             | D8046/425 910 04 65<br>D8046/425 910 04 65                           | 1         |             |             |                |

ISSUE NO: 6



REPAIR PARTS SCALE : 02155

PAGE NO: 414

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SLB**

**02155**



**SEAT BELT, CO-DRIVERS**




GROUP SLB  
TITLE SEAT BELT, CO-DRIVERS

UNCONTROLLED WHEN PRINTED

| ITEM NO                                                       | DESIGNATION                                                                                                                                    | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001                                                           | BELT, VEHICULAR SAFETY<br>LAP, CO-DRIVERS<br>(INCLUDES SLB 002 TO<br>SLB 004)                                                                  | 2540 66-118-6897<br>Z4067/YA 425 860 00 85<br>Z4067/YA 425 860 00 85 | 1         | E           | A           | N LM           |
| 002                                                           | SCREW<br>(ALSO PART OF SLB 001)                                                                                                                | D8046/000 984 16 33<br>D8046/000 984 16 33                           | 1         |             |             |                |
| 003                                                           | WASHER, SPRING<br>(ALSO PART OF SLB 001 AND<br>SLB 005)                                                                                        | D8046/000 993 87 26<br>D8046/000 993 87 26                           | 3         |             |             |                |
| 004                                                           | SCREW<br>(ALSO PART OF SLB 001 AND<br>SLB 005)                                                                                                 | D8046/004 990 45 01<br>D8046/004 990 45 01                           | 3         |             |             |                |
| 005                                                           | BELT, VEHICULAR SAFETY<br>COMBINATION LAP AND SHOULDER<br>FOR ADULTS, CO-DRIVERS SEAT<br>(INCLUDES SLB 003, SLB 004<br>AND SLB 006 TO SLB 008) | 2540 66-118-6896<br>Z4067/YA 425 860 01 85<br>Z4067/YA 425 860 01 85 | 1         | E           | A           | N LM           |
| 006                                                           | CAP<br>(ALSO PART OF SLB 005)                                                                                                                  | D8046/000 868 05 30<br>D8046/000 868 05 30                           | 1         |             |             |                |
| 007                                                           | BUSHING<br>(ALSO PART OF SLB 005)                                                                                                              | D8047/000 992 22 05<br>D8047/000 992 22 05                           | 2         |             |             |                |
| 008                                                           | WASHER<br>(ALSO PART OF SLB 005)                                                                                                               | D8046/002 990 76 40<br>D8046/002 990 76 40                           | 2         |             |             |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 415 |                                                                                                                                                |                                                                      |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SM****02155****HOOD AND FENDERS**

GROUP SM  
TITLE HOOD AND FENDERS

UNCONTROLLED WHEN PRINTED

| ITEM NO | DESIGNATION                                                                            | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------|----------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001     | BUMPER, NONMETALLIC PLASTIC                                                            | 5340 12-180-4518<br>D8046/0019875540<br>D8046/0019875540  | 4         | EA          | X           | M              |
| 002     | HOOD, ENGINE COMPARTMENT C/W<br>FITTINGS<br>(INCLUDES SM 003 TO SM 008)                | 2510 12-179-7763<br>D8046/4257502702<br>D8046/4257502702  | 1         | EA          | N           | M              |
| 003     | HOOD<br>(USE SM 002)                                                                   | /NIL<br>/NIL                                              | 1         |             |             |                |
| 004     | FASTENER<br>(ALSO PART OF SM 002)                                                      | D8046/441 752 02 50<br>D8046/441 752 02 50                | 3         |             |             |                |
| 005     | WASHER, LOCK, 6 MM<br>(ALSO PART OF SM 002)                                            | D8046/912004 006102<br>D8046/912004 006102                | 15        |             |             |                |
| 006     | SCREW, OVAL HEAD, WITH<br>CROSS TYPE SLOT, M6 BY 10<br>MM LG.<br>(ALSO PART OF SM 002) | D8046/007985 006161<br>D8046/007985 006161                | 6         |             |             |                |
| 007     | SCREW, OVAL HEAD, WITH<br>CROSS TYPE SLOT, M6 BY 12<br>MM LG.<br>(ALSO PART OF SM 002) | D8046/007985 006157<br>D8046/007985 006157                | 4         |             |             |                |
| 008     | LOCK<br>(ALSO PART OF SM 002)                                                          | D8046/000 750 01 50<br>D8046/000 750 01 50                | 2         |             |             |                |
| 009     | NONMETALLIC SPECIAL SHAPED<br>SECTION RUBBER                                           | 9390 66-122-4270<br>D8046/0009858230<br>D8046/0009858230  | 2         | MR          | X           | M              |
| 010     | SEAL                                                                                   | 5330 12-176-8873<br>D8046/4257510298<br>D8046/4257510298  | 1         | EA          | X           | M              |
| 011     | WASHER, TOOTHED                                                                        | D8046/006797 004132<br>D8046/006797 004132                | 6         |             |             |                |
| 012     | SCREW, OVAL HEAD, SHEET<br>METAL, WITH CROSS-TYPE SLOT                                 | D8046/007981 004243<br>D8046/007981 004243                | 6         |             |             |                |
| 013     | RAIL                                                                                   | D8046/425 751 06 35<br>D8046/425 751 06 35                | 3         |             |             |                |

ISSUE NO: 6


REPAIR PARTS SCALE : 02155

PAGE NO: 416

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

GROUP SM

02155



HOOD AND FENDERS

GROUP SM  
TITLE HOOD AND FENDERS


UNCONTROLLED WHEN PRINTED

| ITEM NO                                             | DESIGNATION                                                   | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|-----------------------------------------------------|---------------------------------------------------------------|----------------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 014                                                 | SCREW, OVAL HEAD, WITH<br>CROSS TYPE SLOT, M6 BY 16<br>MM LG. | D8046/007985 006193<br>D8046/007985 006193                           | 1         |             |             |                |
| 015                                                 | PLATE                                                         | D8046/425 752 04 11<br>D8046/425 752 04 11                           | 1         |             |             |                |
| 016                                                 | SPRING, HELICAL, TORSION                                      | 5360 12-179-8331<br>D8046/4257520224<br>D8046/4257520224             | 1         | EA          | X           | M              |
| 017                                                 | SCREW, HEX. HEAD, M6 BY 15<br>MM LG.                          | D8046/000933 006102<br>D8046/000933 006102                           | 4         |             |             |                |
| 018                                                 | WASHER, 6.4 MM                                                | D8046/009021 006205<br>D8046/009021 006205                           | 4         |             |             |                |
| 019                                                 | WASHER, LOCK, 8 MM                                            | D8046/912004 008102<br>D8046/912004 008102                           | 2         |             |             |                |
| 020                                                 | SCREW, HEX. HEAD, M8 BY 20<br>MM LG.                          | D8046/000933 008147<br>D8046/000933 008147                           | 2         |             |             |                |
| 021                                                 | FENDER, VEHICULAR FRONT LEFT                                  | 2510 12-179-7726<br>D8046/4258804206<br>D8046/4258804206             | 1         | EA          | N           | M              |
| 9001                                                | FENDER, VEHICULAR FRONT, RIGHT                                | 2510 12-179-7725<br>D8046/4258804306<br>D8046/4258804306             | 1         | EA          | N           | M              |
| 022                                                 | WASHER, 5.3 MM                                                | D8046/009021 005202<br>D8046/009021 005202                           | 12        |             |             |                |
| 023                                                 | SCREW, OVAL HEAD, WITH<br>CROSS TYPE SLOT, M5 BY 16<br>MM LG. | D8046/007985 005168<br>D8046/007985 005168                           | 12        |             |             |                |
| 024                                                 | GUARD, SPLASH, VEHICULAR<br>FABRIC REINFORCED RUBBER          | 2540 66-118-6645<br>Z4067/YA 425 881 01 05<br>Z4067/YA 425 881 01 05 | 2         | EA          | X           | M              |
| 025                                                 | RAIL                                                          | D8046/YA 425 881 02 05<br>D8046/YA 425 881 02 05                     | 2         |             |             |                |
| 026                                                 | NUT, LOCK, M5                                                 | D8046/913004 005001<br>D8046/913004 005001                           | 12        |             |             |                |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 417 |                                                               |                                                                      |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

GROUP SM

02155



HOOD AND FENDERS

GROUP

SM


UNCONTROLLED WHEN PRINTED

TITLE

HOOD AND FENDERS

| ITEM<br>NO                                                    | DESIGNATION    | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U | E | L* |
|---------------------------------------------------------------|----------------|-----------------------------------------------------------|-----------|---|---|----|
|                                                               |                |                                                           |           | O | X | M* |
| 027                                                           | BUFFER, RUBBER | D8046/108 987 02 40<br>D8046/108 987 02 40                | 6         |   |   |    |
| 028                                                           | NUT, HEX., M 6 | D8046/000934 006007<br>D8046/000934 006007                | 4         |   |   |    |
| 029                                                           | BRACKET        | D8046/425 881 04 14<br>D8046/425 881 04 14                | 2         |   |   |    |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 418 |                |                                                           |           |   |   |    |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SN****02155****FRONT GRILLE AND MESH**



GROUP

SN

UNCONTROLLED WHEN PRINTED

TITLE

FRONT GRILLE AND MESH


| ITEM<br>NO | DESIGNATION                                                   | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO      | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|------------|---------------------------------------------------------------|----------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001        | COVERING                                                      | D8046/425 752 01 21<br>D8046/425 752 01 21                     | 1         |             |             |                |
| 002        | LOCK                                                          | D8046/912003 003000<br>D8046/912003 003000                     | 6         |             |             |                |
| 003        | GRILLE, METAL                                                 | 2510 12-300-3539<br>D8046/4257505702<br>Z4067/425 750 57 02    | 1         | EA          | N           | M              |
| 004        | CLIP, SPRING TENSION                                          | 5340 12-175-1278<br>D8046/003 988 67 78<br>D8046/003 988 67 78 | 1         | EA          | X           | LM             |
| 005        | STAY                                                          | D8046/425 752 01 75<br>D8046/425 752 01 75                     | 1         |             |             |                |
| 006        | GROMMET                                                       | D8046/000 997 20 81<br>D8046/000 997 20 81                     | 1         |             |             |                |
| 007        | ANGLE                                                         | D8046/425 751 01 12<br>D8046/425 751 01 12                     | 1         |             |             |                |
| 008        | WASHER, LOCK, 6 MM, BRACKET<br>TO BODY                        | D8046/912004 006102<br>D8046/912004 006102                     | 9         |             |             |                |
| 009        | SCREW, OVAL HEAD, WITH<br>CROSS TYPE SLOT, M6 BY 10<br>MM LG. | D8046/007985 006161<br>D8046/007985 006161                     | 1         |             |             |                |
| 010        | WASHER, 8.4 MM                                                | D8046/000125 008418<br>D8046/000125 008418                     | 2         |             |             |                |
| 011        | PIN, COTTER, 2 MM BY 15<br>MM LG.                             | D8046/000094 002028<br>D8046/000094 002028                     | 1         |             |             |                |
| 012        | SCREEN GRID SCREEN GRID                                       | 2510 12-179-8100<br>D8046/4257210718<br>D8046/4257210718       | 1         | EA          | X           | M              |
| 013        | SECTION, PLASTIC                                              | D8046/001 987 76 25<br>D8046/001 987 76 25                     | 1         |             |             |                |
| 014        | SCREEN GRID SCREEN GRID                                       | 2510 12-179-8099<br>D8046/4257510618<br>D8046/4257510618       | 1         | EA          | X           | M              |

ISSUE NO: 6

REPAIR PARTS SCALE : 02155

PAGE NO: 419

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SN****02155****FRONT GRILLE AND MESH**

GROUP

SN

UNCONTROLLED WHEN PRINTED

TITLE

FRONT GRILLE AND MESH

| ITEM<br>NO | DESIGNATION                                                            | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO    | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|------------|------------------------------------------------------------------------|--------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 015        | SCREW, BUTTON HEAD, SHEET<br>METAL, WITH COLLAR AND<br>CROSS-TYPE SLOT | D8046/914127 003203<br>D8046/914127 003203                   | 12        |             |             |                |
| 016        | LOCK                                                                   | D8046/000 994 78 45<br>D8046/000 994 78 45                   | 6         |             |             |                |
| 017        | STOP, LEFT                                                             | D8046/425 752 02 77<br>D8046/425 752 02 77                   | 1         |             |             |                |
| 9001       | STOP, RIGHT                                                            | D8046/425 752 03 77<br>D8046/425 752 03 77                   | 1         |             |             |                |
| 018        | SCREW, HEX. HEAD, WITH<br>BROACHED GROOVE, M6 BY 18<br>MM LG.          | D8046/900161 006101<br>D8046/900161 006101                   | 4         |             |             |                |
| 019        | BUFFER, RUBBER                                                         | D8046/108 987 01 40<br>D8046/108 987 01 40                   | 2         |             |             |                |
| 020        | NUT, HEX., M 6                                                         | D8046/000934 006007<br>D8046/000934 006007                   | 4         |             |             |                |
| 021        | CLAMP                                                                  | D8046/425 751 02 32<br>D8046/425 751 02 32                   | 2         |             |             |                |
| 022        | RAIL                                                                   | D8046/425 751 10 35<br>D8046/425 751 10 35                   | 1         |             |             |                |
| 023        | SEAL                                                                   | 5330 12-180-1698<br>D8046/4257510498<br>D8046/4257510498     | 1         | EA          | X           | M              |
| 024        | RIVET, BLIND BUTTON HD, 4 MM<br>BY 7.62 MM LG                          | 5320 12-175-2773<br>D8046/910002004108<br>D8046/910002004108 | 5         | EA          | X           | M              |

ISSUE NO: 6


REPAIR PARTS SCALE : 02155

PAGE NO: 420

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

GROUP SP

02155



REAR MUDGUARDS

GROUP SP  
TITLE REAR MUDGUARDS


UNCONTROLLED WHEN PRINTED

| ITEM NO                                             | DESIGNATION                                                  | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|-----------------------------------------------------|--------------------------------------------------------------|----------------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001                                                 | NUT, LOCK, M 8                                               | D8046/913004 008004<br>D8046/913004 008004                           | 24        |             |             |                |
| 002                                                 | BRACKET, MUDGUARD<br>REINFORCEMENT, FRONT                    | Z4067/YA 435 522 02 40<br>Z4067/YA 435 522 02 40                     | 2         |             |             |                |
| 003                                                 | SCREW, HEX. HEAD, M8 BY 18<br>MM LG.                         | D8046/000933 008145<br>D8046/000933 008145                           | 4         |             |             |                |
| 004                                                 | MUDGUARD, FRONT                                              | Z4067/YA 435 520 03 19<br>Z4067/YA 435 520 03 19                     | 2         |             |             |                |
| 005                                                 | SCREW, ELEVATOR, M8 BY 35<br>MM LG.                          | Z4067/YA 435 990 01 01<br>Z4067/YA 435 990 01 01                     | 4         |             |             |                |
| 006                                                 | WASHER, 8.4 MM                                               | D8046/000125 008418<br>D8046/000125 008418                           | 12        |             |             |                |
| 007                                                 | SCREW, COUNTERSUNK, M8 BY 45<br>MM LG.                       | D8046/000965 008022<br>D8046/000965 008022                           | 4         |             |             |                |
| 008                                                 | MUDGUARD, REAR                                               | Z4067/YA 435 520 04 19<br>Z4067/YA 435 520 04 19                     | 2         |             |             |                |
| 009                                                 | BRACKET, MUDGUARD<br>REINFORCEMENT, REAR                     | Z4067/YA 435 522 01 40<br>Z4067/YA 435 522 01 40                     | 2         |             |             |                |
| 010                                                 | SCREW, COUNTERSUNK, M8 BY 35<br>MM LG.                       | D8046/000965 008016<br>D8046/000965 008016                           | 4         |             |             |                |
| 011                                                 | SCREW, HEX. HEAD, M8 BY 16<br>MM LG.                         | D8046/000933 008214<br>D8046/000933 008214                           | 8         |             |             |                |
| 012                                                 | SCREW, OVAL HEAD WITH<br>CROSS TYPE SLOT, M5 BY 16<br>MM LG. | D8046/007985 005175<br>D8046/007985 005175                           | 8         |             |             |                |
| 013                                                 | WASHER, 5.3 MM                                               | D8046/009021 005202<br>D8046/009021 005202                           | 8         |             |             |                |
| 014                                                 | GUARD, SPLASH, VEHICULAR<br>FABRIC REINFORCED RUBBER         | 2540 66-118-6644<br>Z4067/YA 435 522 00 05<br>Z4067/YA 435 522 00 05 | 2         | EA          | X           | LM             |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 421 |                                                              |                                                                      |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

GROUP SP

02155



REAR MUDGUARDS

GROUP

SP

UNCONTROLLED WHEN PRINTED

TITLE


REAR MUDGUARDS

| ITEM<br>NO                                                    | DESIGNATION    | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|----------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 015                                                           | CLAMPING PIECE | Z4067/YA 435 522 00 20<br>Z4067/YA 435 522 00 20          | 2         |             |             |                |
| 016                                                           | NUT, LOCK, M 5 | D8046/913004 005001<br>D8046/913004 005001                | 8         |             |             |                |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 422 |                |                                                           |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SQ**

**02155**



**CARGO BODY**




GROUP SQ  
TITLE CARGO BODY


UNCONTROLLED WHEN PRINTED

| ITEM<br>NO                                          | DESIGNATION               | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|-----------------------------------------------------|---------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001                                                 | TRAY ASSY, BODY AND FRAME | Z4067/YA 435 600 01 20<br>Z4067/YA 435 600 01 20          | 1         |             |             |                |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 423 |                           |                                                           |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SQA****02155****CARGO BODY FLOOR**

| ITEM NO | DESIGNATION                                                                                                                                                                                   | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001     | FLOOR, TRAY BODY, FRONT,<br>2747 MM BY 2175.5 MM<br>(USE ALTERNATIVE ITEM,<br>SQA 9001)                                                                                                       | Z4067/YA 435 616 00 67<br>Z4067/YA 435 616 00 67                     | 1         |             |             |                |
| 9001    | PANEL, FLOOR, TRAY FRONT<br>PLYWOOD PANEL, 2745.0 MM<br>LG, 2175.5 MM W, 19.0 MM THK,                                                                                                         | 2510 66-130-3594<br>Z1664/500 UM MF<br>Z1664/500 UM MF               | 1         | SH          | N           | LM             |
| 002     | BOLT, MACHINE ISO<br>M, STEEL, ROUND REVERSEKEYED<br>NO.2 HD, 8.0 MM BY 35.0 MM LG                                                                                                            | 5306 66-136-3019<br>Z4067/YA 435 990 01 01<br>Z4067/YA 435 990 01 01 | 75        | EA          | X           | LM             |
| 003     | WASHER, 8 MM                                                                                                                                                                                  | D8046/000125 008418<br>D8046/000125 008418                           | 75        |             |             |                |
| 004     | FLOOR ASSEMBLY, TRAY BODY<br>REAR; 2.0 MM O/A THK<br>ALUMINIUM TREAD PLATE BONDED<br>TO 17.0 MM THK PLASPLY, 1200<br>MM L X 2175.5 MM W; 2<br>RECTANGLE ACCESS HOLES, 390<br>MM LG X 191 MM W | 2510 66-140-5294<br>Z4067/YA 435 616 01 67<br>Z4067/YA 435 616 01 67 | 1         | AY          |             | LM             |
| 005     | COVER, ACCESS HOLE CARGO BODY<br>FLOOR                                                                                                                                                        | 5340 66-139-1677<br>Z4067/4356160036<br>Z4067/4356160036             | 2         | EA          |             | LM             |
| 006     | BRACKET, COVER RETAINING                                                                                                                                                                      | Z4067/YA 435 616 00 41<br>Z4067/YA 435 616 00 41                     | 4         |             |             |                |
| 007     | NUT, HEX., M 10                                                                                                                                                                               | D8046/000934 010014<br>D8046/000934 010014                           | 4         |             |             |                |
| 008     | WASHER, LOCK, 8 MM                                                                                                                                                                            | D8046/912004 008102<br>D8046/912004 008102                           | 79        |             |             |                |
| 009     | NUT, HEX., M8                                                                                                                                                                                 | D8046/000934 008010<br>D8046/000934 008010                           | 79        |             |             |                |
| 010     | CENTRE POST, CARGO TRAY<br>STEEL, STEPPED AND THREADED<br>FOR SECURING.                                                                                                                       | 2510 66-118-6884<br>Z4067/YA 435 610 00 33<br>Z4067/YA 435 610 00 33 | 2         | EA          | X           | M              |
| 011     | LEVER, LOCK-RELEASE<br>(USED ON RIGHT HAND SIDE OF<br>HEADBOARD AND LEFT HAND SIDE<br>OF TAILGATE)                                                                                            | 5340 12-300-9084<br>D8046/000 631 20 55<br>D8046/000 631 20 55       | 2         | EA          | X           | LM             |


**GROUP SQA****02155****CARGO BODY FLOOR**

GROUP SQA  
TITLE CARGO BODY FLOOR

UNCONTROLLED WHEN PRINTED

| ITEM NO                                             | DESIGNATION                                                                                        | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|-------------|-------------|----------------|
| 012                                                 | TRAY, SUB FRAME AND HEADBOARD ASSEMBLY CARGO BODY FLOOR (INCLUDES SQA 013 AND SQA 014)             | 2510 66-128-6976<br>D8046/YA 435 600 00 03<br>D8046/YA 435 600 00 03 | 1         | EA          | N           | M              |
| 013                                                 | HEADBOARD ASSEMBLY VEHICULAR, UNIMOG, CARGO BODY FLOOR (ALSO PART OF SQA 012)                      | 5340 66-139-2073<br>Z4067/YA4356000032<br>Z4067/YA4356000032         | 1         | EA          |             | M              |
| 014                                                 | SUBFRAME ASSEMBLY (USE SQA 012)                                                                    | /NIL<br>/NIL                                                         | 1         |             |             |                |
| 015                                                 | SPACER, BUMP STOP                                                                                  | Z4067/YA 435 616 00 90<br>Z4067/YA 435 616 00 90                     | 2         |             |             |                |
| 016                                                 | SCREW, HEX. HEAD, M8 BY 20 MM LG.                                                                  | D8046/000933 008147<br>D8046/000933 008147                           | 2         |             |             |                |
| 017                                                 | BRACKET, BUMP STOP                                                                                 | Z4067/YA 435 616 00 86<br>Z4067/YA 435 616 00 86                     | 2         |             |             |                |
| 018                                                 | SCREW, COUNTERSUNK, SLOTTED, M8 BY 70 MM LG.                                                       | D8046/000963 008045<br>D8046/000963 008045                           | 2         |             |             |                |
| 019                                                 | HINGE MOUNTING                                                                                     | D8046/435 616 70 30<br>D8046/435 616 70 30                           | 10        |             |             |                |
| 020                                                 | PLATE, CENTRE POST MOUNTING                                                                        | Z4067/YA 435 615 00 11<br>Z4067/YA 435 615 00 11                     | 2         |             |             |                |
| 021                                                 | WASHER, LOCK, 12MM                                                                                 | D8046/912004 012100<br>D8046/912004 012100                           | 4         |             |             |                |
| 022                                                 | SCREW, HEX., M12 BY 1.5 BY 45 MM LG.                                                               | D8046/000961 012069<br>D8046/000961 012069                           | 4         |             |             |                |
| 023                                                 | HOOK, TIE DOWN                                                                                     | Z4067/YA 435 988 00 96<br>Z4067/YA 435 988 00 96                     | 2         |             |             |                |
| 024                                                 | LEVER, LOCK-RELEASE (USED ON LEFT HAND SIDE OF HEADBOARD AND RIGHT HAND SIDE OF TAILGATE) SQC 004) | 5340 12-300-9083<br>D8046/000 631 19 55<br>D8046/000 631 19 55       | 2         | EA          | X           | LM             |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 425 |                                                                                                    |                                                                      |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SQA****02155****CARGO BODY FLOOR**

GROUP

SQA


UNCONTROLLED WHEN PRINTED

TITLE

CARGO BODY FLOOR

| ITEM<br>NO                                                    | DESIGNATION                                             | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------------------------------------------------------------|---------------------------------------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 025                                                           | GUARD RAIL, HEADBOARD                                   | Z4067/YA 435 630 03 18<br>Z4067/YA 435 630 03 18          | 1         |             |             |                |
| 9002                                                          | SCREW, WOOD STEEL, FLAT CSK<br>HD, NO. 8 GAUGE BY 3/4IN | 5305 66-012-7905<br>33333/NOREF<br>33333/NOREF            | 10        | EA          | X           | LM             |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 426 |                                                         |                                                           |           |             |             |                |


\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SQB****02155****TRAY SIDES AND GUARD RAILS**



| ITEM NO                                                       | DESIGNATION                                                                                                                                                              | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O | E<br>X | L*<br>M* |
|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|--------|--------|----------|
| 001                                                           | GUARD RAIL, FRONT<br>STEEL, REMOVABLE FRAME.                                                                                                                             | 2510 66-118-6886<br>Z4067/YA 435 630 00 18<br>Z4067/YA 435 630 00 18 | 2         | EA     | X      | LM       |
| 002                                                           | GUARD RAIL<br>ASSEMBLY, REAR, LEFT<br>STEEL, REMOVABLE FRAME.<br>(INCLUDES SQB 003 AND<br>SQB 004)                                                                       | 2510 66-118-6887<br>Z4067/YA 435 630 02 18<br>Z4067/YA 435 630 02 18 | 1         | EA     | X      | LM       |
| 9001                                                          | GUARD RAIL<br>ASSEMBLY, RIGHT, REAR<br>STEEL, C/W BUMP STOP PLATE.<br>(INCLUDES SQB 003 AND<br>SQB 9002)                                                                 | 2510 66-118-6885<br>Z4067/YA 435 630 01 18<br>Z4067/YA 435 630 01 18 | 1         | EA     | X      | LM       |
| 003                                                           | PLATE, BUMP STOP<br>(ALSO PART OF SQB 002 AND<br>SQB 9001)                                                                                                               | Z4067/YA 435 637 00 11<br>Z4067/YA 435 637 00 11                     | 2         |        |        |          |
| 004                                                           | GUARD RAIL, REAR LEFT<br>(USE SQB 002)                                                                                                                                   | /NIL<br>/NIL                                                         | 1         |        |        |          |
| 9002                                                          | GUARD RAIL, REAR RIGHT<br>(USE SQB 9001)                                                                                                                                 | /NIL<br>/NIL                                                         | 1         |        |        |          |
| 005                                                           | DROPSIDE ASSEMBLY, TRAY BODY<br>DROPSIDE ASSEMBLY, TRAY<br>BODY, C/W HOOKS, HINGES AND<br>LOCKS, RIGHT HAND FRONT, LEFT<br>HAND REAR<br>(INCLUDES SQB 006 TO<br>SQB 008) | 2510 66-118-6962<br>Z4067/YA 435 630 01 03<br>Z4067/YA 435 630 01 03 | 2         | AY     | N      | LM       |
| 006                                                           | LEAF, BUTT HINGE                                                                                                                                                         | 5340 66-118-7159<br>D8046/4166165051<br>D8046/4166165051             | 8         | EA     | X      | M        |
| 9003                                                          | RIVET, SOLID STEEL, RD HD, 6.2<br>MM DIA BY 11.5 MM LG                                                                                                                   | 5320 66-119-1460<br>Z4067/YA4359900192<br>Z4067/YA4359900192         | 40        | EA     | X      | LM       |
| 007                                                           | HOOK TIE DOWN, TAILGATE<br>STEEL, TARPAULIN RETAINING.                                                                                                                   | 2510 66-118-6899<br>Z4067/YA 435 988 00 96<br>Z4067/YA 435 988 00 96 | 20        | EA     | X      | LM       |
| 008                                                           | HANDLE, LOCK STEEL, USED ON<br>DROPSIDE PANEL.<br>(LOCK HANDLE, USED ON EITHER<br>RIGHT OR LEFT HAND TRAY-<br>SIDES)                                                     | 2510 66-120-4728<br>D8046/000 631 24 55<br>D8046/000 631 24 55       | 2         | EA     | X      | LM       |
| ISSUE NO: 6      REPAIR PARTS SCALE : 02155      PAGE NO: 427 |                                                                                                                                                                          |                                                                      |           |        |        |          |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SQB****02155****TRAY SIDES AND GUARD RAILS**

GROUP

SQB


UNCONTROLLED WHEN PRINTED

TITLE

TRAY SIDES AND GUARD RAILS

| ITEM<br>NO                                          | DESIGNATION                                                                                                                                     | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO  | U  | E | L* |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----|----|---|----|
|                                                     |                                                                                                                                                 |                                                                      | OFF | O  | X | M* |
|                                                     |                                                                                                                                                 |                                                                      | I   | P  | H |    |
| 009                                                 | LEVER TOOL,CATCH<br>(LOCK HANDLE, USED ON EITHER<br>RIGHT OR LEFT HAND TRAY-<br>SIDES)                                                          | 5120 12-314-0638<br>D8046/0006312555<br>D8046/0006312555             | 2   | EA |   | LM |
| 010                                                 | DROPSIDE ASSEMBLY,TRAY BODY<br>STEEL,C/W HOOKS,HINGES AND<br>LOCKS, R/HAND REAR, L/HAND<br>FRONT.<br>(INCLUDES SQB 006, SQB 007<br>AND SQB 009) | 2510 66-118-6961<br>Z4067/YA 435 630 00 03<br>Z4067/YA 435 630 00 03 | 2   | AY | N | LM |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 428 |                                                                                                                                                 |                                                                      |     |    |   |    |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SQC****02155****TAILGATE**

GROUP SQC  
TITLE TAILGATE

UNCONTROLLED WHEN PRINTED

| ITEM NO | DESIGNATION                                                                                                                              | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO            | NO<br>OFF | U<br>O | E<br>X | L*<br>M*<br>H* |
|---------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------|--------|--------|----------------|
| 001     | TAILGATE, VEHICLE BODY<br>STEEL, C/W LOCKS, HINGES, BUMP<br>STOPS AND HOOKS<br>(INCLUDES SQC 002 TO<br>SQC 010)                          | 2510 66-118-6888<br>Z4067/YA 435 600 01 32<br>Z4067/N                | 1         | EA     | N      | LM             |
| 002     | STEP, TAILGATE<br>(ALSO PART OF SQC 001)                                                                                                 | Z4067/435 640 70 08<br>Z4067/435 640 70 08                           | 2         |        |        |                |
| 003     | TAILGATE<br>(USE SQC 001)                                                                                                                | /NIL<br>/NIL                                                         | 1         |        |        |                |
| 004     | LEVER, LOCK-RELEASE<br>(ALSO PART OF SQC 001, USED<br>ON RIGHT HAND SIDE OF T/GATE<br>AND LEFT HAND SIDE OF<br>HEADBOARD, REFER SQA 024) | 123009083<br>D8046/0006311955<br>D8046/0006311955                    | 1         |        |        |                |
| 005     | LEAF, BUTT HINGE<br>(ALSO PART OF SQC 001)                                                                                               | 5340 66-118-7159<br>D8046/4166165051<br>D8046/4166165051             | 2         | EA     | X      | M              |
| 006     | HOOK TIE DOWN, TAILGATE<br>STEEL, TARPAULIN RETAINING.<br>(ALSO PART OF SQC 001)                                                         | 2510 66-118-6899<br>Z4067/YA 435 988 00 96<br>Z4067/YA 435 988 00 96 | 7         | EA     | X      | LM             |
| 007     | NUT, M 6<br>(ALSO PART OF SQC 001)                                                                                                       | D8046/913004 006002<br>D8046/913004 006002                           | 4         |        |        |                |
| 008     | BUMPSTOP, RUBBER, TAILGATE<br>PROTECTION C/W DRILLED<br>MOUNTING.<br>(ALSO PART OF SQC 001)                                              | 2510 66-118-6898<br>D8046/4049870439<br>D8046/4049870439             | 2         | EA     | X      | LM             |
| 009     | SCREW, HEX. HEAD, M6 BY 50<br>MM LG.,<br>(ALSO PART OF SQC 001)                                                                          | D8046/000931 006115<br>D8046/000931 006115                           | 4         |        |        |                |
| 010     | LEVER, LOCK-RELEASE<br>(ALSO PART OF SQC 001, USED<br>ON LEFT HAND SIDE OF T/GATE<br>AND RIGHT HAND SIDE OF<br>HEADBOARD, REFER SQA 011) | D8046/0006312055<br>D8046/0006312055                                 | 1         |        |        |                |
| 011     | HOLDER, VEHICLE UNIT<br>FORMATION SIGN PLATE                                                                                             | 2510 66-026-2547<br>Z2813/ADE(V) 70-16<br>Z2813/ADE(V) 70-16         | 2         | EA     | N      | LM             |
| 012     | SCREW, COUNTERSUNK, WITH<br>CROSS TYPE SLOT, 5.5 MM BY<br>22 MM LG.                                                                      | D8046/007982 005208<br>D8046/007982 005208                           | 4         |        |        |                |

ISSUE NO: 6


REPAIR PARTS SCALE : 02155

PAGE NO: 429

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

GROUP SQD

02155




CARGO BODY SUBFRAME AND MOUNTINGS

| ITEM NO | DESIGNATION                                   | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------|-----------------------------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 001     | TUBE                                          | D8046/416 611 50 46<br>D8046/416 611 50 46                | 1         |             |             |                |
| 002     | CROSSMEMBER                                   | D8046/435 612 78 14<br>D8046/435 612 78 14                | 3         |             |             |                |
| 003     | TUBE                                          | D8046/435 611 81 46<br>D8046/435 611 81 46                | 1         |             |             |                |
| 004     | CROSSMEMBER                                   | D8046/435 612 80 14<br>D8046/435 612 80 14                | 1         |             |             |                |
| 005     | TUBE                                          | D8046/435 611 82 46<br>D8046/435 611 82 46                | 1         |             |             |                |
| 006     | MOUNTING, RUBBER, PLATFORM<br>BEARING BRACKET | D8046/435 616 72 20<br>D8046/435 616 72 20                | 4         |             |             |                |
| 007     | NUT, M14 BY 1.5                               | D8046/913004 014002<br>D8046/913004 014002                | 8         |             |             |                |
| 008     | MOUNTING                                      | D8046/425 616 72 20<br>D8046/425 616 72 20                | 4         |             |             |                |
| 009     | SCREW, HEX. HEAD, M14 BY 1.5<br>BY 45 MM LG.  | D8046/000961 014101<br>D8046/000961 014101                | 10        |             |             |                |
| 010     | WASHER, FLAT, 25 MM                           | D8046/000125 025005<br>D8046/000125 025005                | 2         |             |             |                |
| 011     | NUT, LOCK, M24 BY 1.5                         | D8046/913004 024004<br>D8046/913004 024004                | 2         |             |             |                |
| 012     | SCREW, M14 BY 1.5 BY 80<br>MM LG.             | D8046/914140 014002<br>D8046/914140 014002                | 4         |             |             |                |
| 013     | WASHER, 1.00 MM                               | D8046/435 990 71 40<br>D8046/435 990 71 40                | 4         |             |             |                |
| 9001    | WASHER, 2.00 MM                               | D8046/435 990 72 40<br>D8046/435 990 72 40                | 4         |             |             |                |

GROUP SQD

02155




CARGO BODY SUBFRAME AND MOUNTINGS



| ITEM NO | DESIGNATION                                         | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|---------|-----------------------------------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 014     | SPACER, FRONT AND REAR CROSSMEMBERS                 | D8046/435 612 76 38<br>D8046/435 612 76 38                | 4         |             |             |                |
| 015     | BRACKET, CARGO BODY MOUNTING                        | D8046/435 612 73 53<br>D8046/435 612 73 53                | 2         |             |             |                |
| 016     | NUT, M14 BY 1.5                                     | D8046/913019 014000<br>D8046/913019 014000                | 4         |             |             |                |
| 017     | SCREW, HEX. HEAD, M14 BY 1.5 BY 75 MM LG.           | D8046/000960 014219<br>D8046/000960 014219                | 6         |             |             |                |
| 018     | PLATE                                               | /NIL<br>/NIL                                              | 2         |             |             |                |
| 019     | NUT, M14 BY 1.5                                     | D8046/913004 014005<br>D8046/913004 014005                | 6         |             |             |                |
| 020     | CROSSMEMBER                                         | D8046/435 610 79 14<br>D8046/435 610 79 14                | 4         |             |             |                |
| 021     | SCREW, HEX. HEAD, M24 BY 1.5 BY 190                 | D8046/000960 024057<br>D8046/000960 024057                | 2         |             |             |                |
| 022     | CROSSMEMBER ASSEMBLY (INCLUDES SQD 023 AND SQD 024) | D8046/435 610 78 14<br>D8046/435 610 78 14                | 2         |             |             |                |
| 023     | BUSH, RUBBER (ALSO PART OF SQD 022)                 | D8046/000 988 97 10<br>D8046/000 988 97 10                | 2         |             |             |                |
| 024     | CROSSMEMBER (ALSO PART OF SQD 022)                  | D8046/435 610 77 14<br>D8046/435 610 77 14                | 2         |             |             |                |
| 025     | NUT, FLAT HEX., M20 BY 1.5                          | D8046/000439 020206<br>D8046/000439 020206                | 2         |             |             |                |
| 026     | PLATE, LOCK                                         | D8046/900050 021000<br>D8046/900050 021000                | 2         |             |             |                |
| 027     | MOUNTING                                            | D8046/435 615 71 20<br>D8046/435 615 71 20                | 1         |             |             |                |

GROUP SQD

02155



CARGO BODY SUBFRAME AND MOUNTINGS


GROUP SQD

UNCONTROLLED WHEN PRINTED

TITLE CARGO BODY SUBFRAME AND MOUNTINGS

| ITEM<br>NO                                          | DESIGNATION                                                            | NSN<br>MANUFACTURER CODE/PART NO<br>SUPPLIER CODE/PART NO | NO<br>OFF | U<br>O<br>I | E<br>X<br>P | L*<br>M*<br>H* |
|-----------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------|-----------|-------------|-------------|----------------|
| 028                                                 | SCREW, HEX. HEAD, M20 BY 1.5<br>BY 90 MM LG.                           | D8046/000960 020032<br>D8046/000960 020032                | 1         |             |             |                |
| 029                                                 | NUT, LOCK, M22 BY 1.5                                                  | D8046/913004 022001<br>D8046/913004 022001                | 1         |             |             |                |
| 030                                                 | WASHER                                                                 | D8046/007349 023000<br>D8046/007349 023000                | 1         |             |             |                |
| 031                                                 | SHOCK ABSORBER, DIRECT ACTION<br>TRAY BODY DUST AND STONE<br>PROTECTED | 2510 66-118-6647<br>D8046/0033236900<br>D8046/0033236900  | 1         | EA          | N           | M              |
| 032                                                 | SCREW, HEX. HEAD, M 20 BY<br>1.5 BY 130 MM LG.                         | D8046/000960 020178<br>D8046/000960 020178                | 1         |             |             |                |
| 033                                                 | REINFORCEMENT                                                          | D8046/435 614 70 16<br>D8046/435 614 70 16                | 6         |             |             |                |
| ISSUE NO: 6 REPAIR PARTS SCALE : 02155 PAGE NO: 432 |                                                                        |                                                           |           |             |             |                |

\* GRADE OF REPAIR (LIGHT MEDIUM OR HEAVY)

**GROUP SR****02155****CANOPY COVER, BOWS AND FITTINGS**