CineMetrics API — Technical Report

COMP3011 Coursework 1 | University of Leeds | March 2026

GitHub: https://github.com/Thach2r/movie-api

API Documentation: https://github.com/Thach2r/movie-api/blob/main/CineMetrics%20API%20-%20Swagger%20UI.pdf

Deployment: https://yeThatcher.pythonanywhere.com

Live API Docs: https://yethatcher.pythonanywhere.com/docs

Presentation Slides: https://docs.google.com/presentation/d/1rYE6dYb2EdeBBe9_WnJbrDA9a_wjjxVW/edit?usp=share_link&ouid=108385621234338791202&rtpof=true&sd=true

1. Technology Stack Justification

Python was selected as the primary programming language because the project focuses on building a data-driven web service that integrates multiple datasets and performs analytical queries. Python provides a mature ecosystem for data processing and backend development, which makes it particularly suitable for this type of application. Libraries such as pandas enable efficient data handling and transformation, while SQLAlchemy simplifies database interaction through an object-relational mapping (ORM) approach. Together, these tools allow the system to process historical datasets and interact with relational databases in a structured and maintainable way.

The FastAPI framework was chosen instead of alternatives such as Django or Flask for several reasons. FastAPI automatically generates interactive Swagger (OpenAPI) documentation, simplifying API testing and usability. It also provides built-in Pydantic-based input validation, ensuring that request data conforms to defined schemas. In addition, FastAPI offers native asynchronous (async) support, enabling efficient

handling of concurrent requests while maintaining a concise and readable code structure.

For data storage, SQLite was selected because the project runs on a single-server deployment where high levels of concurrent writes are not required. As a file-based database, SQLite simplifies deployment on platforms such as PythonAnywhere. The system integrates two data sources: the TMDB API for real-time movie information and a Kaggle CSV dataset containing 7,479 films released between 1986 and 2016.

To extend compatibility with AI agent frameworks, the fastapi-mcp library was integrated to expose the CineMetrics API as a Model Context Protocol (MCP) server. MCP is an emerging standard that enables large language models to interact with external tools in a structured way. Mounting an MCP server onto the FastAPI application automatically exposes all API endpoints as callable tools. This allows AI assistants to query movie data, manage reviews and tags, and retrieve analytics results directly. The MCP server was verified locally using SSE-based JSON-RPC communication, confirming that all twenty-two endpoints were successfully exposed.

2. System Architecture

The CineMetrics API adopts a modular architecture to improve maintainability and separation of concerns. The application entry point is defined in main.py, which initialises the FastAPI instance and registers all routing modules. Database connectivity is handled in database.py, while relational table structures are defined in models.py using SQLAlchemy. Data validation and request schema enforcement are implemented through Pydantic models in schemas.py, and API key authentication logic is implemented in auth.py. The API functionality is organised into four routing modules—movies, reviews, tags, and analytics—providing a total of sixteen endpoints. Public data retrieval is supported through GET endpoints, whereas write operations (POST, PUT, DELETE) require authentication via the X-API-Key header. Requests without a key return 401 Unauthorized, while invalid keys return 403 Forbidden, ensuring controlled access to protected operations.

3. Testing Approach

The testing strategy was implemented using FastAPI's TestClient to simulate HTTP requests and validate API behaviour. A total of thirty-six automated test cases were written in the file test_api.py to verify the correctness of the system. To prevent

interference with production data, the tests use a separate SQLite database that is completely isolated from the main application database.

The test suite covers several aspects of the API. These include full CRUD operations for the reviews and tags modules, authentication validation, verification of analytics endpoint responses, and correct handling of 404 errors. Requests without an API key return a 401 response, while invalid keys return 403. The expanded test suite additionally covers boundary conditions such as score values at the minimum (0.0) and maximum (10.0) limits, rejection of out-of-range scores, pagination parameter validation for the skip and limit query parameters, and duplicate creation constraints for both tags and movie-tag associations.

During testing, a challenge was encountered due to the UNIQUE constraint on tmdb_id, which caused conflicts between tests. This issue was resolved by generating a random tmdb_id for each test case.

4. Challenges and Lessons Learned

Several challenges were encountered during the development and deployment of the CineMetrics API. The most significant issue arose from the hosting environment: PythonAnywhere primarily supports WSGI applications, while FastAPI is built on the ASGI standard. Initial attempts to use existing adapters such as a2wsgi and mangum were unsuccessful. The a2wsgi approach caused requests to hang under the deployment environment, while mangum is designed specifically for AWS Lambda event handling and was therefore incompatible with the PythonAnywhere WSGI workflow. To address this limitation, a lightweight ASGI-to-WSGI adapter was implemented using Python's asyncio.new_event_loop() to execute the FastAPI application within the WSGI request cycle.

Another challenge involved integrating two different data sources: the real-time TMDB API and a static Kaggle dataset. This issue was addressed by introducing a separate service layer responsible for external API interactions and data processing, allowing the routing layer to remain focused on request handling and improving overall system modularity.

5. Limitations and Future Work

The current implementation has several limitations that may affect scalability and functionality. Pagination has been introduced for the GET /reviews/ and GET /tags/ endpoints using skip and limit query parameters. However, this has not yet been

extended to all list endpoints; for example, GET /analytics/genre-ratings returns all results in a single response, which may affect performance as the dataset grows. In addition, the system currently uses SQLite as the database engine, which does not handle high levels of concurrent write operations efficiently. A future migration to PostgreSQL would provide better scalability, and the use of SQLAlchemy ORM would make such a transition relatively straightforward. The Kaggle dataset used in this project only covers films released between 1986 and 2016, limiting the historical range of analysis. Future work could integrate more recent datasets to extend analytical capabilities. An MCP server was implemented and verified locally. However, it cannot be deployed on PythonAnywhere because the platform only supports WSGI, which does not allow the persistent SSE connections that MCP requires. Finally, the custom WSGI adapter does not support streaming responses more broadly. Migrating to a platform with native ASGI support, such as Railway or Render, would resolve both of these limitations.

6. Generative AI Declaration

Generative AI tools were used during the development of this project to assist with coding, debugging, and documentation tasks. Specifically, **ChatGPT (OpenAI)** was used to generate initial code templates for the FastAPI application structure, including routing modules, SQLAlchemy ORM models, and Pydantic validation schemas. The tool was also used to assist with debugging issues encountered during development, such as resolving SQLAlchemy UNIQUE constraint errors, diagnosing missing dependencies (e.g., the python-dotenv package) during PythonAnywhere deployment, and investigating compatibility challenges between WSGI and ASGI frameworks. In addition, ChatGPT was used to support the drafting and editing of this technical report and to improve the clarity and structure of the project README.md documentation. All AI-generated code and suggestions were critically reviewed, understood, and modified by the author before inclusion in the final system. Selected conversation logs are included in the appendix as evidence of AI-assisted development.

7. Appendix: Generative AI Conversation Logs

ChatGPT 5.2

分享

目前我已经想好了我的项目方向，我想以电影API作为我的项目方向。现在我要进行数据的筛查，目前我找到了两种方案，一种是Kaggle 下载数据集，另外一种是接入 TMDB 官方 API，你觉得哪种更好，或者你有什么推荐的吗？

这个问题问得非常专业👍
你现在已经开始在做"架构级选择"，这一步其实会直接影响你最后能拿多少分。

我们冷静从 评分逻辑 + 技术深度 + 展示效果 + AI使用质量 四个维度分析。

一、两种方案对比

方案 A：使用 Kaggle 数据集（本地导入数据库）

优点

- 数据完全可控
- 可以自己设计数据库 schema
- 可以展示数据清洗过程
- 容易做 analytics endpoint（统计、趋势、评分分布）
- 不依赖外部 API 稳定性
- 适合展示 SQL 能力

缺点

- 数据是"静态"的
- 不能"真实时更动态系统"

已思考 19s

太好了，你的选题（电影 + 影评CRUD + 标签CRUD + 多个分析端点）非常适合冲高分：既能展示 **Web Services**（API 设计、鉴权、错误处理、缓存），又能展示 **Web Data**（数据溯源筛选、清洗、入库、分析），而且口试也很好讲。作业明确鼓励你用公开数据源并展示技术选型与理由 COMP3311_Coursework1_Brief__2026...pdf 。

下面我按"先一步一步来"给你结论 + 最稳的落地路线。

1) Kaggle vs TMDB：哪种更好？

只用 Kaggle（静态数据集）

适合： 票房趋势、年代对比、高线统计很稳
风险： 缺少"真实外部服务整合"的工程亮点，容易看起来像数据库作业（但依然能拿 70+，看你架构/测试/鉴权做得怎样）。

只用 TMDB（官方 API）

适合： 电影元数据、类型、演员、海报、热度、搜索、趋势（工程感强）
风险： 你提的"票房趋势"可能会踩坑：TMDB 的 revenue/budget 字段存在**覆盖不全/缺失**的情况（尤其是老片或数据不完整时）。如果你把"票房趋势"当主分析，会有数据空洞；另外还要处理 API key 和 rate limit（TMDB 文档提示存在 rate limiting，需要你在设计里体现处理方式）。 The Movie Datab... +2

我给你的推荐（冲高分版本）：Hybrid（强烈建议）

> **TMDB 负责"实时检索 + 元数据"**
> **Kaggle 负责"票房/财务趋势分析的主数扩"**
> **你的数据库负责"影评/标签/推荐所需的用户数据 + 缓存"**

```
  ...-r-r-r,
    analytics.py
  services/
    tmdb.py
scripts/
  import_boxoffice.py
tests/
  test_reviews.py
  test_tags.py
README.md
requirements.txt
.env
.gitignore
```

你可以先不写 tests/scripts，但我先把框架留好（后面冲分好加）。

2) requirements.txt（最小可运行）

```
fastapi==0.115.0
uvicorn[standard]==0.30.6
SQLAlchemy==2.0.34
pydantic==2.9.2
pydantic-settings==2.5.2
httpx==0.27.2
python-dotenv==1.0.1
```

Why You Should Download the Kaggle Dataset

Right now:

- TMDB = working ✅
- Search endpoints = working ✅
- Reviews & Tags CRUD = working ✅
- Basic analytics = partially working ⚠️

But your **box office trend analysis** depends on reliable revenue data.

TMDB revenue fields:

- Often `0`
- Frequently missing
- Not designed for longitudinal financial analysis

If you use TMDB revenue for decade analysis, your professor might ask:

> "How reliable is your financial dataset, and how did you validate it?"

If your answer is "I used TMDB revenue," that's weak.

If your answer is:

> "For financial trend analysis, I used a curated Kaggle box office dataset because it provides structured and normalized revenue values suitable for statistical aggregation."

That's strong.

```
{"box_office_sample":
  [{"budget":0,"date":"2010-09-09","genres":"28|878|53","total_gross":1677545575,"movie_id":"1771","log_gross":"9.2
1|Sci-Fi|Thriller|Action|Adventure|Comedy|Drama|Romance|Crime|Mystery|Fantasy|Horror|Western|Musical|Documentary|War|
Film Noir|Reality-TV|Talk-Show|Game-Show|News|Short|Sport|Adult|Biography|History|Music|Animation|Family|Reality-
TV|Talk-Show|Game-Show|News|Short|Sport|Adult|Biography|History|Music|Animation|Family|Reality-TV|Talk-Show|Game-
Show|News|Short|Sport|Adult|Biography|History|Music|Animation|Family|Reality-TV|Talk-Show|Game-Show|News|Short|Sport|
Adult|Biography|History|Music|Animation|Family|Reality-TV|Talk-Show|Game-Show|News|Short|Sport|Adult|Biography|
History|Music|Animation|Family|Reality-TV|Talk-Show|Game-Show|News|Short|Sport|Adult|Biography|History|Music|
Animation|Family|Reality-TV|Talk-Show|Game-Show|News|Short|Sport|Adult|Biography|History|Music|Animation|Family|
Reality-TV|Talk-Show|Game-Show|News|Short|Sport|Adult|Biography|History|Music|Animation|Family|Reality-TV|Talk-
Show|Game-Show|News|Short|Sport|Adult|Biography|History|Music|Animation|Family|Reality-TV|Talk-Show|Game-
Show|News|Short|Sport|Adult|Biography|History|Music|Animation|Family|Reality-TV|Talk-Show|Game-Show|News|Short|
Sport|Adult|Biography|History|Music|Animation|Family|Reality-TV|Talk-Show|Game-Show|News|Short|Sport|Adult|
```