
Use-case report

1. Use-case model



2. Use-case specification

2.1. Watch videos

| watch videos | r |
|---------------------------|--|
| Use case ID | U01 |
| Name | Watch video |
| Summary | Users can watch videos even if they are not logged in (but will not save video history) |
| Actor | Viewer, uploader, admin |
| Pre-condition | Can access the website, have an internet connection |
| Post-condition | Can watch videos, rewind, pause videos |
| Flow | Visit the website Video display system User clicks on a video The system plays the selected user's video |
| Alternative flow | 1. In step 1, if the website fails or accesses the wrong website name, the video will not be displayed 2. In step 4, if the video link is broken, the system will display an error or the video cannot load the image. |
| Non-functional constraint | Web compatible with many devices videos can be viewed at any time, except during web maintenance |

2.2. Search videos

| Use case ID | U02 |
|---------------------------|--|
| Name | Search video |
| Summary | Users need to enter information related to the video, or hashtag, the registrant named web will list the videos available on the web that the user needs to find. |
| Actor | Viewer, uploader, admin |
| Pre-condition | Site access successful Have an internet connection |
| Post-condition | Find videos that match certain requirements or have a certain relevancy |
| Flow | Visit the website The system displays the website homepage Click the search bar Enter the video name you want to search or any related description information Click the search icon The system searches and gives the videos with the closest results to the information you need to find |
| Alternative flow | 1. In step 5, can press enter to search 2. If no matching video is found, the system will not display it |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.3. Sign up

| Sign up | |
|---------------------------|--|
| Use case ID | U03 |
| Name | Sign up |
| Summary | This function allows users who do not have an account on the web to create an account, for more web manipulation. The user must provide an account name and valid password to register the account. Account name and password will be changed after. |
| Actor | Viewer |
| Pre-condition | Site access successful Have an internet connection |
| Post-condition | Help users create accounts, take advantage of most functions of the web |
| Flow | Visit the website The system displays the website homepage Click on subscriptions The system displays the account registration page Enter your account name, basic personal information, and password User clicks on register Information checking system If the registration information is valid, the system displays the website homepage in the logged-in interface |
| Alternative flow | 1. In step 6, if the user presses enter, the system also checks the information 2. In step 7, if the account name is already registered by someone else, report an error and ask the user to enter another account name |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.4. <u>Log in</u>

| Use case ID | U04 |
|---------------------------|--|
| Name | Log in |
| Summary | Used for users who already have an account on the web, to store their information, or to save their favorite videos. |
| Actor | Viewer, uploader, admin |
| Pre-condition | The user has successfully performed the previous account registration. |
| Post-condition | After logging in, users can perform actions such as liking videos, saving video lists, commenting on videos, etc. |
| Flow | 1. Access to the web 2. User clicks on login 3. The system displays the login page 4. User enters account name, password 5. User clicks to log in to the system 6. System check login information 7. If the information is valid, the system will report successful login and go to the main screen of the web |
| Alternative flow | In step 5, if the user presses enter, the system also checks the login information and gives the results. In step 6, if the login information is not valid, report an error and ask the user to re-enter the information. In step 6, if the login information is not valid more than 5 times, a request to reset the password will be displayed via email or phone number. |
| Non-functional constraint | Make sure the system timeout is no more than 10s Security of user account information Website is accessible 24/7 to receive uploader's request |

2.5. Edit profile

| Edit profile | <u></u> |
|---------------------------|---|
| Use case ID | U05 |
| Name | Edit profile |
| Summary | For users who already have an account to edit information to their liking, or update new information. The establishment using the information must include name, address, phone number, or email. All information can be edited at any time. |
| Actor | Viewer logged in, uploader, admin |
| Pre-condition | Site access successful Have an internet connection |
| Post-condition | Information is completely edited, suitable for users to create interest of users on the web |
| Flow | 1. Visit the website 2. The system displays the login screen 3. User enters account information, password 4. System check login information 5. The system displays the website homepage 6. User clicks on the User icon, selects edit profile 7. Users edit the information they want to change and click save. 8. The system reports successful information updates. |
| Alternative flow | 1. In step 7, if there is an error during saving, the information will not be updated |
| Non-functional constraint | Confidentiality of user's personal information Website is accessible 24/7 to receive uploader's request |

2.6. Like video

| Use case ID | U06 |
|---------------------------|--|
| Name | Like video |
| Summary | The user can like videos and review their favorite video category later. Likes help gauge a video's credibility (videos with more likes are recommended more) |
| Actor | Viewer logged in, uploader, admin |
| Pre-condition | Site access successful Have an internet connection Have an account on the web |
| Post-condition | Liked videos are saved to the list of liked videos |
| Flow | 1. Visit the website 2. The system displays the website homepage 3. User clicks on login 4. The system displays the login screen 5. User enters account information, password 6. System check login information 7. The system displays the website homepage 8. User clicks on the video he wants to watch 9. In the video viewing interface, users click on the Favorite icon 10. Liked videos are saved to a category |
| Alternative flow | 1. In step 10, if there is a problem in the process of liking the video, the video will not be in the list of liked videos |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.7. Save liked videos into individual list

| Use case ID | U07 |
|---------------------------|--|
| Name | Individual list |
| Summary | Create multiple playlists of videos with different genres or levels of interest, and easily find them later |
| Actor | Viewer logged in, uploader, admin |
| Pre-condition | Successful web access Have an account on the web Have an internet connection |
| Post-condition | Videos can be saved in many different categories, depending on the user's arrangement |
| Flow | 1. Access to the web 2. The system displays the login screen 3. User enters account information, password 4. System check login information 5. The system displays the website homepage 6. User selects the video he wants to watch 7. Select the icon Save video to watch later 8. The system will give the user the option to save to the system's default directory or create a new directory 9. Users click to save to the desired category 10. After the video is successfully saved, the system will notify the user again |
| Alternative flow | 1. In step 10, if there is a problem that the video cannot be saved, the system will report the error back to the user |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.8. <u>Download video</u>

| Use case ID | U08 |
|---------------------------|---|
| Name | Download video |
| Summary | To support users to watch their favorite videos anytime, anywhere even without an internet connection, this function allows downloading videos on the web. |
| Actor | Viewer logged in, uploader, admin |
| Pre-condition | Successful web access Have an internet connection Device capacity is enough to store videos |
| Post-condition | The video is downloaded successfully, users can access the video on the device even without an internet connection. |
| Flow | 1. Access to the web 2. The system displays the login screen 3. User enters account information, password 4. System check login information 5. The system displays the website homepage 6. User selects the video he wants to watch 7. User clicks on Download video 8. The system displays the video size and parameter options 9. Users click on download video |
| Alternative flow | 1. In step 9, when the video download is in progress, but the connection is lost, the video will be corrupted or stop downloading |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.9. View history

| Use case ID | U09 |
|---------------------------|--|
| Name | View history |
| Summary | Watched videos will be saved in a category, users can search for previously unfinished videos quickly. |
| Actor | Viewer, uploader, admin |
| Pre-condition | Have an account on the site Watched at least 1 video or more Have internet connection |
| Post-condition | Stored data (when watching at least 1 video) helps users manage their accounts and quickly access the videos they've watched. |
| Flow | 1. Access to the web 2. The system displays the login screen 3. User enters account information, password 4. System check login information 5. The system displays the website homepage 6. User enters viewing history 7. Users review and manage their accounts |
| Alternative flow | While watching a video, if the user loses the network connection, the user's currently watched video will not be saved in the viewing history. |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.10. <u>Video comment</u>

| Use case ID | U10 |
|---------------------------|---|
| Name | Video comment |
| Summary | You are used to reviewing each video and discussing the content together. |
| Actor | Viewer, uploader, admin |
| Pre-condition | Have an account on the website and have been watching videos |
| Post-condition | Users can jointly rate and discuss the video they have been watching since then, so that users who have not seen it can have a better choice. |
| Flow | Access to the web The system displays the login screen User enters account information, password System check login information The system displays the website homepage Users go to watch videos Users comment below the video they are watching |
| Alternative flow | User lost connection during the comment and this comment won't be saved. |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.11. Post video

| Post video | |
|---------------------------|---|
| Use case ID | U11 |
| Name | Post video |
| Summary | Allow users to upload videos. Video sources will be divided into 2 types: Show poster's name is the site. Show poster name is the video provided account name. |
| Actor | Uploader |
| Pre-condition | Have an account on the website (Special account can upload videos) |
| Post-condition | Uploader after uploading the video, the user can watch the video |
| Flow | Access to the web The system displays the login screen User enters account information, password System check login information The system displays the website homepage Uploader upload video Video posted successfully (user can watch video) |
| Alternative flow | If the uploader loses the network connection, the video will not be uploaded successfully and they need to restart the upload process. |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.12. Video upload history

| Use case ID | U12 |
|---------------------------|---|
| Name | Video upload history |
| Summary | All information videos (name, posting date, genre,) will be saved in the historical subscription video category so that users can review the details of their video posting work. |
| Actor | Uploader |
| Pre-condition | Have an account on the website (special account can upload videos) |
| Post-condition | Help uploader manage their video uploading work like posting date and time |
| Flow | Access to the web The system displays the login screen User enters account information, password System check login information The system displays the website homepage Uploader upload video Go to Video upload history Check and manage uploaded and uploaded videos by uploader |
| Alternative flow | If you are downloading a video and the uploader loses network connection, the video data will not be saved to the video upload history |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.13. Edit, delete video

| Eart, defete video | |
|---------------------------|--|
| Use case ID | U013 |
| Name | Edit, delete video |
| Summary | Edit the video describing the information after posting or delete the video if necessary |
| Actor | Uploader |
| Pre-condition | Have an account on the website (Special account can upload videos) |
| Post-condition | Helper uploader delete or edit the video |
| Flow | Access to the web The system displays the login screen User enters account information, password System check login information The system displays the website homepage Enter the video you want to delete or delete the description of the video Delete it |
| Alternative flow | If the delete action is not saved, the uploader will not delete it successfully |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.14. Hide, show video

| Use case ID | U14 |
|---------------------------|--|
| Name | Hide, show video |
| Summary | Users who post videos can choose to show or hide the video anytime they want. |
| Actor | Uploader |
| Pre-condition | have an account on the website (Special account can upload videos) |
| Post-condition | Help uploader hide or show videos depending on the purpose of use |
| Flow | Access to the web The system displays the login screen User enters account information, password System check login information The system displays the website homepage Enter the video that the uploader wants to show or hide Hide or show it |
| Alternative flow | If the hide or show action is not saved, the video's status won't change |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.15. Report video link error

| Report video mik error | • |
|---------------------------|---|
| Use case ID | U15 |
| Name | Report link |
| Summary | Each video has a report for feedback about unplayable video links. This report will be sent to the user register and web admin, then they will check the video again. |
| Actor | Viewer, uploader, admin |
| Pre-condition | Have an account on the website |
| Post-condition | Users will report videos with broken links so the uploader can promptly update the video |
| Flow | Access to the web The system displays the login screen User enters account information, password System check login information The system displays the website homepage Report broken video link |
| Alternative flow | If there is no network connection, user reports will not be sent |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.16. Manage interface

| Manage interface | |
|---------------------------|---|
| Use case ID | U17 |
| Name | Interface management |
| Summary | Admin will choose easy-to-see interfaces with suitable colors for viewers to feel comfortable with the website. |
| Actor | Admin |
| Pre-condition | Account must be an administrator. |
| Post-condition | Admin will use the buttons available on the admin's website management interface to change the image and color of the website to suit each request. |
| Flow | Admin will come up with ideas to reconfigure the interface according to the season or trend Admin will change the interface color or drag and drop some image buttons into the website |
| Alternative flow | Some functions of the website are broken and the admin reports these issues to the development team to fix. |
| Non-functional constraint | Website updated after admin changes within 24 hours. |

2.17. Video censorship

| Use case ID | U18 |
|---------------------------|---|
| Name | Video censorship |
| Summary | Videos from users who do not want their names displayed will be checked by the administrator before being uploaded to the web. |
| Actor | Uploader, Admin |
| Pre-condition | Account of uploader wasn't blocked |
| Post-condition | The uploader will send a request to post a video and the administrator will check the safety of this account, and if it is ok, the administrator will post this video. These videos have the source from the administrator. |
| Flow | Uploader requests to upload video. Admin checks the request. Admin uploads video to the website. |
| Alternative flow | Admin checks the request and finds the uploader has violated rules or video has invalid content. Uploader is not allowed to use this function |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.18. Moderate users who want to post videos

| Use case ID | U19 |
|---------------------------|---|
| Name | Moderate uploader |
| Summary | These users submit a request to be free to post the video. The administrator will check the safety of this account, and if it is ok, will allow this user to post videos. These videos have the source from the uploader. |
| Actor | Uploader, admin |
| Pre-condition | Account of uploader wasn't blocked |
| Post-condition | If video has suitable content, it will be uploaded to the web and has the source as the uploader. |
| Flow | Uploader requests to upload video. Admin checks the request and gives acceptance for the uploader. Uploader uploads video to the website. |
| Alternative flow | Admin checks the request and finds the uploader has violated rules or video has invalid content. Uploader is not allowed to upload a video or an uploader account is banned. |
| Non-functional constraint | Website is accessible 24/7 to receive uploader's request |

2.19. Video suggestions

| Use case ID | U20 |
|---------------------------|--|
| Name | Video suggestion |
| Summary | Recommend popular videos, viewer's favorite videos and new videos. |
| Actor | Admin |
| Pre-condition | Popular video must have at least 100 views if it's a old video (uploaded for 1 hours or later) or must have at least 50 views if it's just has been uploaded |
| Post-condition | Popular videos will be on home page of the website |
| Flow | Admin browses the list of videos to find popular and new videos. Admin recommends these videos to the web user. |
| Alternative flow | Admin can not find out new videos or any videos that have enough views to be recommended. Older videos will be recommended. |
| Non-functional constraint | Admin has stable connection to the web |

2.20. Account management

| Use case ID | U21 |
|---------------------------|--|
| Name | Account management |
| Summary | Administrators check and manage the list of accounts; block illegal accounts and update the list of top uploaders. |
| Actor | Admin |
| Pre-condition | Server must contain a list of user and uploader accounts (at least 2 accounts require) |
| Post-condition | Account is banned if it violates rules; the top uploader list is updated |
| Flow | Admin go to the website and check the list of accounts. Admin will ban illegal accounts and update the top uploaders. |
| Alternative flow | Admin don't see any illegal accounts. Admin updates the list of top uploaders if it has a change. |
| Non-functional constraint | Database has stable connection to the website |