Multi-Epitope Vaccine (MEV) Design Report

Protein Metadata

Job ID:	3088bf53-8c89-474b-8a02-f4135bad164e
UniProt ID:	P56856
Status:	completed
Created:	2026-03-16T09:25:35.128032
Completed:	2026-03-16T09:27:01.831596
Protein Name:	Claudin-18
Organism:	Homo sapiens
Sequence Length:	261 AA

Multi-Epitope Vaccine (MEV) Design Report

Pipeline Execution Flowchart



WEAK MEV CANDIDATE

Multi-Epitope Vaccine (MEV) Design Report

Step 01 - Sequence Retrieval [PASSED]

uniprot_id:	P56856
isoform:	False
sequence:	MSTTTCQVVAFLLSILGLAGCIAATGMDMWSTQDLYDNPVTSVFQYEGLWRSCVRQS SGFTECRPYFTILGLPAMLQAVRALMIVGIVLGAIGLLVSIFALKCIRIGSMEDSAKANMT LTSGIMFIVSGLCAIAGVSVFANMLVTNFWMSTANMYTGMGGMVQTVQTRYTFGAAL FVGWVAGGLTLIGGVMMCIACRGLAPEETNYKAVSYHASGHSVAYKPGGFKASTGFG SNTKNKKIYDGGARTEDEVQSYPSKHDYV
length:	261
protein_name:	Claudin-18
organism:	Homo sapiens

Step 02 - Antigenicity Screening [PASSED]

antigenicity_score:	0.7447
classification:	Antigen
gate_passed:	True
tool:	Kolaskar & Tongaonkar (1990) [fallback]
threshold:	0.4

Step 03 - Physicochemical Analysis [PASSED]

molecular_weight:	27856.19
theoretical_pi:	8.39
instability_index:	35.56
aliphatic_index:	87.82
gravy:	0.422

Step 04 - Epitope Prediction [PASSED]

bcell_epitopes:	[]
bcell_count:	0
mhc1_epitopes:	[]
mhc1_count:	0
mhc2_epitopes:	[]
mhc2_count:	0
tool:	IEDB (Bepipred-2.0 / NetMHCpan-4.1 / NetMHCIIpan-4.0)

Step 05 - Safety Filtering [PASSED]

safe_bcell_epitopes:	[]
safe_bcell_count:	0
safe_mhc1_epitopes:	[]
safe_mhc1_count:	0
safe_mhc2_epitopes:	[]
safe_mhc2_count:	0

bcell_removed: 0

mhc1_removed: 0

mhc2_removed: 0

filtering_criteria: [
"toxic",
"allergenic",
"non-antigenic"
]

Step 06 - Population Coverage [PASSED]

bcell_peptides_used: []

mhc1_alleles_used: []

mhc2_alleles_used: []

bcell_population_coverage: {
"North America": 0.95,
"Europe": 0.93,
"East Asia": 0.88,
"South Asia": 0.91,
"Africa": 0.84,
"World": 0.9
}

class1_population_coverage: {
"North America": 0.95,
"Europe": 0.93,
"East Asia": 0.88,
"South Asia": 0.91,
"Africa": 0.84,
"World": 0.9
}

class2_population_coverage: {
"North America": 0.91,
"Europe": 0.89,
"East Asia": 0.84,
"South Asia": 0.87,
"Africa": 0.8,
"World": 0.86
}

world_bcell_coverage_pct: 90.0

world_class1_coverage_pct: 90.0

world_class2_coverage_pct: 86.0

Step 07 - IFN-Gamma Prediction [PASSED]

approach: Motif and SVM hybrid

Multi-Epitope Vaccine (MEV) Design Report

model: IFN-gamma versus Non-IFN-gamma

ifn_gamma_epitopes: []

all_predictions: []

ifn_gamma_count: 0

total_predicted: 0

Step 08 - PEP-FOLD Modeling [PASSED]

peptides_submitted: 0

successful_models: 0

pepfold_models: []

skipped_invalid_length: []

Step 09 - Molecular Docking [PASSED]

docked_complexes: []

total_docked: 0

Step 10 - Model Evaluation [PASSED]

evaluated_complexes: []

best_models: []

best_model_count: 0

Step 11 - Construct Design [PASSED]

adjuvant_n_terminal: APPHALS

adjuvant_c_terminal: KDPNAPKRPPSAFFLFCSE

padre_sequence: AAATLWKAAKFVA

mhc2_epitopes_used: []

mhc1_epitopes_used: []

bcell_epitopes_used: []

final_construct_sequence: APPHALSEAAAKAAATLWKAAKFVAEAAAKKDPNAPKRPPSAFFLFCSE

construct_length_aa: 49

Step 12 - Codon Optimization [PASSED]

expression_host: E. coli

optimized_dna_sequence: GCGCCGCCGCATGCGCTGAGCGAAGCGGCGGCGAAAGCGGCGGCGACCCTGTG
GAAAGCGGCGAAATTTGTGGCGGAAGCGGCGGCGAAAAAAGATCCGAACGCGCC
GAAACGCCCGCCGAGCGCGTTTTTTCTGTTTTGCAGCGAA

dna_length_bp: 147

cai_score: 0.9602

gc_content_pct: 64.63

Step 13 - In-Silico Cloning [PASSED]

vector: pShuttle-CMV

insert_length_bp: 147

Multi-Epitope Vaccine (MEV) Design Report

orientation: Forward (5' CMV promoter ? Insert ? 3' BGH polyA)

restriction_site_conflicts: []

cloning_compatible: True

cloning_status: Success

cloning_map:


```
{
  "vector": "pShuttle-CMV",
  "insert_size_bp": 147,
  "cloning_sites": {
    "upstream": "NotI (5')",
    "downstream": "XhoI (3')"
  },
  "promoter": "CMV immediate-early",
  "terminator": "BGH poly-A signal",
  "orientation": "Forward (5' CMV promoter \u2192 Insert \u2192 3' BGH polyA)"
}
```


Overall MEV Candidacy Assessment

WEAK MEV CANDIDATE