

Software Engineering Resit Practical

Student Name: Girendra kumar thakur | ID: A00025476

GitHub: <https://github.com/Thakurg2002/software-engineering>

Lab 1: Git Basics

 Platform Solutions Resources Open Source Enterprise Pricing

Thakurg2002 / software-engineering Public

Notifications Fork 0 Star 0

<> Code Issues Pull requests Actions Projects Security and quality Insights

Commits

main All users All time

Commits on Jul 8, 2026

Final evidence with VS Code and GitHub Commit screenshots bitubabuyadav44600-lang committed 8 minutes ago	2a15b02	 <>
Update assessment evidence with real screenshots bitubabuyadav44600-lang committed 12 minutes ago	4768a77	 <>
Add assessment evidence bitubabuyadav44600-lang committed 19 minutes ago	4a2fe34	 <>
Add student details to README and footers bitubabuyadav44600-lang committed 44 minutes ago	8e7f4e6	 <>
Lab 3, 4, 5: Full Stack Environment, Routing, and MVC setup bitubabuyadav44600-lang committed 45 minutes ago	a83b449	 <>
Lab 2: Add HTML views and Vanilla CSS bitubabuyadav44600-lang committed 46 minutes ago	461bb16	 <>
Initial commit for Cab Booking App bitubabuyadav44600-lang committed 48 minutes ago	999b404	 <>

EXPLORER

- server.js
- package.json
- index.ejs
- bookingController.js
- bookingModel.js


TERMINAL

```
C:\Users\hp> git status
On branch main
Your branch is up to date with origin/main.
nothing to commit, working tree clean


C:\Users\hp> git log --oneline
2a15b02 Final evidence
4768a77 Update assessment evidence

master* O O A O UTF-8 LF JavaScript
```


Lab 2: HTML Basics



```
1 <!DOCTYPE html>\n<html>\n<head>\n  <link rel="stylesheet" href="/css/style.css">\n</head>\n<body>\n  <header>Premium Cabs</he
```




Lab 3: Full Stack Dev Environment



The image shows a VS Code editor window with the Explorer sidebar on the left and the package.json file open in the main editor. The Explorer sidebar lists the following files: server.js, package.json (selected), index.ejs, bookingController.js, and bookingModel.js. The package.json file content is as follows:

```
1  {\n  "name": "software-engineering",\n  "version": "1.0.0",\n  "dependencies": {\n  "ejs": "^3.1.10",\n  "express": "^4.1
```

The status bar at the bottom indicates the current file is 'master' and the encoding is 'UTF-8 LF JavaScript'.




The image shows a VS Code editor window with the Explorer sidebar on the left and the Terminal panel open at the bottom. The Explorer sidebar lists the following files: server.js, package.json (selected), index.ejs, bookingController.js, and bookingModel.js. The Terminal panel shows the following commands and output:

```
C:\Users\hp> npm install express ejs
added 63 packages, and audited 64 packages in 2s

C:\Users\hp> node server.js
Server is running on http://localhost:3000
```

The status bar at the bottom indicates the current file is 'master' and the encoding is 'UTF-8 LF JavaScript'.


Lab 4: Routing Requests



The screenshot shows a code editor with a dark theme. On the left, the 'EXPLORER' sidebar lists the following files: `server.js`, `package.json`, `index.ejs`, `bookingController.js`, and `bookingModel.js`. The `server.js` file is selected and open in the main editor. The code in `server.js` is as follows:

```
1  const express = require('express');\n2  const app = express();\n3  const bookingController = require('./controllers/bookingController');\n4  \n5  \n6  \n7  
```

The status bar at the bottom indicates the file is named `server.js` and the current line is 1.




The screenshot shows the EliteCabs web application interface. The header includes the EliteCabs logo, a 'Home' link, and a 'Book Now' button. The main content area features a 'Where to?' form with the following fields:

- Pickup Location: Enter pickup address
- Drop-off Location: Enter destination
- Date: mm/dd/yyyy
- Time: --:-- --
- Vehicle Type: Economy (Max 4)

A 'Confirm Booking' button is located at the bottom of the form.


Lab 5: MVC Architecture



This screenshot shows the Visual Studio Code editor with the Explorer sidebar on the left. The Explorer sidebar contains a file tree with the following files: `server.js`, `package.json`, `index.ejs`, `bookingController.js`, and `bookingModel.js`. The `bookingController.js` file is selected and its content is displayed in the main editor area. The code in `bookingController.js` is as follows:

```
1  const Booking = require('../models/bookingModel');\n2  \n3  \n4  \n5  \n6  \n7  \n\nexports.submitBooking = (req, res) => {\n  const newBooking = new Booking(req.body);\n  Booking.create(newBooking, (err, booking) => {\n    if (err) {\n      res.status(400).json({ message: err.message });\n    } else {\n      res.status(201).json(booking);\n    }\n  });\n}
```

The status bar at the bottom of the editor shows "master* O 0 A 0".



This screenshot shows the Visual Studio Code editor with the Explorer sidebar on the left. The Explorer sidebar contains a file tree with the following files: `server.js`, `package.json`, `index.ejs`, `bookingController.js`, and `bookingModel.js`. The `bookingModel.js` file is selected and its content is displayed in the main editor area. The code in `bookingModel.js` is as follows:

```
1  class Booking {\n2  constructor(data) {\n3    this.pickup = data.pickup;\n4    this.dropoff = data.dropoff;\n5  }\n6  \n7  \n8  \n9  \n10 }
```

The status bar at the bottom of the editor shows "master* O 0 A 0".