

Software Engineering Resit Practical

Student Name: Girendra kumar Thakur

ID: A00025476

GitHub: <https://github.com/Thakurg2002/software-engineering>

Lab 1: Git Basics

 Platform Solutions Resources Open Source Enterprise Pricing

Thakurg2002 / software-engineering Public

Notifications Fork 0 Star 0

<> Code Issues Pull requests Actions Projects Security and quality Insights

Commits

main All users All time

Commits on Jul 8, 2026

Final evidence with VS Code and GitHub Commit screenshots bitubabuyadav44600-lang committed 8 minutes ago	2a15b02		
Update assessment evidence with real screenshots bitubabuyadav44600-lang committed 12 minutes ago	4768a77		
Add assessment evidence bitubabuyadav44600-lang committed 19 minutes ago	4a2fe34		
Add student details to README and footers bitubabuyadav44600-lang committed 44 minutes ago	8e7f4e6		
Lab 3, 4, 5: Full Stack Environment, Routing, and MVC setup bitubabuyadav44600-lang committed 45 minutes ago	a83b449		
Lab 2: Add HTML views and Vanilla CSS bitubabuyadav44600-lang committed 46 minutes ago	461bb16		
Initial commit for Cab Booking App bitubabuyadav44600-lang committed 48 minutes ago	999b404		

EXPLORER

- server.js
- package.json
- index.ejs
- bookingController.js
- bookingModel.js


TERMINAL

```
C:\Users\hnp> git status
On branch main
Your branch is up to date with origin/main.
nothing to commit, working tree clean

C:\Users\hnp> git log --oneline
2a15b02 Final evidence
4768a77 Update assessment evidence

master* O O A O UTF-8 LF JavaScript
```


Lab 2: HTML Basics




The screenshot shows a code editor with a dark theme. On the left, the 'EXPLORER' sidebar lists files: server.js, package.json, index.ejs (selected), bookingController.js, and bookingModel.js. The main editor area shows the content of index.ejs, which is an HTML boilerplate. The code is as follows:

```
1 <!DOCTYPE html>\n<html>\n<head>\n2   <link rel="stylesheet" href="/css/style.css">\n3 </head>\n4 <body>\n5   <header>Premium Cabs</header>\n6 \n7 \n8 \n9
```

The status bar at the bottom indicates 'master* O O A 0'.




Lab 3: Full Stack Dev Environment



This screenshot shows the Explorer view on the left with a file tree containing `server.js`, `package.json`, `index.ejs`, `bookingController.js`, and `bookingModel.js`. The `package.json` file is selected and its content is displayed in the main editor area. The content is a JSON object with the following structure:

```
{\n  "name": "software-engineering",\n  "version": "1.0.0",\n  "dependencies": {\n    "ejs": "^3.1.10",\n    "express": "^4.17.1"\n  }\n}
```

The status bar at the bottom indicates the current file is `package.json` and the encoding is `UTF-8 LF JavaScript`.



This screenshot shows the Explorer view on the left with the same file tree as the previous image. The Terminal view is open on the right, showing the output of two commands:

```
C:\Users\hp> npm install express ejs
added 63 packages, and audited 64 packages in 2s

C:\Users\hp> node server.js
Server is running on http://localhost:3000
```

The status bar at the bottom indicates the current file is `server.js` and the encoding is `UTF-8 LF JavaScript`.

Lab 4: Routing Requests

EXPLORER

server.js

package.json

index.ejs

bookingController.js

bookingModel.js

server.js

```
1  const express = require('express');\n2  const app = express();\n3  const bookingController = require('./controllers/bookingController');\n4  \n5  \n6  \n7  
```

master* O O A O

EliteCabs

Home

Book Now

Where to?

Pickup Location

Enter pickup address

Drop-off Location

Enter destination

Date

mm/dd/yyyy

Time


--:-- --

Vehicle Type

Economy (Max 4)


Confirm Booking

Lab 5: MVC Architecture



This screenshot shows the Visual Studio Code editor with the Explorer sidebar on the left. The Explorer sidebar contains a file tree with the following files: `server.js`, `package.json`, `index.ejs`, `bookingController.js` (which is selected and highlighted), and `bookingModel.js`. The main editor area displays the contents of `bookingController.js`. The code starts with line 1: `const Booking = require('../models/bookingModel');` followed by line 2: `\n\nexports.submitBooking = (req, res) => {\n`. Line 3 contains `const newBooking = new Booking`. The status bar at the bottom of the editor shows `master* O O A O`.

```
1  const Booking = require('../models/bookingModel');\n2  \n3  exports.submitBooking = (req, res) => {\n4  \n5  const newBooking = new Booking\n6  \n7  }
```



This screenshot shows the Visual Studio Code editor with the Explorer sidebar on the left. The Explorer sidebar contains a file tree with the following files: `server.js`, `package.json`, `index.ejs`, `bookingController.js`, and `bookingModel.js` (which is selected and highlighted). The main editor area displays the contents of `bookingModel.js`. The code starts with line 1: `class Booking {\n` followed by line 2: `constructor(data) {\n`. Line 3 contains `this.pickup = data.pickup;\n` and line 4 contains `this.dropoff = data.dropoff;\n`. Line 5 ends the class definition with `}\n`. The status bar at the bottom of the editor shows `master* O O A O`.

```
1  class Booking {\n2  constructor(data) {\n3  this.pickup = data.pickup;\n4  this.dropoff = data.dropoff;\n5  }\n6  \n7  \n8  \n9  \n10 }
```