```
import pandas as pd
import sqlite3

# File paths
spreadsheet_0 = r'C:\Users\Thakur Krish Singh\Downloads\forage-walmart-
task-4-main\forage-walmart-task-4-main\data\shipping_data_0.csv'
spreadsheet_1 = r'C:\Users\Thakur Krish Singh\Downloads\forage-walmart-
task-4-main\forage-walmart-task-4-main\data\shipping_data_1.csv'
spreadsheet_2 = r'C:\Users\Thakur Krish Singh\Downloads\forage-walmart-
task-4-main\forage-walmart-task-4-main\data\shipping_data_2.csv'
database_path = r'C:\Users\Thakur Krish Singh\Downloads\forage-walmart-
task-4-main\forage-walmart-task-4-main\shipment_database.db'

# Connect to SQLite database
conn = sqlite3.connect(database_path)
cursor = conn.cursor()

# Drop the table if it exists
cursor.execute("DROP TABLE IF EXISTS TableName_1")

# Create the table with the correct schema
cursor.execute("""
    CREATE TABLE TableName_1 (
        shipping_identifier TEXT,
        product TEXT,
        on_time TEXT,
        origin_warehouse TEXT,
        destination_store TEXT,
        driver_identifier TEXT
    )
""")

# Insert data from Spreadsheet 0
df0 = pd.read_csv(spreadsheet_0)
df0.to_sql('TableName_0', conn, if_exists='append', index=False)

# Combine data from Spreadsheet 1 and 2
df1 = pd.read_csv(spreadsheet_1)
df2 = pd.read_csv(spreadsheet_2)

# Merge Spreadsheet 1 and 2 on the shipment_identifier
merged_df = pd.merge(df1, df2, on='shipment_identifier')


print(merged_df.head())
print(merged_df.duplicated().sum())
merged_df = pd.merge(df1, df2, on='shipment_identifier', how='inner')
merged_df = merged_df.drop_duplicates()




# Insert data into the database
for index, row in merged_df.iterrows():
    cursor.execute("""
        INSERT INTO TableName_1 (
```

```
            shipping_identifier, product, on_time, origin_warehouse,
destination_store, driver_identifier
        ) VALUES (?, ?, ?, ?, ?, ?)
    """, (
        row['shipment_identifier'],
        row.get('product', None),
        row.get('on_time', None),
        row.get('origin_warehouse', None),
        row.get('destination_store', None),
        row.get('driver_identifier', None)
    ))


# Query the table
cursor.execute("SELECT * FROM TableName_1")
rows = cursor.fetchall()

# Print the rows
for row in rows:
    print(row)

# Commit changes and close the connection
conn.commit()
conn.close()
```