Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report   [Options…]

Check by [text input ▾] ☐ css

```
@import url('https://fonts.googleapis.com/css2?family=Playfair+Display+SC:wght@400;700&display=swap');
/* HTML FONT AND LINE */
html {
    font-family: "inter", sans-serif;
    line-height: 1.5;
}
body {
    padding: 0;
    margin:0;
}
/* IMAGEM - THALES */
img {
    position: absolute ;
    width: 90px;
    height: 90px;
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning** **This document appears to be written in English. Consider adding** `lang="en"` **(or variant) to the** `html` **start tag.**

From line 1, column 1; to line 1, column 86

`@import url('https://fonts.googleapis.com/css2?family=Playfair+Display+SC:wght@400;700&displ`

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

---

2.   **Error**   **Non-space characters found without seeing a doctype first. Expected** `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 86

`@import url('https://fonts.googleapis.com/css2?family=Playfair+Display+SC:wght@400;700&displ`

---

3.   **Error**   **Element** `head` **is missing a required instance of child element** `title`.

From line 1, column 1; to line 1, column 86

`@import url('https://fonts.googleapis.com/css2?family=Playfair+Display+SC:wght@400;700&displ`

Content model for element head:

If the document is an `iframe srcdoc document` or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of metadata content, of which exactly one is a `title` element and no more than one is a `base` element.

Document checking completed.

Source

```
 1. @import url('https://fonts.googleapis.com/css2?family=Playfair+Display+SC:wght@400;700&display=swap');↵
 2. /* HTML FONT AND LINE */↵
 3. html {↵
 4.     font-family: "inter", sans-serif;↵
 5.     line-height: 1.5;↵
 6. }↵
 7. body {↵
 8.     padding: 0;↵
 9.     margin:0;↵
10. }↵
11. /* IMAGEM - THALES */↵
```

```
12.  img {        ↵
13.      position: absolute ; ↵
14.      width: 90px;↵
15.      height: 90px;↵
16.      border-radius: 50%;↵
17.      box-shadow: 0 0 10px  rgb(74, 72, 46);↵
18.      left: 80%;↵
19.      top: 4%;↵
20.      margin: 0.5% ;↵
21.  }↵
22.  h1, h2, h3, h5 {↵
23.      font-family: "inter", serif;↵
24.  }↵
25.  /* FOR MOBILE */↵
26.  header {↵
27.      background-color: rgba(239, 235, 7, 0.687);↵
28.      color: rgba(58, 4, 4, 0.782);↵
29.      padding-bottom: 1rem;↵
30.      margin: 0.5% ;↵
31.  }↵
32.  h1 {↵
33.      margin: 0;↵
34.      padding: 1rem;↵
35.      font-size: 2.2rem;↵
36.      text-align: center;↵
37.  }↵
38.  h3 {↵
39.      margin: 0;↵
40.      padding: 1rem;↵
41.      font-size: 1.5rem;↵
42.      text-align: center;↵
43.      padding-bottom: 1rem;↵
44.  }↵
45.  ↵
46.  h5 {↵
47.      margin: 0;↵
48.      padding: 0.8rem;↵
49.      font-size: 0.8rem;↵
50.      font-style: normal;↵
51.      text-align: center;↵
52.  }↵
53.  /* NAV BAR */↵
54.  nav {↵
55.      border-top: 1px solid white;↵
56.      border-bottom: 1px solid white;↵
57.      padding: 1rem;↵
58.      margin: 0 1rem;↵
59.  }↵
```

```
 60.  nav ul {↵
 61.      padding: 0;↵
 62.      padding-bottom: 1rem;↵
 63.      text-align: center;↵
 64.  }↵
 65.  nav ul li {↵
 66.      list-style-type: none;↵
 67.      line-height: 3;↵
 68.      border-bottom: 1px solid white;↵
 69.  }↵
 70.  nav a {↵
 71.      text-decoration: none;↵
 72.      color:rgba(58, 4, 4, 0.782);↵
 73.  }↵
 74.  /* MAIN SECTION MOBILE */↵
 75.  main{↵
 76.      background-color: rgba(0, 0, 0, 0.057);↵
 77.      padding-bottom: 1rem;↵
 78.      margin: 0.5rem 0.5rem 0.5rem 0.5rem   ;↵
 79.  }↵
 80.  main h2, main p {↵
 81.      margin: 0 1.5%;↵
 82.  }↵
 83.  main h2 {↵
 84.      margin-top: 1.5rem;↵
 85.  }↵
 86.  main i{↵
 87.      color: crimson;↵
 88.  }↵
 89.  #data{↵
 90.      color:rgba(133, 131, 17, 0.687)↵
 91.  }↵
 92.  #data1{↵
 93.      color:rgba(12, 2, 23, 0.846);↵
 94.  }↵
 95.  #data2{↵
 96.      color:RGB(227, 76, 38);↵
 97.  }↵
 98.  #ux {↵
 99.      color:rgb(9, 199, 82)↵
100.  }↵
101.  #photo {↵
102.      color:rgb(18, 6, 244)↵
103.  }↵
104.  #ilu {↵
105.      color:rgba(158, 156, 18, 0.687)↵
106.  }↵
107.  .educacional{↵
```

```
108.        line-height: 2.3;↵
109.    }↵
110.    span {↵
111.        font-weight: bold;↵
112.    }↵
113.    .myself {↵
114.        padding: 1rem;↵
115.        margin: auto ;↵
116.        text-align: center;↵
117.        background-color: rgba(0, 0, 0, 0.057);↵
118.    }↵
119.    .wrapper {↵
120.        padding: 1rem;↵
121.        margin: auto ;↵
122.        text-align: center;↵
123.        background-color: rgba(0, 0, 0, 0.057);↵
124.    }↵
125.    .wrapper2 {↵
126.        padding: 1rem;↵
127.        margin: auto ;↵
128.        text-align: center;↵
129.        background-color: rgba(0, 0, 0, 0.057);↵
130.    }↵
131.    .wrapper3 {↵
132.        padding: 1rem;↵
133.        margin: auto ;↵
134.        text-align: center;↵
135.        background-color: rgba(0, 0, 0, 0.057);↵
136.        font-family: "inter", serif;↵
137.    }↵
138.    .objective {↵
139.        padding: 1rem;↵
140.        margin: auto ;↵
141.        text-align: center;↵
142.        background-color: rgba(0, 0, 0, 0.057);↵
143.        font-family: "inter", serif;↵
144.    }↵
145.    ↵
146.    /* FOOTER */↵
147.    footer {↵
148.        border-top: 1px solid #000;↵
149.        background-color: rgba(239, 235, 7, 0.687);↵
150.    }↵
151.    footer ul {↵
152.        padding: 0;↵
153.        text-align: right;↵
154.    }↵
155.    footer li {↵
```

```
156.        list-style-type: none;↵
157.    }↵
158.    footer i{↵
159.        color: rgb(134, 86, 95);↵
160.    }↵
161.    footer a{↵
162.        text-decoration: none;↵
163.        color: black;↵
164.        font-size: .9rem;↵
165.    }↵
166.    .socialmedia ul li {↵
167.        display: inline-block;↵
168.        padding: 0.5rem;↵
169.    }↵
170.    .content a {↵
171.        display: inline-block;↵
172.        padding: 0.5rem;;↵
173.    }↵
174.    /* 1 - FOR TABLET  */↵
175.    @media screen and (min-width: 800px){↵
176.        /* HEADER */↵
177.    img {        ↵
178.        position: absolute ; ↵
179.        width: 200px;↵
180.        height: 200px;↵
181.        border-radius: 50%;↵
182.        box-shadow: 0 0 10px  rgb(74, 72, 46);↵
183.        left: 80%;↵
184.    }↵
185.    h1 {↵
186.        font-size: 4rem;↵
187.        text-align: center;↵
188.        padding-bottom: 0;↵
189.        padding: 0;↵
190.    }↵
191.    h3 {↵
192.        font-size: 2.5rem;↵
193.        padding: 0;↵
194.    }↵
195.    .wrapper3 {↵
196.        font-size: 2.5rem;↵
197.    }↵
198.    nav {↵
199.        border-top: none;↵
200.        padding-top: 0;↵
201.    }↵
202.    nav ul {↵
203.        display: grid;↵
```

```
204.        grid-template-columns: repeat(2, 2fr);↵
205.        gap: 1%;↵
206.    }↵
207.    nav ul li {↵
208.        line-height: 2.3;↵
209.        text-align: center;↵
210.    }↵
211.    .educacional{↵
212.        line-height: 2.3;↵
213.    }↵
214.    /* FOR TABLET - MAIN SECTION */↵
215.    .objective{↵
216.        border: 1px solid rgb(218, 9, 9);↵
217.    }↵
218.    .wrapper {↵
219.        display: grid;↵
220.        grid-template-columns: repeat(2, 1fr);↵
221.        gap: 1rem;↵
222.        border: 1px solid rgb(218, 9, 9);↵
223.    }↵
224.    .wrapper2 {↵
225.        font-size: 0.8rem;↵
226.        display: grid;↵
227.        grid-template-columns: repeat(3, 1fr);↵
228.        gap: 1rem;↵
229.        list-style-type: none;↵
230.        line-height: 3;↵
231.        border: 1px solid rgb(218, 9, 9);↵
232.    }↵
233.    .wrapper3 {↵
234.        font-size: 0.8rem;↵
235.        display: grid;↵
236.        grid-template-columns: repeat(3, 1fr);↵
237.        gap: 1rem;↵
238.        list-style-type: none;↵
239.        line-height: 3.5;↵
240.        border: 1px solid rgb(218, 9, 9);↵
241.    }↵
242.    /* FOR TABLET FOOTER */↵
243.    footer ul {↵
244.        text-align: center;↵
245.        }↵
246.    /* FOR DESKTOP */↵
247.    @media screen and (min-width: 1000px){↵
248.    img {      ↵
249.        position: absolute ; ↵
250.        width: 220px;↵
251.        height: 220px;↵
```

```
252.       border-radius: 50%;↵
253.       box-shadow: 0 0 10px  rgb(74, 72, 46);↵
254.       left: 80%;↵
255.       top: 7%;↵
256.       padding: 0;         ↵
257. }↵
258. h1 {↵
259.       font-size: 7rem;↵
260. }↵
261. nav ul {↵
262.       display: grid;↵
263.       grid-template-columns: repeat(4, 1fr);↵
264.       max-width: 900px;↵
265.       padding: 1rem;↵
266.       text-align: center;↵
267.       margin: auto ;↵
268. }↵
269. nav ul li {↵
270.       border-bottom: none;↵
271.       border-right: 1px dotted white;↵
272. }↵
273. .last-nav-li {↵
274.       border: none;↵
275. }↵
276. /* MAIN SECTION FOR DESKTOP */↵
277. .objective{↵
278.       max-width: 1100px;↵
279.       padding: 1rem;↵
280.       margin: auto ;↵
281.       background-color: rgba(0, 0, 0, 0.057);↵
282.   }↵
283. .wrapper {↵
284.       max-width: 1100px;↵
285.       padding: 1rem;↵
286.       margin: auto ;↵
287.       background-color: rgba(0, 0, 0, 0.057);↵
288. }↵
289. .wrapper2 {↵
290.       max-width: 1100px;↵
291.       padding: 1rem;↵
292.       margin: auto ;↵
293.       background-color: rgba(0, 0, 0, 0.057);↵
294. }↵
295. .wrapper3 {↵
296.       max-width: 1100px;↵
297.       padding: 0.2rem 0.5rem 0.5rem 0.5rem ;↵
298.       margin: auto ;↵
299.       background-color: rgba(0, 0, 0, 0.057);↵
```

```
300.  }↵
301.  .professionallife{↵
302.      background-color: black;↵
303.      color: rgb(226, 43, 43);↵
304.  }↵
305.  /* FOOTER FOR DESKTOP */↵
306.  footer {↵
307.      display: grid;↵
308.      grid-template-columns: repeat(2, 1fr);↵
309.      gap: 50%;↵
310.  }↵
311.  footer i {↵
312.      font-size: 1.5rem;↵
313.  }
```

Used the HTML parser.

Total execution time 8 milliseconds.

About this checker • Report an issue • Version: 23.5.31