

Exercício 01

```
MINGW64:/c:/Users/ThallesEduardoReisSi/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGitHub/aulaGitGitHub
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGitHub/aulaGitGitHub (main)
$ git init
Initialized empty Git repository in C:/Users/ThallesEduardoReisSi/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGitHub/aulaGitGitHub/.git/
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGitHub/aulaGitGitHub (master)
$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)
```

Exercício 02

```
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGitHub
b/aulaGitGitHub (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    arq.js

nothing added to commit but untracked files present (use "git add" to track)
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGitHub
b/aulaGitGitHub (master)
$ git add arq.js
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGitHub
b/aulaGitGitHub (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   arq.js

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGitHub
b/aulaGitGitHub (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   arq.js

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   arq.js

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGitHub
b/aulaGitGitHub (master)
$ git add arq.js
```

```
AzureAD+ThallesEduardoReiss@DESKTOP-KKIIG7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   arq.js

AzureAD+ThallesEduardoReiss@DESKTOP-KKIIG7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git commit -m "Primeiro commit do projeto: ler dois inteiros informados pelo usuário."
[master (root-commit) fce3c6d] Primeiro commit do projeto: ler dois inteiros informados pelo usuário.
  Committer: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 7 insertions(+)
create mode 100644 arq.js

AzureAD+ThallesEduardoReiss@DESKTOP-KKIIG7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu/aulaGitGithub (master)
$ git status
On branch master
nothing to commit, working tree clean

AzureAD+ThallesEduardoReiss@DESKTOP-KKIIG7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   arq.js

no changes added to commit (use "git add" and/or "git commit -a")
```

Exercício 03

```
AzureAD+ThallesEduardoReiss@DESKTOP-KKIIG7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu/aulaGitGithub (master)
$ git log
commit f4c41990c8fc0241f3b5c8213a4f52ca87e9c770 (HEAD -> master)
Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Date: Thu Sep 18 19:28:40 2025 -0300

    Segundo commit do projeto: somar os dois inteiros informados pelo usuário.~

commit fce3c6d8eea6c2d467074298ad8e044d22fc7b58
Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Date: Thu Sep 18 19:25:36 2025 -0300

    Primeiro commit do projeto: ler dois inteiros informados pelo usuário.

AzureAD+ThallesEduardoReiss@DESKTOP-KKIIG7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git log --author="Thalles Silva"
commit f4c41990c8fc0241f3b5c8213a4f52ca87e9c770 (HEAD -> master)
Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Date: Thu Sep 18 19:28:40 2025 -0300

    Segundo commit do projeto: somar os dois inteiros informados pelo usuário.~

commit fce3c6d8eea6c2d467074298ad8e044d22fc7b58
Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Date: Thu Sep 18 19:25:36 2025 -0300

    Primeiro commit do projeto: ler dois inteiros informados pelo usuário.

AzureAD+ThallesEduardoReiss@DESKTOP-KKIIG7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git log --graph
* commit f4c41990c8fc0241f3b5c8213a4f52ca87e9c770 (HEAD -> master)
  | Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
  | Date: Thu Sep 18 19:28:40 2025 -0300
  |
  | Segundo commit do projeto: somar os dois inteiros informados pelo usuário.~
  |
  | * commit fce3c6d8eea6c2d467074298ad8e044d22fc7b58
  |   Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
  |   Date: Thu Sep 18 19:25:36 2025 -0300
  |
  | Primeiro commit do projeto: ler dois inteiros informados pelo usuário.

AzureAD+ThallesEduardoReiss@DESKTOP-KKIIG7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git shortlog
Thalles Silva (2):
    Primeiro commit do projeto: ler dois inteiros informados pelo usuário.
    Segundo commit do projeto: somar os dois inteiros informados pelo usuário.~
```

```
AzureAD+ThallesEduardoReiss@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git shortlog -s
2 Thalles Silva

AzureAD+ThallesEduardoReiss@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git shortlog -sn
2 Thalles Silva

AzureAD+ThallesEduardoReiss@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git show f4c41990c8fc0241f3b5c8213a4f52ca87e9c770
commit f4c41990c8fc0241f3b5c8213a4f52ca87e9c770 (HEAD -> master)
Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Date: Thu Sep 18 19:28:40 2025 -0300

    Segundo commit do projeto: somar os dois inteiros informados pelo usuário.~

diff --git a/arq.js b/arq.js
index 8cd2d14..5559bc6 100644
--- a/arq.js
+++ b/arq.js
@@ -1,7 +1,8 @@
 function soma () {
   -var n1, n2;
+var n1, n2, soma;
   n1 = document.getElementById ("primeiroNumero").value;
   n2 = document.getElementById ("segundoNumero").value;
   n1 = parseInt (n1);
   n2 = parseInt (n2);
+soma = n1 + n2;
 }
\ No newline at end of file
```

Exercício 04

```
AzureAD+ThallesEduardoReiss@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu/aulaGitGithub (mas
$ git status
On branch master
nothing to commit, working tree clean

AzureAD+ThallesEduardoReiss@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   arq.js

no changes added to commit (use "git add" and/or "git commit -a")

AzureAD+ThallesEduardoReiss@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git diff
diff --git a/arq.js b/arq.js
index 5559bc6..6584d2b 100644
--- a/arq.js
+++ b/arq.js
@@ -5,4 +5,5 @@ n2 = document.getElementById ("segundoNumero").value;
   n1 = parseInt (n1);
   n2 = parseInt (n2);
   soma = n1 + n2;
+document.getElementById ("resposta").innerHTML = soma;
 }
\ No newline at end of file

AzureAD+ThallesEduardoReiss@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git diff --name-only
arq.js

AzureAD+ThallesEduardoReiss@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git add arq.js

AzureAD+ThallesEduardoReiss@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   arq.js
```

```
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithHub (master)
$ git commit -m "Terceiro commit do projeto: apresentar o resultado da soma dos dois
números."
[master 7df7fda] Terceiro commit do projeto: apresentar o resultado da soma dos dois números.
Committer: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithHub (master)
$ git log
commit 7df7fda201d14dcc4388bcec0d11031180938d6c (HEAD -> master)
Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Date: Thu Sep 18 19:37:40 2025 -0300

    Terceiro commit do projeto: apresentar o resultado da soma dos dois
    números.

commit f4c41990c8fc0241f3b5c8213a4f52ca87e9c770
Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Date: Thu Sep 18 19:28:40 2025 -0300

    Segundo commit do projeto: somar os dois inteiros informados pelo usuário.~

commit fce3c6d8eea6c2d467074298ad8e044d22fc7b58
Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Date: Thu Sep 18 19:25:36 2025 -0300

    Primeiro commit do projeto: ler dois inteiros informados pelo usuário.
```

```
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithHub (master)
$ git show fce3c6d8eea6c2d467074298ad8e044d22fc7b58
commit fce3c6d8eea6c2d467074298ad8e044d22fc7b58
Author: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Date: Thu Sep 18 19:25:36 2025 -0300

    Primeiro commit do projeto: ler dois inteiros informados pelo usuário.

diff --git a/arq.js b/arq.js
new file mode 100644
index 0000000..8cd2d14
--- /dev/null
+++ b/arq.js
@@ -0,0 +1,7 @@
+function soma () {
+  var n1, n2;
+  n1 = document.getElementById ("primeiroNumero").value;
+  n2 = document.getElementById ("segundoNumero").value;
+  n1 = parseInt (n1);
+  n2 = parseInt (n2);
+}
\ No newline at end of file

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithHub (master)
$ git diff
```

Exercício 05

```
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu/aulaGitGithHub (master)
$ git remote add origin https://github.com/ThallesSilva/AulaGitGithHub.git

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithHub (master)
$ git remote
origin

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithHub (master)
$ git remote -v
origin https://github.com/ThallesSilva/AulaGitGithHub.git (fetch)
origin https://github.com/ThallesSilva/AulaGitGithHub.git (push)
```

Exercício 06

```
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithHub (master)
$ git push -u origin master
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 12 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (9/9), 991 bytes | 141.00 KiB/s, done.
Total 9 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/ThallesSilva/AulaGitGithHub.git
 * [new branch] master -> master
branch 'master' set up to track 'origin/master'.
```

Exercício 07

```
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git fetch origin
remote: Enumerating objects: 8, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.91 KiB | 25.00 KiB/s, done.
From https://github.com/ThallesSilva/AulaGitGithub
   7df7fda..e1d90d1  master    -> origin/master

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git status
On branch master
Your branch is behind 'origin/master' by 2 commits, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git pull
Updating 7df7fda..e1d90d1
Fast-forward
   arq.css | 3 +++
   arq.js  | 14 +++++-----
 2 files changed, 9 insertions(+), 8 deletions(-)
 create mode 100644 arq.css

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoInterdisciplinarDeSoftware/GitGithu
b/aulaGitGithub (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```

Exercício 09

```
AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoI
nterdisciplinarDeSoftware/GitGitHub/aulaGitGitHub (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   arq.css

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

no changes added to commit (use "git add" and/or "git commit -a")

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoI
nterdisciplinarDeSoftware/GitGitHub/aulaGitGitHub (master)
$ git add .

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoI
nterdisciplinarDeSoftware/GitGitHub/aulaGitGitHub (master)
$ git commit -m "Testando o arquivo .gitignore"
[master c4bd6be] Testando o arquivo .gitignore
Committer: Thalles Silva <thalles.silva@lacerdadinizmachado.com.br>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

2 files changed, 4 insertions(+), 3 deletions(-)
create mode 100644 .gitignore

AzureAD+ThallesEduardoReisSi@DESKTOP-KKI1G7L MINGW64 ~/aula-git-github/TrabalhoI
nterdisciplinarDeSoftware/GitGitHub/aulaGitGitHub (master)
$ git push
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 388 bytes | 97.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/ThallesSilva/AulaGitGitHub.git
4ea72ba..c4bd6be master -> master
```