

```
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    arq.js

nothing added to commit but untracked files present (use "git add" to track)
```

```
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   arq.js
```

```
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   arq.js

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   arq.js
```

```
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   arq.js
```

```
$ git status
On branch master
nothing to commit, working tree clean
```

```
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   arq.js

no changes added to commit (use "git add" and/or "git commit -a")
```

```
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   arq.js
```

```
$ git status
On branch master
nothing to commit, working tree clean
```

```
$ git status
On branch master
nothing to commit, working tree clean
```

```
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   arq.js

no changes added to commit (use "git add" and/or "git commit -a")
```

```
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   arq.js
```

```
$ git status
On branch master
Your branch is behind 'origin/master' by 2 commits, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean
```

```
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```

```
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```

```
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   arq.css

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        config.json
        "\342\200\234.gitignore\342\200\235"

no changes added to commit (use "git add" and/or "git commit -a")
```

```
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   arq.css

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        config.json
        "\342\200\234.gitignore\342\200\235"

no changes added to commit (use "git add" and/or "git commit -a")
```