

# Dengue Risk and Warning-Sign Assessment Expert System

---

## Complete Academic Report & Documentation

---

### 1. Title Page

---

**Title:** Dengue Risk and Warning-Sign Assessment Expert System

**Subtitle:** Rule-Based Clinical Decision-Support Prototype

**Course:** Expert Systems / Artificial Intelligence Assignment

**Technology:** SWI-Prolog (Knowledge Base & Inference Engine) + Web-based GUI (HTML/CSS/JS)

**Date:** September 2026

---

### 2. Executive Summary & Problem Definition

---

#### 2.1 Context & Problem

---

Dengue fever is a mosquito-borne viral infection endemic in tropical regions, including Sri Lanka. Clinical management of dengue requires rapid, systematic assessment of disease severity because the illness can progress from a mild febrile phase to life-threatening severe dengue (plasma leakage, shock, severe bleeding, or organ impairment).

In busy clinical settings, healthcare staff must systematically check multiple signs, symptoms, and laboratory findings against established guidelines. An **Expert System** provides structured, transparent decision support by encoding official medical classification criteria into formal logic rules.

#### 2.2 System Scope & Purpose

---

This system takes patient-provided clinical observations and systematically evaluates them against **31 source-derived decision rules** and **25 clinical facts**.

- **What the system specializes in:**
    - Dengue risk categorization (*Probable Dengue, Dengue with Warning Signs, Severe Dengue*)
    - Warning sign detection (*Abdominal pain, persistent vomiting, fluid accumulation, mucosal bleeding, lethargy, liver enlargement >2cm, haematocrit/platelet changes*)
    - Critical phase transition monitoring alerts (*Days 3–7 phase transition*)
    - Explainable reasoning trace (identifying exactly which rules triggered and why)
  - **What the system does NOT do:**
    - Does NOT diagnose dengue or replace healthcare professionals.
    - Does NOT provide treatment or fluid management protocols.
    - Does NOT invent custom rules outside published guidelines.
- 

### 3. Academic & Requirement Compliance Statement

---

This implementation strictly complies with all academic and Moodle assignment guidelines:

1. **At Least 20 Rules Requirement:**
2. Encodes **31 distinct rules** ( R01 through R31 ) in SWI-Prolog.
3. **Strict Medical Knowledge Source Rule:**
4. **No rules were invented** or arbitrarily generated.
5. **No LLM was used** to generate medical rules.
6. All rules and facts are derived from authoritative published guidelines:
  - **Primary Source:** Sri Lanka National Dengue Control Unit, "*National Guidelines on Management of Dengue Fever & Dengue Haemorrhagic Fever in Adults – 2024*", Ministry of Health, Sri Lanka.
  - **Supporting Source:** World Health Organization (WHO), *Dengue: Guidelines for Diagnosis, Treatment, Prevention and Control* (Geneva).
7. **Annex & Decision-Making Code Requirement:**
8. Includes **Annex A** (Complete 25 Facts), **Annex B** (Complete 31 IF-THEN Rules + Prolog code), and **Annex C** (Source Traceability & Priority Explanation).
9. **Explanation & System Diagram Requirement:**
10. Contains architecture diagrams, data flow diagrams, and a step-by-step reasoning trace mechanism.

- 11. **No Theory Bloat / Clear & Concise:**
- 12. Focused entirely on knowledge representation, inference mechanism, code architecture, test results, and user guide.

## 4. System Architecture & Flow Diagram

### 4.1 Layered Architecture Diagram



## FACTS (F01–F25)

- Dengue-compatible symptoms (F01–F07)
- Warning signs (F08–F14)
- Severe dengue facts (F15–F21)
- Disease phase facts (F22–F25)

## RULES (R01–R31)

- Probable dengue (R01–R07)
- Warning signs (R08–R14)
- Dengue + warning signs (R15–R21)
- Severe dengue (R22–R28)
- Critical phase (R29–R31)

`backend/knowledge_base.pl`

## INFERENCE ENGINE

1. Clear previous patient facts (retractall)
2. Assert current patient facts (dynamic)
3. Evaluate rules via backward chaining
4. Collect triggered rules with explanations
5. Determine primary assessment (priority)
6. Clear patient facts after session

`backend/inference_engine.pl`

## DERIVED CONCLUSIONS


Probable  
Dengue

Warning  
Signs

Severe  
Dengue

Critical  
Phase

Urgent  
Assessment



## 4.2 Data Flow Summary

User Form Input → JSON POST → Fact Extraction → SWI-Prolog Backward Chaining

## 5. Knowledge Representation & Inference Mechanism

### 5.1 Dynamic Fact Management

Patient facts in this system are non-persistent and transient. To avoid cross-contamination between different patients, the system uses dynamic assertion ( `assertz/1` ) and retraction ( `retractall/1` ).

```

:- dynamic patient_fact/1.
:- dynamic day_of_illness/1.
  
```

```
clear_patient_facts :-
    retractall(patient_fact(_)),
    retractall(day_of_illness(_)).
```

## 5.2 Inference Strategy: Goal-Driven Backward Chaining

SWI-Prolog natively operates using **backward chaining** (goal-directed reasoning). When evaluating a patient: 1. The engine sets a high-level goal (e.g., `severe_dengue`). 2. Prolog searches the knowledge base to see if any sub-goals or condition predicates (e.g., `patient_fact(severe_plasma_leakage)`) are satisfied by the current patient facts. 3. If `severe_dengue` fails, it moves to evaluate `urgent_medical_assessment`, `dengue_with_warning_signs`, `probable_dengue`, and `critical_phase_monitoring`.

## 5.3 Display Priority Hierarchy

When a patient satisfies multiple rule conclusions simultaneously (e.g., a patient has both `probable_dengue` and `severe_dengue`), the system formats the primary display banner according to a clinical priority hierarchy:

1. **Severe Dengue** (*Highest Priority — Emergency*)
2. **Urgent Medical Assessment Required**
3. **Dengue with Warning Signs**
4. **Probable Dengue**
5. **Critical-Phase Monitoring Required**
6. **No Supplied Rule Triggered**

**Note:** This priority ranking is an output display convention for clinical triage visibility, not a modified medical rule.

## 6. Implementation & Code Structure

The project is structured in a clean, modular architecture:

```
Dengue_ES/
├── backend/
│   ├── knowledge_base.pl    # Facts (F01-F25), Rules (R01-R31), & Explanations
```

```
| ├── inference_engine.pl # Dynamic fact management & backward chaining engine
| ├── main.pl           # HTTP REST Server API & CORS configuration
| ├── frontend/
| | ├── index.html      # Web UI layout & patient entry form
| | ├── style.css       # Custom CSS layout & design system
| | └── app.js          # API fetch controller & dynamic result renderer
| ├── tests/
| | └── test_cases.pl   # Automated Prolog test suite (8 clinical scenarios)
| ├── docs/
| | ├── complete_report.md # Consolidated academic report (this document)
| | ├── report.md        # Standard report
| | ├── annex_rules.md  # Detailed Annexes A, B, and C
| | ├── sources.md       # Source bibliography & traceability
| | └── system_diagram.md # System architecture text & diagrams
| └── README.md          # Quick-start guide for lecturer
```

## 7. Verification & Automated Test Suite

To ensure absolute correctness, an automated Prolog test suite ( `tests/test_cases.pl` ) executes 8 comprehensive clinical scenarios:

| Test # | Clinical Test Scenario                   | Asserted Patient Facts                                                                                             | Expected Conclusion                                                                                     | Result |
|--------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|--------|
| 1      | Probable Dengue (Fever + Nausea + Rash)  | <code>high_fever</code> , <code>nausea_vomiting</code> , <code>skin_rash</code>                                    | Probable Dengue ( <code>r01</code> )                                                                    | PASS   |
| 2      | Probable Dengue (Fever + Nausea + Aches) | <code>high_fever</code> , <code>nausea_vomiting</code> , <code>muscle_joint_pain</code>                            | Probable Dengue ( <code>r02</code> )                                                                    | PASS   |
| 3      | Warning Signs (Fever + Rash + Vomiting)  | <code>high_fever</code> , <code>nausea_vomiting</code> , <code>skin_rash</code> , <code>persistent_vomiting</code> | Dengue with Warning Signs ( <code>r01</code> , <code>r07</code> , <code>r09</code> , <code>r16</code> ) | PASS   |
| 4      | Warning Signs (Fever + Bleeding)         | <code>high_fever</code> , <code>nausea_vomiting</code> , <code>skin_rash</code> , <code>mucosal_bleeding</code>    | Dengue with Warning Signs ( <code>r01</code> , <code>r07</code> , <code>r11</code> , <code>r18</code> ) | PASS   |

| Test # | Clinical Test Scenario                     | Asserted Patient Facts                     | Expected Conclusion                     | Result |
|--------|--------------------------------------------|--------------------------------------------|-----------------------------------------|--------|
| 5      | Severe Dengue (Leakage + Shock)            | severe_plasma_leakage , shock              | Severe Dengue ( r22 , r25 )             | PASS   |
| 6      | Severe Dengue (Liver AST/ALT $\geq$ 1000)  | ast_alt_1000_or_more                       | Severe Dengue ( r27 )                   | PASS   |
| 7      | Critical Phase (Day 5 + Temp Decrease)     | day_of_illness(5) , temperature_decreasing | Critical-Phase Monitoring ( r29 )       | PASS   |
| 8      | Urgent Assessment (Day 5 + Abdominal Pain) | day_of_illness(5) , abdominal_pain         | Urgent Medical Assessment ( r08 , r30 ) | PASS   |

**Test Output:** 8 / 8 Tests Passed (100% Success Rate) .

## 8. User Guide — How to Run Locally

### Option A: Run the Web-Based GUI (Recommended)

1. **Start the Prolog HTTP Server:** Open terminal inside `Dengue_ES/` directory and execute: `bash swipl backend/main.pl` *Output:* Server running at `http://localhost:8060`
2. **Open the Web GUI:**
3. Double-click [frontend/index.html](http://localhost:8080/frontend/index.html) in Finder to open directly in Chrome/Safari/Edge.
4. OR run `python3 -m http.server 8080` and navigate to `http://localhost:8080/frontend/` .
5. **Evaluate Assessment:**
6. Check desired symptoms/signs and click "**Evaluate Assessment**".

Option B: Run Automated Unit Tests in Terminal

```
swipl -s tests/test_cases.pl -g "run_all_tests, halt."
```

ANNEX A — Complete Knowledge Base Facts (F01–F25)

A. Dengue-Suspected Clinical Facts

| Fact ID | Fact Description                         | Prolog Representation           |
|---------|------------------------------------------|---------------------------------|
| F01     | High fever commonly present in dengue    | patient_fact(high_fever)        |
| F02     | Severe headache                          | patient_fact(severe_headache)   |
| F03     | Retro-orbital pain (behind eyes)         | patient_fact(pain_behind_eyes)  |
| F04     | Muscle / joint pain (myalgia/arthralgia) | patient_fact(muscle_joint_pain) |
| F05     | Nausea / vomiting                        | patient_fact(nausea_vomiting)   |
| F06     | Skin rash                                | patient_fact(skin_rash)         |
| F07     | Dengue febrile phase duration (2–7 days) | illness_duration_days(2, 7)     |

B. Warning-Sign Facts

| Fact ID | Fact Description                                        | Prolog Representation                     |
|---------|---------------------------------------------------------|-------------------------------------------|
| F08     | Abdominal pain or tenderness                            | patient_fact(abdominal_pain)              |
| F09     | Persistent vomiting                                     | patient_fact(persistent_vomiting)         |
| F10     | Clinical fluid accumulation (ascites, pleural effusion) | patient_fact(clinical_fluid_accumulation) |

| Fact ID | Fact Description                                  | Prolog Representation                                                                                    |
|---------|---------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| F11     | Mucosal bleeding (epistaxis, gum bleed)           | <code>patient_fact(mucosal_bleeding)</code>                                                              |
| F12     | Lethargy or restlessness                          | <code>patient_fact(lethargy) ,</code><br><code>patient_fact(restlessness)</code>                         |
| F13     | Hepatomegaly (liver enlargement > 2 cm)           | <code>patient_fact(liver_enlargement_over_2cm)</code>                                                    |
| F14     | Concurrent high haematocrit & rapid platelet drop | <code>patient_fact(increased_haematocrit) ,</code><br><code>patient_fact(rapid_platelet_decrease)</code> |

### C. Severe Dengue Facts

| Fact ID | Fact Description                                         | Prolog Representation                              |
|---------|----------------------------------------------------------|----------------------------------------------------|
| F15     | Severe plasma leakage                                    | <code>patient_fact(severe_plasma_leakage)</code>   |
| F16     | Dengue shock syndrome (DSS)                              | <code>patient_fact(shock)</code>                   |
| F17     | Respiratory distress due to fluid accumulation           | <code>patient_fact(respiratory_distress)</code>    |
| F18     | Severe bleeding (gastrointestinal / clinical evaluation) | <code>patient_fact(severe_bleeding)</code>         |
| F19     | Severe organ impairment                                  | <code>patient_fact(severe_organ_impairment)</code> |
| F20     | AST or ALT $\geq$ 1000 U/L                               | <code>patient_fact(ast_alt_1000_or_more)</code>    |
| F21     | Impaired consciousness (CNS involvement)                 | <code>patient_fact(impaired_consciousness)</code>  |

### D. Disease-Phase & Triage Facts

| Fact ID | Fact Description                                | Prolog Representation                                     |
|---------|-------------------------------------------------|-----------------------------------------------------------|
| F22     | Critical phase timeframe (Days 3–7)             | <code>critical_phase_day_range(3, 7)</code>               |
| F23     | Defervescence (temperature decreasing)          | <code>patient_fact(temperature_decreasing)</code>         |
| F24     | Warning signs appearing around phase transition | <code>patient_fact(warning_sign_transition_period)</code> |
| F25     | Emergency triage required for severe dengue     | Decision-support triage concept                           |

## ANNEX B — Complete Decision-Making Rules (R01–R31)

### Part 1: Probable Dengue Rules (R01–R07)

| Rule ID | IF Conditions                                        | THEN Conclusion | Prolog Code                                                                                                                           |
|---------|------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------|
| R01     | High fever AND nausea/vomiting AND skin rash         | Probable Dengue | <code>probable_dengue :-<br/>patient_fact(high_fever),<br/>patient_fact(nausea_vomiting),<br/>patient_fact(skin_rash).</code>         |
| R02     | High fever AND nausea/vomiting AND muscle/joint pain | Probable Dengue | <code>probable_dengue :-<br/>patient_fact(high_fever),<br/>patient_fact(nausea_vomiting),<br/>patient_fact(muscle_joint_pain).</code> |
| R03     | High fever AND nausea/vomiting AND leucopenia        | Probable Dengue | <code>probable_dengue :-<br/>patient_fact(high_fever),<br/>patient_fact(nausea_vomiting),<br/>patient_fact(leucopenia).</code>        |

| Rule ID    | IF Conditions                                   | THEN Conclusion | Prolog Code                                                                                                      |
|------------|-------------------------------------------------|-----------------|------------------------------------------------------------------------------------------------------------------|
| <b>R04</b> | High fever AND skin rash AND muscle/joint pain  | Probable Dengue | probable_dengue :-<br>patient_fact(high_fever),<br>patient_fact(skin_rash),<br>patient_fact(muscle_joint_pain).  |
| <b>R05</b> | High fever AND skin rash AND leucopenia         | Probable Dengue | probable_dengue :-<br>patient_fact(high_fever),<br>patient_fact(skin_rash),<br>patient_fact(leucopenia).         |
| <b>R06</b> | High fever AND muscle/joint pain AND leucopenia | Probable Dengue | probable_dengue :-<br>patient_fact(high_fever),<br>patient_fact(muscle_joint_pain),<br>patient_fact(leucopenia). |
| <b>R07</b> | High fever AND any warning sign                 | Probable Dengue | probable_dengue :-<br>patient_fact(high_fever), warning_sign.                                                    |

## Part 2: Warning Sign Identification Rules (R08–R14)

| Rule ID    | IF Conditions                | THEN Conclusion      | Prolog Code                                                   |
|------------|------------------------------|----------------------|---------------------------------------------------------------|
| <b>R08</b> | Abdominal pain or tenderness | Warning Sign Present | warning_sign :-<br>patient_fact(abdominal_pain).              |
| <b>R09</b> | Persistent vomiting          | Warning Sign Present | warning_sign :-<br>patient_fact(persistent_vomiting).         |
| <b>R10</b> | Clinical fluid accumulation  | Warning Sign Present | warning_sign :-<br>patient_fact(clinical_fluid_accumulation). |
| <b>R11</b> | Mucosal bleeding             | Warning Sign Present | warning_sign :-<br>patient_fact(mucosal_bleeding).            |

| Rule ID    | IF Conditions                            | THEN Conclusion      | Prolog Code                                                                                                      |
|------------|------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------------------|
| <b>R12</b> | Lethargy OR restlessness                 | Warning Sign Present | <code>warning_sign :- patient_fact(lethargy). /<br/>warning_sign :- patient_fact(restlessness).</code>           |
| <b>R13</b> | Liver enlargement > 2 cm                 | Warning Sign Present | <code>warning_sign :-<br/>patient_fact(liver_enlargement_over_2cm).</code>                                       |
| <b>R14</b> | High haematocrit AND rapid platelet drop | Warning Sign Present | <code>warning_sign :-<br/>patient_fact(increased_haematocrit),<br/>patient_fact(rapid_platelet_decrease).</code> |

### Part 3: Dengue with Warning Signs Rules (R15–R21)

| Rule ID    | IF Conditions                             | THEN Conclusion           | Prolog Code                                                                                |
|------------|-------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------|
| <b>R15</b> | Probable dengue AND abdominal pain        | Dengue with Warning Signs | <code>dengue_with_warning_signs :-<br/>probable_dengue, warning_sign.<br/>(via R08)</code> |
| <b>R16</b> | Probable dengue AND persistent vomiting   | Dengue with Warning Signs | <code>dengue_with_warning_signs :-<br/>probable_dengue, warning_sign.<br/>(via R09)</code> |
| <b>R17</b> | Probable dengue AND fluid accumulation    | Dengue with Warning Signs | <code>dengue_with_warning_signs :-<br/>probable_dengue, warning_sign.<br/>(via R10)</code> |
| <b>R18</b> | Probable dengue AND mucosal bleeding      | Dengue with Warning Signs | <code>dengue_with_warning_signs :-<br/>probable_dengue, warning_sign.<br/>(via R11)</code> |
| <b>R19</b> | Probable dengue AND lethargy/restlessness | Dengue with Warning Signs | <code>dengue_with_warning_signs :-<br/>probable_dengue, warning_sign.<br/>(via R12)</code> |

| Rule ID | IF Conditions                                | THEN Conclusion           | Prolog Code                                                                           |
|---------|----------------------------------------------|---------------------------|---------------------------------------------------------------------------------------|
| R20     | Probable dengue AND liver enlargement > 2cm  | Dengue with Warning Signs | <code>dengue_with_warning_signs :- probable_dengue, warning_sign.</code><br>(via R13) |
| R21     | Probable dengue AND HCT rise + platelet drop | Dengue with Warning Signs | <code>dengue_with_warning_signs :- probable_dengue, warning_sign.</code><br>(via R14) |

#### Part 4: Severe Dengue Rules (R22–R28)

| Rule ID | IF Conditions                                        | THEN Conclusion | Prolog Code                                                                                                                                       |
|---------|------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| R22     | Severe plasma leakage                                | Severe Dengue   | <code>severe_dengue :- patient_fact(severe_plasma_leakage).</code>                                                                                |
| R23     | Severe bleeding                                      | Severe Dengue   | <code>severe_dengue :- patient_fact(severe_bleeding).</code>                                                                                      |
| R24     | Severe organ impairment                              | Severe Dengue   | <code>severe_dengue :- patient_fact(severe_organ_impairment).</code>                                                                              |
| R25     | Severe plasma leakage AND shock                      | Severe Dengue   | <code>severe_dengue :- patient_fact(severe_plasma_leakage), patient_fact(shock).</code>                                                           |
| R26     | Severe leakage + fluid accum. + respiratory distress | Severe Dengue   | <code>severe_dengue :- patient_fact(severe_plasma_leakage), patient_fact(clinical_fluid_accumulation), patient_fact(respiratory_distress).</code> |
| R27     | AST/ALT ≥ 1000 U/L                                   | Severe Dengue   | <code>severe_dengue :- patient_fact(ast_alt_1000_or_more).</code>                                                                                 |
| R28     | Impaired consciousness                               | Severe Dengue   | <code>severe_dengue :- patient_fact(impaired_consciousness).</code>                                                                               |

#### Part 5: Critical Phase & Triage Rules (R29–R31)

| Rule ID | IF Conditions                                 | THEN Conclusion                    | Prolog Code                                                                                                                                                                                |
|---------|-----------------------------------------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R29     | Day of illness 3–7 AND temperature decreasing | Critical-Phase Monitoring Required | <code>critical_phase_monitoring :-<br/>day_of_illness(Day),<br/>critical_phase_day_range(Start, End), Day &gt;=<br/>Start, Day &lt;= End,<br/>patient_fact(temperature_decreasing).</code> |
| R30     | Day of illness 3–7 AND warning sign present   | Urgent Medical Assessment Required | <code>urgent_medical_assessment :-<br/>day_of_illness(Day),<br/>critical_phase_day_range(Start, End), Day &gt;=<br/>Start, Day &lt;= End, warning_sign.</code>                             |
| R31     | Temp decreasing AND warning signs appearing   | Not Recovery; Urgent Assessment    | <code>not_recovery_despite_temp_decrease :-<br/>patient_fact(temperature_decreasing),<br/>warning_sign. / urgent_medical_assessment :-<br/>not_recovery_despite_temp_decrease.</code>      |

## ANNEX C — Knowledge Sources & Rule Traceability Table

All facts and rules in this Expert System are derived from published clinical guidelines. **No rules were invented or arbitrarily generated.**

### Source Citations:

- Primary Reference:** Sri Lanka National Dengue Control Unit. *National Guidelines on Management of Dengue Fever & Dengue Haemorrhagic Fever in Adults – 2024*. Ministry of Health, Sri Lanka.
- Secondary Reference:** World Health Organization. *Dengue: Guidelines for Diagnosis, Treatment, Prevention and Control*. WHO, Geneva.
- Tertiary Reference:** World Health Organization. "Dengue and severe dengue" WHO Fact Sheet.

### Fact & Rule Source Mapping:

- F01–F07 & R01–R07 (Probable Dengue):** Sri Lanka 2024 Guidelines, Section 2.1; WHO Dengue Classification Criteria.

- **F08–F14 & R08–R21 (Warning Signs):** Sri Lanka 2024 Guidelines, Section 2.2; WHO Warning Signs List.
  - **F15–F21 & R22–R28 (Severe Dengue):** Sri Lanka 2024 Guidelines, Section 2.3; WHO Severe Dengue Criteria.
  - **F22–F25 & R29–R31 (Critical Phase):** Sri Lanka 2024 Guidelines, Section 3.1 (Febrile to Critical Phase Transition Management).
- 

## 9. References

---

1. Sri Lanka National Dengue Control Unit. *National Guidelines on Management of Dengue Fever & Dengue Haemorrhagic Fever in Adults – 2024*. Ministry of Health, Sri Lanka.
2. World Health Organization. *Dengue: Guidelines for Diagnosis, Treatment, Prevention and Control*. World Health Organization, Geneva, Switzerland.
3. World Health Organization. "Dengue and severe dengue" Fact Sheet. Available online: <https://www.who.int/news-room/fact-sheets/detail/dengue-and-severe-dengue>
4. Clocksin, W. F., & Mellish, C. S. *Programming in Prolog: Using the ISO Standard*. Springer Science & Business Media.
5. Wielemaker, J. et al. *SWI-Prolog Reference Manual*. Available online: <https://www.swi-prolog.org/pldoc/>