Transaction Report

This report shows a historical view of transactions.

Report generated by: sysdba, Sun Jul 06 10:48:52 CAT 2025

Record count: 111

Maximum records to export: 10,000

Filters

First Name : Nombulelo

Last Name : Raziya

Date/Time: 2025-04-01 to 2025-06-30 between 00:00 and 23:59

ID Number : 7607030788082

** Please see Appendix A for alternative column names

Date/Time	Display Name **	Event	Controller Name	Reader Name	Transaction Type	Zone Name
2025-06-30 15:50:29	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-06-30 07:41:11	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-27 14:41:04	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-27 14:39:02	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS2 OUT	Access	G_MAIN/VERMULEN ENT
2025-06-27 09:26:10	NOMBULELO RAZIYA	Denied APB In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-06-27 08:28:24	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-26 08:22:38	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-06-25 08:13:45	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-06-24 07:54:19	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-20 15:59:05	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS2 OUT	Access	G_MAIN/VERMULEN ENT
2025-06-20 08:08:30	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-19 07:42:06	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-18 07:55:25	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-06-18 07:47:10	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS2 OUT	Access	G_MAIN/VERMULEN ENT
2025-06-18 07:35:17	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-06-17 15:38:57	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-06-17 11:49:42	NOMBULELO RAZIYA	Allowed Normal In	APC: Small Server Controller	5_NORTH_PASSAGE IN	Access	5TH FLOOR
2025-06-17 08:26:18	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-06-13 15:38:16	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-06-13 12:19:50	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-13 12:10:45	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-06-13 08:28:57	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-12 08:21:31	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-11 15:06:46	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-11 14:53:30	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
2025-06-11 08:27:40	NOMBULELO RAZIYA	Allowed Normal Out	APC: Small Server Controller	5_NORTH_PASSAGE OUT	Access	5TH FLOOR
2025-06-11 08:21:33	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-06 09:01:33	NOMBULELO RAZIYA	Allowed Normal Out	APC:Main Server Room Controller	13 Floor East Door (OUT)	Access	13TH FLOOR
2025-06-06 08:11:16	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-05 08:35:29	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-04 14:00:52	NOMBULELO RAZIYA	Allowed Normal In	APC: Small Server Controller	5_NORTH_PASSAGE IN	Access	5TH FLOOR
2025-06-04 08:26:58	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-06-03 07:38:04	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-06-02 16:30:12	NOMBULELO RAZIYA	Allowed Normal Out	APC: Small Server Controller	5_NORTH_PASSAGE OUT	Access	5TH FLOOR
2025-06-02 08:32:34	NOMBULELO RAZIYA	Allowed Normal In	APC: Small Server Controller	5_NORTH_PASSAGE IN	Access	5TH FLOOR
2025-06-02 08:06:23	NOMBULELO RAZIYA	Allowed Normal Out	APC: Small Server Controller	5_NORTH_PASSAGE OUT	Access	5TH FLOOR
2025-06-02 07:56:26	NOMBULELO RAZIYA	Allowed Normal In	APC: Small Server Controller	5_NORTH_PASSAGE IN	Access	5TH FLOOR

Date/Time	Display Name **	Event	Controller Name	Reader Name	Transaction Type	Zone Name
2025-06-02 07:55:01	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-31 15:23:49	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS2 OUT	Access	G_MAIN/VERMULEN ENT
2025-05-31 09:41:46	NOMBULELO RAZIYA	Allowed Normal In	APC: Small Server Controller	5_NORTH_PASSAGE IN	Access	5TH FLOOR
2025-05-31 09:40:56	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-30 17:28:19	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS2 OUT	Access	G_MAIN/VERMULEN ENT
2025-05-30 17:27:19	NOMBULELO RAZIYA	Allowed Normal Out	APC: Small Server Controller	5_NORTH_PASSAGE OUT	Access	5TH FLOOR
2025-05-30 09:26:04	NOMBULELO RAZIYA	Allowed Normal Out	APC: Small Server Controller	5_NORTH_PASSAGE OUT	Access	5TH FLOOR
2025-05-30 08:24:54	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-29 17:37:39	NOMBULELO RAZIYA	Allowed Normal Out	APC: Small Server Controller	5_NORTH_PASSAGE OUT	Access	5TH FLOOR
2025-05-29 08:01:25	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-05-28 08:28:41	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-27 16:11:33	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS2 OUT	Access	G_MAIN/VERMULEN ENT
2025-05-27 13:16:27	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-05-27 13:07:23	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
2025-05-27 13:03:39	NOMBULELO RAZIYA	Allowed Normal Out	APC: Small Server Controller	5_NORTH_PASSAGE OUT	Access	5TH FLOOR
2025-05-27 08:29:15	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-05-26 08:18:06	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-23 07:46:56	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-05-22 13:16:37	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-05-22 12:52:47	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-05-22 08:43:27	NOMBULELO RAZIYA	Denied APB In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-05-22 08:26:57	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-05-21 12:29:04	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-05-21 12:14:10	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
2025-05-21 07:31:22	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-20 08:34:45	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-19 08:24:37	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-05-13 13:44:08	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-05-13 13:34:00	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-05-13 13:04:43	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-05-13 11:20:06	NOMBULELO RAZIYA	Denied APB In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-13 08:33:36	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-05-12 08:26:24	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-08 14:00:36	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-05-08 13:47:17	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
2025-05-08 08:28:25	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-07 08:25:07	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-05-06 07:27:16	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-05 08:34:30	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-05-02 08:26:45	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-30 16:10:25	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS2 OUT	Access	G_MAIN/VERMULEN ENT
2025-04-30 08:03:14	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-29 07:56:23	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-25 11:16:42	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-25 11:01:34	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS2 OUT	Access	G_MAIN/VERMULEN ENT
2025-04-25 07:33:38	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-04-24 07:43:07	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-04-23 13:19:34	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-23 13:07:00	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-23 08:45:02	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-22 08:28:42	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT

Date/Time	Display Name **	Event	Controller Name	Reader Name	Transaction Type	Zone Name
2025-04-17 08:39:52	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-15 11:06:57	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-15 11:04:59	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
2025-04-15 08:39:50	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-04-14 12:23:07	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-14 12:08:26	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-14 08:22:38	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-11 08:40:03	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-10 16:00:31	NOMBULELO RAZIYA	Denied APB Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-10 16:00:25	NOMBULELO RAZIYA	Denied APB Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-10 16:00:10	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS2 OUT	Access	G_MAIN/VERMULEN ENT
2025-04-10 08:44:55	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-09 08:32:45	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-08 08:07:11	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-07 08:36:31	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-04-04 08:14:55	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-03 15:54:45	NOMBULELO RAZIYA	Allowed Normal Out	APC: Small Server Controller	5_NORTH_PASSAGE OUT	Access	5TH FLOOR
2025-04-03 13:42:55	NOMBULELO RAZIYA	Denied APB In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-04-03 08:23:11	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
2025-04-02 10:41:21	NOMBULELO RAZIYA	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-02 10:29:11	NOMBULELO RAZIYA	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-02 08:05:34	NOMBULELO RAZIYA	Denied APB In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-04-01 08:30:57	NOMBULELO RAZIYA	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT

Appendix A

This appendix provides alternative names that columns in this report might be known by.

Alternative Name	Person / Asset Type
Display Name	
Make/Model	Vehicle
Login Name	People