

Transaction Report

This report shows a historical view of transactions.

Report generated by: sysdba, Sun Jul 06 10:21:45 CAT 2025

Record count: 179

Maximum records to export: 10,000

Filters

First Name : Nosipho

Last Name : Sindane

Date/Time: 2025-04-01 to 2025-06-30 between 00:00 and 23:59

ID Number : 8612260258086

** Please see Appendix A for alternative column names

Date/Time	Display Name **	Event	Controller Name	Reader Name	Transaction Type	Zone Name
2025-06-30 18:14:26	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
2025-06-30 18:08:56	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-06-30 09:13:17	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-30 09:08:17	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
2025-06-27 15:29:41	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
2025-06-27 15:25:08	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
2025-06-27 11:24:05	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-27 11:16:53	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-06-27 08:43:44	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-27 08:39:26	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
2025-06-26 16:45:34	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
2025-06-26 16:35:59	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-06-26 10:07:37	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-06-26 09:57:47	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-06-26 09:20:20	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-25 17:46:14	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
2025-06-25 17:26:46	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-06-25 14:36:11	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-25 13:41:23	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-06-25 10:41:32	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-06-25 10:34:25	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-06-25 09:04:55	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-25 09:00:21	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
2025-06-24 18:32:15	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
2025-06-24 18:26:34	NOSIPHO SINDANE	Allowed APB Override Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-06-24 15:18:15	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-06-24 11:02:17	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-24 10:16:21	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-06-24 08:57:18	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-24 08:53:04	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
2025-06-23 16:58:56	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
2025-06-23 16:53:58	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-06-23 09:02:13	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-06-23 08:57:13	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
2025-06-20 12:49:05	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
2025-06-20 12:43:05	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-06-20 10:09:33	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT

	Date/Time	Display Name **	Event	Controller Name	Reader Name	Transaction Type	Zone Name
	2025-06-20 09:52:42	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
	2025-06-20 08:13:55	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-20 08:09:44	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-19 18:04:09	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-19 17:58:23	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-19 13:59:57	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-19 13:38:04	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-06-19 08:01:29	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-19 07:57:20	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-18 17:54:15	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-18 17:47:40	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-18 09:37:05	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS2 IN	Access	G_MAIN/VERMULEN ENT
	2025-06-18 09:28:39	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-18 09:26:53	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-18 08:39:14	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-06-18 07:52:25	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-18 07:48:04	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-17 18:01:09	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-17 17:54:00	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-17 14:00:02	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-17 12:48:02	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
	2025-06-17 09:11:23	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-17 09:07:03	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-14 15:59:13	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-14 08:34:07	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
	2025-06-13 18:33:10	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-13 18:28:03	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-13 14:09:29	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-13 13:50:51	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-06-13 09:00:09	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-13 08:54:18	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-06-13 08:46:31	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-13 08:42:51	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-12 18:11:17	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-12 17:59:54	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-12 14:24:10	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
	2025-06-12 14:18:21	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-12 09:15:30	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
	2025-06-12 09:08:55	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-12 08:41:19	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-12 08:37:30	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-11 18:05:18	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-11 17:57:53	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-11 11:00:33	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-11 10:36:24	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-06-11 09:00:15	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-11 08:55:02	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-10 18:03:26	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-10 17:55:51	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-10 09:01:50	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-10 08:57:32	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS

	Date/Time	Display Name **	Event	Controller Name	Reader Name	Transaction Type	Zone Name
	2025-06-09 18:04:43	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-09 08:16:39	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-09 08:11:53	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-06 17:29:22	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-06 17:20:14	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-06 08:33:53	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-06 08:30:14	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-05 19:32:08	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-05 19:25:00	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-05 08:33:48	NOSIPHO SINDANE	Denied APB In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-05 08:33:44	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-05 08:30:01	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-04 18:47:32	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-04 18:36:21	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-04 11:25:09	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
	2025-06-04 11:20:20	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-04 11:19:43	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_PARKING_BOOMS OUT	Access	G_PARKING_BOOMS
	2025-06-04 11:16:20	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-06-04 09:06:18	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-06-04 08:59:07	NOSIPHO SINDANE	Denied Location In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-06-04 08:59:04	NOSIPHO SINDANE	Denied Location In	APC: Main Turnstile Controller	G_PARKING_BOOMS IN	Access	G_PARKING_BOOMS
	2025-05-19 16:47:18	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-05-19 09:10:15	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-05-16 18:04:43	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-05-16 09:09:59	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-05-13 16:32:39	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
	2025-05-13 11:32:41	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
	2025-05-13 10:19:26	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-05-13 08:53:10	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-05-12 16:42:29	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-05-12 09:04:37	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-05-09 18:24:43	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-05-09 13:53:59	NOSIPHO SINDANE	Allowed APB Override In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
	2025-05-09 08:41:14	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-05-08 17:55:27	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-05-08 09:01:24	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-05-07 16:54:47	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-05-07 08:49:39	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-05-06 16:55:13	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-05-06 08:46:23	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-05-05 16:35:35	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
	2025-05-05 09:04:58	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-04-30 16:33:10	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-04-30 09:10:34	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-04-29 18:01:10	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-04-29 09:02:19	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-04-25 17:50:02	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
	2025-04-25 11:32:20	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-04-25 10:49:46	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
	2025-04-25 09:11:01	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
	2025-04-24 17:43:54	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT

Date/Time	Display Name **	Event	Controller Name	Reader Name	Transaction Type	Zone Name
2025-04-24 07:38:56	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-23 18:03:17	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-23 12:38:48	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-04-23 11:28:38	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-23 08:52:34	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-22 13:47:53	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-22 12:07:06	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-04-22 10:22:14	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-22 08:42:18	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-16 18:08:49	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-16 17:03:57	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_MAINENT_TS3_IN	Access	G_MAIN/VERMULEN ENT
2025-04-16 17:01:32	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-16 09:30:13	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-15 16:33:15	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
2025-04-15 09:03:17	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-14 17:31:46	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-14 12:23:00	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-14 12:08:22	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-14 09:10:35	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-11 16:40:47	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_R OUT	Access	G_MAIN/VERMULEN ENT
2025-04-11 11:13:51	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-11 10:57:12	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-11 09:00:34	NOSIPHO SINDANE	Allowed APB Override In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-10 09:14:30	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-09 18:07:34	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-09 08:59:59	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-08 16:48:54	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-08 09:06:37	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-07 16:51:18	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-07 09:43:00	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-07 09:25:09	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-07 08:48:01	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-04 16:43:00	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-04 08:39:55	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-03 12:42:04	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_VERMULEN_TS_L OUT	Access	G_MAIN/VERMULEN ENT
2025-04-03 08:49:31	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-02 18:19:27	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-02 08:36:55	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT
2025-04-01 17:36:06	NOSIPHO SINDANE	Allowed Normal Out	APC: Main Turnstile Controller	G_MAINENT_TS1	Access	G_MAIN/VERMULEN ENT
2025-04-01 08:43:43	NOSIPHO SINDANE	Allowed Normal In	APC: Main Turnstile Controller	G_VERMULEN_TS_R IN	Access	G_MAIN/VERMULEN ENT

Appendix A

This appendix provides alternative names that columns in this report might be known by.

Alternative Name	Person / Asset Type
Display Name	
Make/Model	Vehicle
Login Name	People