

Name: Chit Hmue Than Thar

Enrollment ID: DE-2026-0186

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'ecommercedb' selected. The main editor window shows a query with the following SQL code:

```
41 • INSERT INTO products (product_name, sku, selling_price)
42   VALUES ('Rice Cooker', 'SKU010', 200);
43
44 • select * from products;
45
46 • INSERT INTO inventory_stock (stock_id, product_id, quantity)
47   VALUES(1,1,1000);
48
49 • select * from inventory_stock;
```

The 'Result Grid' shows the results of the query:

stock_id	product_id	quantity
1	1	1000

The 'Output' pane shows the execution log:

#	Time	Action	Message	Duration / Fetch
17	18:27:12	CREATE DATABASE ecommercedb	Error Code: 1007. Can't create database 'ecommercedb'; database exists	0.000 sec
18	18:27:19	select * from products LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
19	18:31:41	select * from inventory_stock LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

The status bar at the bottom indicates 'Query Completed'.

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'ecommercedb' selected. The main editor window shows a query with the following SQL code:

```
41 • INSERT INTO products (product_name, sku, selling_price)
42   VALUES ('Rice Cooker', 'SKU010', 200);
43
44 • select * from products;
45
46 • INSERT INTO inventory_stock (stock_id, product_id, quantity)
47   VALUES(1,1,1000);
48
49 -- Update stock
```

The 'Result Grid' shows the results of the query:

product_id	product_name	sku	selling_price
1	iPhone 14	SKU001	1000.00
2	Rice Cooker	SKU010	200.00

The 'Output' pane shows the execution log:

#	Time	Action	Message	Duration / Fetch
16	18:26:25	Apply changes to ecommercedb	No changes detected	
17	18:27:12	CREATE DATABASE ecommercedb	Error Code: 1007. Can't create database 'ecommercedb'; database exists	0.000 sec
18	18:27:19	select * from products LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

The status bar at the bottom indicates 'Query Completed'.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Schema: ecommercedb

Object Info Session

Query 1

VALUES(1,1,1000);

select * from inventory_stock;

-- Update stock

UPDATE inventory_stock

SET quantity = quantity + 10

WHERE product_id = 1;

Result Grid

stock_id	product_id	quantity
1	1	1010

inventory_stock 3 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
21	18:32:59	DELETE FROM products WHERE product_id = 2	1 row(s) affected	0.015 sec
22	18:33:07	CREATE DATABASE ecommercedb	Error Code: 1007. Can't create database 'ecommercedb'; database exists	0.000 sec
23	18:33:11	select * from inventory_stock LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Schema: ecommercedb

Object Info Session

Query 1

-- Update stock

UPDATE inventory_stock

SET quantity = quantity + 10

WHERE product_id = 1;

-- Delete product

DELETE FROM products WHERE product_id = 2;

-- 3. Data Query Language (DQL)

Result Grid

product_id	product_name	sku	selling_price
1	iPhone 14	SKU001	1000.00

products 7 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
30	18:36:27	DELETE FROM products WHERE product_id = 2	0 row(s) affected	0.000 sec
31	18:36:34	DELETE FROM products WHERE product_id = 3	1 row(s) affected	0.000 sec
32	18:36:40	select * from products LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Schema: ecommercedb

Object Info Session

Query 1

Limit to 1000 rows

```
53 ('ORD-2026-001', 101, 1, 'CONFIRMED', 1250.50, 'Standard ground shipping.'),
54 ('ORD-2026-002', 105, 2, 'PENDING', 450.00, 'Customer requested gift wrapping.'),
55 ('ORD-2026-003', 210, 1, 'SHIPPED', 89.99, 'Express delivery confirmed.');
```

```
57 • select * from products;
58
59 • INSERT INTO inventory_stock (stock_id,product_id,quantity)
60 VALUES(1,1,1000);
61
62 • select * from inventory_stock;
63
```

Result Grid

order_id	order_number	customer_id	warehouse_id	order_date	status	total_amount	remarks
ORD-2026-001	101	1	2026-05-08 18:42:32	CONFIRMED	1250.50	Standard ground shipping.	
ORD-2026-002	105	2	2026-05-08 18:42:32	PENDING	450.00	Customer requested gift wrapping.	
ORD-2026-003	210	1	2026-05-08 18:42:32	SHIPPED	89.99	Express delivery confirmed.	

sales_orders12 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
36	18:42:32	INSERT INTO sales_orders (order_number, c...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
37	18:42:40	select * from inventory_stock LIMIT 0. 1000	1 row(s) returned	0.000 sec / 0.000 sec
38	18:42:47	SELECT * FROM sales_orders LIMIT 0. 1000	3 row(s) returned	0.000 sec / 0.000 sec

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Schema: ecommercedb

Object Info Session

Query 1

Limit to 1000 rows

```
112 -- Check stock availability
113
114 • SELECT p.product_name, i.quantity
115 FROM products p
116 JOIN inventory_stock i ON p.product_id = i.product_id;
117
118 -- Low stock alert
119 • SELECT * FROM inventory_stock
120 WHERE quantity < 200;
121
122 -- 4. Data Control Language (DCL)
```

Result Grid

product_name	quantity
iPhone 14	50
Wireless Mechanical Keyboard	120
Ergonomic Optical Mouse	15
27-inch 4K Monitor	35
Noise-Canceling Headphones	80

Result 27 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
66	18:56:46	SET SQL_SAFE_UPDATES = 0	0 row(s) affected	0.000 sec
67	18:57:03	INSERT INTO inventory_stock (product_id, quantity)...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.000 sec
68	18:57:13	SELECT p.product_name, i.quantity FROM products...	5 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Schema: ecommercedb

Object Info Session

Query 1

```
115 FROM products p
116 JOIN inventory_stock i ON p.product_id = i.product_id;
117
118 -- Low stock alert
119 • SELECT * FROM inventory_stock
120 WHERE quantity < 200;
121
122 • SELECT * FROM inventory_stock
123 WHERE quantity < 50;
124
125 -- 4. Data Control Language (DCL)
```

Result Grid

stock_id	product_id	quantity
31	5	15
32	6	35
...	...	...

Inventory_stock 29 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
68	18:57:13	SELECT p.product_name, i.quantity FROM products...	5 row(s) returned	0.000 sec / 0.000 sec
69	18:59:20	SELECT * FROM inventory_stock WHERE quantity ...	5 row(s) returned	0.000 sec / 0.000 sec
70	18:59:57	SELECT * FROM inventory_stock WHERE quantity ...	2 row(s) returned	0.000 sec / 0.000 sec

Query Completed

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User (ecommercedb) x User x staff_user x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

Inventory_stock

Columns

Indexes

Foreign Keys

Triggers

products

sales_orders

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Table: inventory_stock

Columns:

stock_id int AI PK

product_id int

quantity int

Object Info Session

Query 1

```
1 • SELECT * FROM ecommercedb.inventory_stock;
2
3 • UPDATE ecommercedb.inventory_stock
4 SET quantity = quantity + 20
5 WHERE product_id = 5;
6
7
```

Result Grid

stock_id	product_id	quantity
29	1	50
30	4	120
31	5	35
32	6	35
33	7	80
...	...	...

Inventory_stock 2 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	19:04:09	SELECT * FROM ecommercedb.inventory_stock LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
2	19:05:33	UPDATE ecommercedb.inventory_stock SET quantity = quantity + 20 WHERE product...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
3	19:05:38	SELECT * FROM ecommercedb.inventory_stock LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User (ecommercedb) x staff_user_test x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Schema: ecommercedb

Query 1

```
132
133
134 -- Apply Changes
135 FLUSH PRIVILEGES;
136 -- Revoke permission
137 REVOKE SELECT ON products FROM 'staff_user'@'localhost';
138 REVOKE INSERT ON products FROM 'staff_user'@'localhost';
139 REVOKE UPDATE ON products FROM 'staff_user'@'localhost';
140 REVOKE DELETE ON products FROM 'staff_user'@'localhost';
141
142 -- 5. Transaction Control Language (TCL)
143 -- Order placement (stock deduction + payment)
144
145 START TRANSACTION;
146
147 -- Deduct stock
148 UPDATE inventory_stock
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
125	19:34:20	EVOKE SELECT ON products FROM 'staff_user'@'localhost'	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se...	0.000 sec
126	19:34:23	REVOKE SELECT ON products FROM 'staff_user'@'localhost'	0 row(s) affected	0.016 sec
127	19:34:23	REVOKE INSERT ON products FROM 'staff_user'@'localhost'	0 row(s) affected	0.016 sec
128	19:34:23	REVOKE UPDATE ON products FROM 'staff_user'@'localhost'	0 row(s) affected	0.015 sec
129	19:34:23	REVOKE DELETE ON products FROM 'staff_user'@'localhost'	0 row(s) affected	0.016 sec

Query interrupted

MySQL Workbench

User (ecommercedb) x staff_user_test x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

products

Views

Stored Procedures

Functions

Administration Schemas

Information

Table: products

Columns:

product_id int AI PK

product_name varchar(150)

sku varchar(50)

selling_price decimal(10,2)

Query 1

products

```
1 SELECT * FROM ecommercedb.products;
2
3 DELETE FROM ecommercedb.products;
4
5 UPDATE ecommercedb.products
6 SET selling_price = selling_price + 10
7 where product_id = 1;
8
9 INSERT INTO ecommercedb.products (product_name, sku, selling_price)
10 VALUES ('iPhone 18', 'SKU009', 200000000);
11
12
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
1	19:35:48	SELECT * FROM ecommercedb.products LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
2	19:36:06	SELECT * FROM ecommercedb.products LIMIT 0, 1000	Error Code: 1142. SELECT command denied to user 'staff_user'@'localhost' for table 'pro...	0.000 sec
3	19:36:19	DELETE FROM ecommercedb.products	Error Code: 1142. DELETE command denied to user 'staff_user'@'localhost' for table 'pro...	0.000 sec
4	19:37:38	UPDATE ecommercedb.products SET selling_price = selling_price + 10 where product_id = 1	Error Code: 1142. UPDATE command denied to user 'staff_user'@'localhost' for table 'pr...	0.000 sec
5	19:38:23	INSERT INTO products (product_name, sku, selling_price) VALUES (iPhone 18, 'SKU0...	Error Code: 1046. No database selected Select the default DB to be used by double-clc...	0.000 sec
6	19:38:36	INSERT INTO ecommercedb.products (product_name, sku, selling_price) VALUES (iPh...	Error Code: 1142. INSERT command denied to user 'staff_user'@'localhost' for table 'pro...	0.000 sec

Query interrupted

S

MySQL Workbench

User (ecommercedb) x staff_user_test x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

Views

Stored Procedures

Functions

sys

Query 1

```
173 • ROLLBACK;
174 -- If everything is correct
175 • COMMIT;
176
177
```

Result Grid

sales_order_id	order_number	customer_id	warehouse_id	order_date	status	total_amount	remarks
1	ORD-2026-001	101	1	2026-05-08 18:42:32	CONFIRMED	1250.50	Standard ground shipping
2	ORD-2026-002	105	2	2026-05-08 18:42:32	PENDING	450.00	Customer requested gift
3	ORD-2026-003	210	1	2026-05-08 18:42:32	SHIPPED	89.99	Express delivery confirmed
4	ORD-2026-004	112	3	2026-05-08 18:49:01	DELIVERED	2100.00	Delivered to front porch
5	ORD-2026-005	305	1	2026-05-08 18:49:01	CANCELLED	0.00	Customer cancelled before
6	ORD-2026-006	150	2	2026-05-08 18:49:01	PENDING	525.75	Awaiting payment verification
7	ORD-2026-007	88	3	2026-05-08 18:49:01	CONFIRMED	12.50	Small parcel - eco-friendly

Schema: ecommercedb

sales_orders42

Output

#	Time	Action	Message	Duration / Fetch
✓ 150	19:41:46	INSERT INTO sales_orders (order_number, total_amount) VALUES (ORD-2026-001, 1250.50);	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
✓ 151	19:41:53	SELECT * FROM sales_orders LIMIT 0, 1000	13 row(s) returned	0.000 sec / 0.000 sec
✓ 152	19:42:10	ROLLBACK	0 row(s) affected	0.000 sec
✓ 153	19:42:20	SELECT * FROM sales_orders LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User (ecommercedb) x staff_user_test x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

Views

Stored Procedures

Functions

sys

Query 1

```
172 -- If error occurs
173 • ROLLBACK;
174 -- If everything is correct
175 • COMMIT;
176
```

Result Grid

sales_order_id	order_number	customer_id	warehouse_id	order_date	status	total_amount	remarks
6	ORD-2026-006	150	2	2026-05-08 18:49:01	PENDING	525.75	Awaiting payment verification
7	ORD-2026-007	88	3	2026-05-08 18:49:01	CONFIRMED	12.50	Small parcel - eco-friendly
14	SO1003	NULL	NULL	2026-05-08 19:44:40	CONFIRMED	2000.00	NULL
15	SO1004	1	1	2026-05-08 19:44:40	PENDING	1200.00	NULL
16	SO1005	NULL	NULL	2026-05-08 19:44:40	PENDING	1500.00	NULL
17	SO1006	NULL	NULL	2026-05-08 19:44:40	PENDING	900.00	NULL
18	SO1007	NULL	NULL	2026-05-08 19:44:40	PENDING	1100.00	NULL
19	SO1008	NULL	NULL	2026-05-08 19:44:40	PENDING	1300.00	NULL

Schema: ecommercedb

sales_orders43

Output

#	Time	Action	Message	Duration / Fetch
✓ 158	19:44:40	INSERT INTO sales_orders (order_number, total_amount) VALUES (ORD-2026-006, 525.75);	1 row(s) affected	0.000 sec
✓ 159	19:44:40	INSERT INTO sales_orders (order_number, total_amount) VALUES (ORD-2026-007, 12.50);	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
✓ 160	19:44:43	COMMIT	0 row(s) affected	0.015 sec
✓ 161	19:44:51	SELECT * FROM sales_orders LIMIT 0, 1000	13 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.