

Name: Chit Hmue Than Thar

Roll no: DE-2026-0186

The screenshot shows the MySQL Workbench interface. The left sidebar contains a 'SCHEMAS' list with various databases like 'bad_bankingdb', 'bad_retaildb', 'ecommercedb', 'good_bankingdb', 'good_retaildb', 'hr_acid_db', 'sys', and 'telecom_user_mgmt'. The main query window is titled 'ACID_Test_hr_demo' and contains the following SQL code:

```
34 ('Hla Hla', 'Admin', 550000, 6),
35 ('Mya Mya', 'IT', 750000, 9),
36 ('Ko Ko', 'Operations', 700000, 11);
37
38 -- =====
39 -- 4. VIEW INITIAL DATA
40 -- =====
41 SELECT 'INITIAL EMPLOYEE DATA' AS info;
42 SELECT * FROM employees;
43
```

The 'Result Grid' shows the output of the queries:

employee_id	employee_name	department	salary	leave_balance
1	Aung Aung	IT	800000.00	10
2	Su Su	HR	600000.00	8
3	Kyaw Kyaw	Finance	900000.00	12
4	Hla Hla	Admin	550000.00	6
5	Mya Mya	IT	750000.00	9
6	Ko Ko	Operations	700000.00	11

The 'Output' pane shows the execution of the queries:

#	Time	Action	Message	Duration / Fetch
109	14:48:38	SELECT 'INITIAL EMPLOYEE DATA' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
110	14:48:38	SELECT * FROM employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

The screenshot shows the MySQL Workbench interface. The left sidebar contains a 'SCHEMAS' list with various databases like 'bad_bankingdb', 'bad_retaildb', 'ecommercedb', 'good_bankingdb', 'good_retaildb', 'hr_acid_db', 'sys', and 'telecom_user_mgmt'. The main query window is titled 'ACID_Test_hr_demo' and contains the following SQL code:

```
49 --
50 -- Use Case:
51 -- HR updates employee salary and leave balance together.
52 -- If one step fails, the whole transaction should be rolled back.
53 -- =====
54
55 SELECT 'ATOMICITY TEST - BEFORE SUCCESSFUL TRANSACTION' AS info;
56 SELECT * FROM employees WHERE employee_id = 1;
57
58 -- =====
```

The 'Result Grid' shows the output of the queries:

employee_id	employee_name	department	salary	leave_balance
1	Aung Aung	IT	800000.00	10

The 'Output' pane shows the execution of the queries:

#	Time	Action	Message	Duration / Fetch
111	14:52:01	SELECT 'ATOMICITY TEST - BEFORE SUCCESSFUL TRANSACTION' AS info LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
112	14:52:01	SELECT * FROM employees WHERE employee_id = 1 LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information: No object selected

Result Grid

employee_id	employee_name	department	salary	leave_balance
1	Aung Aung	IT	850000.00	8

Result 5 employees 6 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
114	14:53:49	UPDATE employees SET salary = salary + 50000 WHERE employee_id = 1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
115	14:53:54	UPDATE employees SET leave_balance = leave_balance - 2 WHERE employee_id = 1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
116	14:53:58	COMMIT	0 row(s) affected	0.015 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information: No object selected

Result Grid

employee_id	employee_name	department	salary	leave_balance
2	Su Su	HR	650000.00	8

employees 9 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
121	14:56:08	START TRANSACTION	0 row(s) affected	0.000 sec
122	14:56:12	UPDATE employees SET salary = salary + 50000 WHERE employee_id = 2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
123	14:56:20	SELECT * FROM employees WHERE employee_id = 2 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

ACID_Test_hr_demo

Limit to 1000 rows

```

91 -- Mistake / unexpected issue
92 -- This update affects no valid intended record
93 • UPDATE employees
94 SET leave_balance = leave_balance - 100
95 WHERE employee_id = 999;
96
97 • ROLLBACK;
98
99 • SELECT 'ATOMICITY TEST - AFTER ROLLBACK' AS info;
100 • SELECT * FROM employees WHERE employee_id = 2;
101

```

Result Grid

employee_id	employee_name	department	salary	leave_balance
2	Su Su	HR	650000.00	8

Result 10 employees 11 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
130	14:57:36	ROLLBACK	0 row(s) affected	0.000 sec
131	14:57:36	SELECT 'ATOMICITY TEST - AFTER ROLLBACK' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
132	14:57:36	SELECT * FROM employees WHERE employee_id = 2 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

ACID_Test_hr_demo

Limit to 1000 rows

```

112 -- leave_balance must remain >= 0
113 -- =====
114
115 • SELECT 'CONSISTENCY TEST - BEFORE VALID UPDATE' AS info;
116 • SELECT * FROM employees WHERE employee_id = 3;
117
118 -- =====
119 -- C1. VALID CONSISTENT TRANSACTION
120 -- Deduct leave only if enough leave balance exists
121 -- =====
122 • START TRANSACTION;
123

```

Result Grid

employee_id	employee_name	department	salary	leave_balance
3	Kyaw Kyaw	Finance	900000.00	12

Result 12 employees 13 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
132	14:57:36	SELECT * FROM employees WHERE employee_id = 2 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
133	15:00:16	SELECT 'CONSISTENCY TEST - BEFORE VALID UPDATE' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
134	15:00:16	SELECT * FROM employees WHERE employee_id = 3 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo x

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

125 SET leave_balance = leave_balance - 3

126 WHERE employee_id = 3

127 AND leave_balance >= 3;

128

129 COMMIT;

130

131 SELECT 'CONSISTENCY TEST - AFTER VALID UPDATE' AS info;

132 SELECT * FROM employees WHERE employee_id = 3;

133

134

135 -- C2. INVALID BUSINESS CASE EXAMPLE

136 -- This update logic prevents negative leave balance

Result Grid

employee_id	employee_name	department	salary	leave_balance
3	Kyaw Kyaw	Finance	900000.00	9

Result 14 employees 15 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
137	15:02:20	COMMIT	0 row(s) affected	0.000 sec
138	15:02:23	SELECT 'CONSISTENCY TEST - AFTER VALID UPDATE' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
139	15:02:23	SELECT * FROM employees WHERE employee_id = 3 LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo x

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

134

135 -- C2. INVALID BUSINESS CASE EXAMPLE

136 -- This update logic prevents negative leave balance

137

138 SELECT 'CONSISTENCY TEST - BEFORE INVALID ATTEMPT' AS info;

139 SELECT * FROM employees WHERE employee_id = 4;

140

141 START TRANSACTION;

142

143 UPDATE employees

144 SET leave_balance = leave_balance - 20

145 WHERE employee_id = 4;

Result Grid

employee_id	employee_name	department	salary	leave_balance
4	Hla Hla	Admin	500000.00	6

Result 16 employees 17 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
139	15:02:23	SELECT * FROM employees WHERE employee_id = 3 LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
140	15:03:29	SELECT 'CONSISTENCY TEST - BEFORE INVALID ATTEMPT' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
141	15:03:29	SELECT * FROM employees WHERE employee_id = 4 LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo

SCHMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

```

142
143 • UPDATE employees
144 SET leave_balance = leave_balance - 20
145 WHERE employee_id = 4
146 AND leave_balance >= 20;
147
148 • COMMIT;
149
150 • SELECT 'CONSISTENCY TEST - AFTER INVALID ATTEMPT (NO CHANGE EXPECTED)' AS info;
151 • SELECT * FROM employees WHERE employee_id = 4;
152

```

Result Grid

employee_id	employee_name	department	salary	leave_balance
4	Hia Hia	Admin	550000.00	6

Result 20 employees 21 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 149	15:06:44	COMMIT	0 row(s) affected	0.000 sec
✓ 150	15:06:44	SELECT 'CONSISTENCY TEST - AFTER INVALID ATTEMPT (NO CHANGE EXPECTED)' AS info;	1 row(s) returned	0.000 sec / 0.000 sec
✓ 151	15:06:44	SELECT * FROM employees WHERE employee_id = 4 LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo

SCHMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

```

172 • USE hr_demo;
173 • SET SESSION TRANSACTION ISOLATION LEVEL READ COMMITTED;
174 • START TRANSACTION;
175 --
176 • UPDATE employees
177 SET salary = salary + 100000
178 WHERE employee_id = 5;
179 --
180 • SELECT * FROM employees WHERE employee_id = 5;
181 --
182 -- -- DO NOT COMMIT YET

```

Result Grid

employee_id	employee_name	department	salary	leave_balance
5	Mya Mya	IT	850000.00	9

employees 22 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 154	15:08:40	START TRANSACTION	0 row(s) affected	0.000 sec
✓ 155	15:08:40	UPDATE employees SET salary = salary + 100000 WHERE employee_id = 5	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
✓ 156	15:08:40	SELECT * FROM employees WHERE employee_id = 5 LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

Result Grid

employee_id	employee_name	department	salary	leave_balance
2	Su Su	HR	650000.00	8

Result 23 employees 24 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	156 15:08:40	SELECT * FROM employees WHERE employee_id = 5 LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
✓	157 15:10:19	SELECT 'DURABILITY TEST - BEFORE COMMIT' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓	158 15:10:19	SELECT * FROM employees WHERE employee_id = 2 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

Result Grid

employee_id	employee_name	department	salary	leave_balance
2	Su Su	HR	950000.00	8

Result 25 employees 26 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	161 15:11:13	COMMIT	0 row(s) affected	0.000 sec
✓	162 15:11:13	SELECT 'DURABILITY TEST - AFTER COMMIT' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓	163 15:11:13	SELECT * FROM employees WHERE employee_id = 2 LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

ACID_Test_hr_demo

Limit to 1000 rows

```
253
254 • SELECT 'PROMOTION TEST - BEFORE SUCCESSFUL PROMOTION' AS info;
255 • SELECT * FROM employees WHERE employee_id = 1;
256
257 --
258 -- FULL SUCCESSFUL TRANSACTION
259 --
260 • START TRANSACTION;
261
262 • UPDATE employees
263   SET salary = salary + 150000
264   WHERE employee_id = 1;
```

Result Grid

employee_id	employee_name	department	salary	leave_balance
1	Aung Aung	IT	850000.00	8

Result 27 employees 28 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
163	15:11:13	SELECT * FROM employees WHERE employee_id = 2 LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
164	15:12:23	SELECT 'PROMOTION TEST - BEFORE SUCCESSFUL PROMOTION' AS info LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
165	15:12:23	SELECT * FROM employees WHERE employee_id = 1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

ACID_Test_hr_demo

Limit to 1000 rows

```
267 SET department = 'Senior IT'
268 WHERE employee_id = 1;
269
270 • UPDATE employees
271   SET leave_balance = leave_balance + 2
272   WHERE employee_id = 1;
273
274 • COMMIT;
275
276 • SELECT 'PROMOTION TEST - AFTER SUCCESSFUL PROMOTION' AS info;
277 • SELECT * FROM employees WHERE employee_id = 1;
```

Result Grid

employee_id	employee_name	department	salary	leave_balance
1	Aung Aung	Senior IT	1000000.00	10

Result 29 employees 30 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
170	15:13:21	COMMIT	0 row(s) affected	0.000 sec
171	15:13:21	SELECT 'PROMOTION TEST - AFTER SUCCESSFUL PROMOTION' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
172	15:13:21	SELECT * FROM employees WHERE employee_id = 1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo x

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

Object Info Session

282

283 • `SELECT 'PROMOTION TEST - BEFORE FAILED PROMOTION' AS info;`

284 • `SELECT * FROM employees WHERE employee_id = 6;`

285

286 • `START TRANSACTION;`

287

288 • `UPDATE employees`

289 `SET salary = salary + 150000`

290 `WHERE employee_id = 6;`

291

292 • `UPDATE employees`

293 `SET department = 'Senior Operations';`

Result Grid

employee_id	employee_name	department	salary	leave_balance
6	Ko Ko	Operations	700000.00	11

Result 31 employees 32 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 172	15:13:21	SELECT * FROM employees WHERE employee_id = 1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 173	15:14:17	SELECT 'PROMOTION TEST - BEFORE FAILED PROMOTION' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 174	15:14:17	SELECT * FROM employees WHERE employee_id = 6 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo x

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

Object Info Session

293 `SET department = 'Senior Operations';`

294 `WHERE employee_id = 6;`

295

296 `-- Suppose this is wrong`

297 • `UPDATE employees`

298 `SET leave_balance = leave_balance + 2`

299 `WHERE employee_id = 999;`

300

301 `ROLLBACK;`

302

303 • `SELECT 'PROMOTION TEST - AFTER FAILED PROMOTION ROLLBACK' AS info;`

304 • `SELECT * FROM employees WHERE employee_id = 6;`

Result Grid

employee_id	employee_name	department	salary	leave_balance
6	Ko Ko	Operations	700000.00	11

Result 33 employees 34 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 179	15:15:17	ROLLBACK	0 row(s) affected	0.000 sec
✓ 180	15:15:17	SELECT 'PROMOTION TEST - AFTER FAILED PROMOTION ROLLBACK' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 181	15:15:17	SELECT * FROM employees WHERE employee_id = 6 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Final Employee Table

MySQL Workbench

User x

File Edit View Query Database Server Tools Scripting Help

Navigator: ACID_Test_hr_demo x

SCHEMAS

Filter objects

- bad_bankingdb
- bad_retaildb
- ecommercedb
- good_bankingdb
- good_retaildb
- hr_acid_db
- sys
- telecom_user_mgmt

Administration Schemas

Information

No object selected

309 • SELECT 'FINAL EMPLOYEE DATA' AS info;

310 • SELECT * FROM employees;

311

312 -- *****

313 -- SHORT ACID SUMMARY

Result Grid

employee_id	employee_name	department	salary	leave_balance
1	Aung Aung	Senior IT	1000000.00	10
2	Su Su	HR	950000.00	8
3	Kyaw Kyaw	Finance	900000.00	9
4	Hla Hla	Admin	550000.00	6
5	Mya Mya	IT	850000.00	9
6	Ko Ko	Operations	700000.00	11

Result 35 employees 36 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 182	15:16:56	SELECT 'FINAL EMPLOYEE DATA' AS info LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 183	15:16:56	SELECT * FROM employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.