


# Calculus II YouTube Workbook

Albert Bronstein



Albert Bronstein

# Calculus II YouTube Workbook



Calculus II YouTube Workbook

1st edition

© 2015 Albert Bronstein & [bookboon.com](http://bookboon.com)

ISBN 978-87-403-0470-1



# Contents

	<b>Preface</b>	<b>5</b>
<b>1</b>	<b>Area Problems</b>	<b>6</b>
<b>2</b>	<b>Volume by Cross-Section</b>	<b>8</b>
<b>3</b>	<b>Disk/Washer Method</b>	<b>10</b>
<b>4</b>	<b>Method of Cylindrical Shells</b>	<b>12</b>
<b>5</b>	<b>Integration by Parts</b>	<b>14</b>
<b>6</b>	<b>Trigonometric Integrals</b>	<b>18</b>
<b>7</b>	<b>Trigonometric Substitution</b>	<b>21</b>
<b>8</b>	<b>Method of Partial Fraction</b>	<b>24</b>



www.sylvania.com

**We do not reinvent the wheel we reinvent light.**

Fascinating lighting offers an infinite spectrum of possibilities: Innovative technologies and new markets provide both opportunities and challenges. An environment in which your expertise is in high demand. Enjoy the supportive working atmosphere within our global group and benefit from international career paths. Implement sustainable ideas in close cooperation with other specialists and contribute to influencing our future. Come and join us in reinventing light every day.

**OSRAM SYLVANIA**

Light is OSRAM



9	Arc Length	26
10	Infinite Series Test for Divergence	28
11	Infinite Series Geometric Series	29
12	Infinite Series Telescoping Series	32
13	Infinite Series Integral Test	33
14	Limit Comparison Test	34



Discover the truth at [www.deloitte.ca/careers](http://www.deloitte.ca/careers)

**Deloitte.**

© Deloitte & Touche LLP and affiliated entities.



Click on the ad to read more

# Preface

This workbook contains examples for a standard Calculus II course in an American University. Many problems were assigned as homework problems at University of Illinois at Chicago. Before viewing solution videos, students should first try solving these problems on their own.

# 1 Area Problems

The area of the region bounded by the graphs of  $y = f(x)$  and  $y = g(x)$  for  $a \leq x \leq b$ , where  $f(x)$  and  $g(x)$  are continuous and  $f(x) \geq g(x)$  for all  $x \in [a, b]$ , is

$$\int_a^b (f(x) - g(x)) dx$$

The area of the region bounded by the graphs of  $x = f(y)$  and  $x = g(y)$  for  $c \leq y \leq d$ , where  $f(y)$  and  $g(y)$  are continuous and  $f(y) \geq g(y)$  for all  $y \in [c, d]$ , is

$$\int_c^d (f(y) - g(y)) dy$$

1. Find the area of the region enclosed by the graphs of  $f(x) = x$  and  $g(x) = x^2$ .  
▶ [Link to Solution Video](#) ◀
2. Find the area of the region bounded above by  $y = \sqrt{x+2}$ , bounded below by  $y = \frac{1}{x+1}$ , and bounded on the sides by  $x = 0$  and  $x = 2$ .  
▶ [Link to Solution Video](#) ◀
3. Find the area of the region enclosed by the graphs  $y = -x^2 - 2x + 2$  and  $y = 1 - 2x$ .  
▶ [Link to Solution Video](#) ◀
4. Find the area of the region enclosed by the graphs  $y = 2x^2$ ,  $y = -4x + 6$  and the  $x$ -axis.  
▶ [Link to Solution Video](#) ◀
5. Find the area of the region enclosed by the graphs of  $y = x - 1$  and  $y^2 = 2x + 6$ .  
▶ [Link to Solution Video](#) ◀
6. Find the area of the region enclosed by the graphs of  $y = \sin x$  and  $y = \sin 2x$  for  $0 \leq x \leq \pi$ .  
▶ [Link to Solution Video](#) ◀
7. Find the area of the region enclosed by the graphs  $y = x^2 - 2$  and  $y = |x|$ .  
▶ [Link to Solution Video](#) ◀
8. Evaluate  $\int_{-10}^{10} \sqrt{100 - x^2} dx$   
▶ [Link to Solution Video](#) ◀

9. Evaluate  $\int_{-\sqrt{2}/2}^{\sqrt{2}/2} (\sqrt{1-x^2} - |x|) dx$

► [Link to Solution Video](#) ◀

10. Evaluate  $\int_{-6}^4 \sqrt{24-2x-x^2} dx$

► [Link to Solution Video](#) ◀

11. Find the area of the region enclosed by the graphs of  $x + y = 4$ ,  $y = x$ , and  $y + 3x = 4$

► [Link to Solution Video](#) ◀

12. Find the area of the region enclosed by the graph of  $y^2 = x^3$  and the line  $x = 1$

► [Link to Solution Video](#) ◀

13. Find the area of the region enclosed by the graphs of  $y = \frac{1}{2}x$  and  $y = x\sqrt{1-x^2}$

► [Link to Solution Video](#) ◀

14. Find the area of the region enclosed by the graphs of  $y = x^2 - 5x$  and  $y = -x^2 + x + 20$

► [Link to Solution Video](#) ◀

15. Find the area of the region enclosed by the graphs of  $y = x^2 - 5x$  and  $y = -x^2 + x + 20$  for  $4 \leq x \leq 8$

► [Link to Solution Video](#) ◀

16. Evaluate  $\int_{-2}^2 (x+3)\sqrt{4-x^2} dx$

► [Link to Solution Video](#) ◀

17. Find the area of the region enclosed by the graphs of  $x = -y^2 + 9$  and  $x = -\frac{1}{2}y^2 - 6y - 9$

► [Link to Solution Video](#) ◀

18. Find the area of the region bounded by the graphs of  $y = x^2$ , the tangent line to this parabola at the point  $(1, 1)$  and the  $x$ -axis

► [Link to Solution Video](#) ◀



## 2 Volume by Cross-Section

Let  $S$  be a solid that lies between  $x = a$  and  $x = b$ . If the cross-sectional area obtained by intersecting a solid with a plane perpendicular to the  $x$ -axis is  $A(x)$ , where  $A(x)$  is a continuous function, then the volume of the solid is

$$\int_a^b A(x) dx$$

Let  $S$  be a solid that lies between  $y = c$  and  $y = d$ . If the cross-sectional area obtained by intersecting a solid with a plane perpendicular to the  $y$ -axis is  $A(y)$ , where  $A(y)$  is a continuous function, then the volume of the solid is

$$\int_c^d A(y) dy$$

1. Find the volume of the solid with a circular base of radius 1 and whose cross-sections perpendicular to the  $x$ -axis are equilateral triangles.  
▶ [Link to Solution Video](#) ◀
2. Find the volume of the solid whose base is a parabolic region  $\{(x, y) | x^2 \leq y \leq 1\}$  with cross-sections perpendicular to the  $y$ -axis are isosceles right triangles with hypotenuse in the base.  
▶ [Link to Solution Video](#) ◀
3. Find the volume of the solid whose base is bounded by the graphs of  $4x + 5y = 20$ , the  $x$ -axis, and the  $y$ -axis. Cross sections perpendicular to the  $x$ -axis are squares  
▶ [Link to Solution Video](#) ◀
4. Find the volume of the solid whose base is bounded by the graphs of  $4x + 5y = 20$ , the  $x$ -axis, and the  $y$ -axis. Cross sections perpendicular to the  $x$ -axis are semi circles  
▶ [Link to Solution Video](#) ◀
5. Find the volume of the solid whose base is bounded by the graph of  $x^2 + y^2 = 2x$ . Cross sections perpendicular to the  $x$ -axis are equilateral triangles  
▶ [Link to Solution Video](#) ◀

6. Find the volume of the solid whose base is bounded by the graph of  $x^2 + y^2 = 2x$ . Cross sections perpendicular to the  $y$ -axis are equilateral triangles

► [Link to Solution Video](#) ◀

7. Find the volume of a wedge cut out of a circular cylinder of radius 4 by a plane that intersects the cylinder along a diameter at an angle of  $30^\circ$ .

► [Link to Solution Video](#) ◀



**WHY  
WAIT FOR  
PROGRESS?**

**DARE TO DISCOVER**

Discovery means many different things at Schlumberger. But it's the spirit that unites every single one of us. It doesn't matter whether they join our business, engineering or technology teams, our trainees push boundaries, break new ground and deliver the exceptional. If that excites you, then we want to hear from you.

**Dare to discover.**  
[careers.slb.com/recentgraduates](https://careers.slb.com/recentgraduates)

**Schlumberger**



### 3 Disk/Washer Method

Let  $S$  be a solid obtained by rotating a region bounded by the graphs of  $y = f(x)$  and  $y = g(x)$  for  $a \leq x \leq b$  about the  $x$ -axis. If  $f(x)$  and  $g(x)$  are continuous functions and  $f(x) \geq g(x)$  for all  $x \in [a, b]$ , then the volume of the solid is

$$\pi \int_a^b [(f(x))^2 - (g(x))^2] dx$$

Let  $S$  be a solid obtained by rotating a region bounded by the graphs of  $x = f(y)$  and  $x = g(y)$  for  $c \leq y \leq d$  about the  $y$ -axis. If  $f(y)$  and  $g(y)$  are continuous functions and  $f(y) \geq g(y)$  for all  $y \in [c, d]$ , then the volume of the solid is

$$\pi \int_c^d [(f(y))^2 - (g(y))^2] dy$$

1. Show that the volume of a sphere with radius  $R$  is  $V = \frac{4}{3}\pi R^3$ .  
 ▶ [Link to Solution Video](#) ◀
2. Show that the volume of a cone with radius  $R$  and height  $h$  is  $V = \frac{1}{3}\pi R^2 h$ .  
 ▶ [Link to Solution Video](#) ◀
3. Find the volume of the solid obtained by rotating the region under  $f(x) = x + 1$  over the interval  $[0, 3]$ , about the  $x$ -axis  
 ▶ [Link to Solution Video](#) ◀
4. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $f(x) = \cos x$  over the interval  $[0, \pi/2]$ , about the  $x$ -axis  
 ▶ [Link to Solution Video](#) ◀
5. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = x^3$ ,  $y = 8$ , and the  $y$ -axis about the  $y$ -axis  
 ▶ [Link to Solution Video](#) ◀
6. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = \sqrt{x+5}$ ,  $y = \sqrt{5-x}$ , and the  $x$ -axis about the  $x$ -axis  
 ▶ [Link to Solution Video](#) ◀

7. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = x^2$  and  $y = x$  about the  $x$ -axis.  
▶ [Link to Solution Video](#) ◀
8. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = x^2$  and  $y = x$  about the  $y$ -axis.  
▶ [Link to Solution Video](#) ◀
9. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = x^2$  and  $y = x$  about the line  $y = -3$ .  
▶ [Link to Solution Video](#) ◀
10. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = x^2$  and  $y = x$  about the line  $x = -3$ .  
▶ [Link to Solution Video](#) ◀
11. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = x^2$  and  $y = x$  about the line  $y = 4$ .  
▶ [Link to Solution Video](#) ◀
12. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = x^2$  and  $y = x$  about the line  $x = 4$ .  
▶ [Link to Solution Video](#) ◀
13. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = 2x - x^2$  and the  $x$ -axis about the line  $y$ -axis.  
▶ [Link to Solution Video](#) ◀
14. Find the volume of a torus obtained by revolving the area bounded by the graph of  $(x - 2)^2 + (y - 3)^2 = 9$  about the line  $x = 10$ .  
▶ [Link to Solution Video](#) ◀
15. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = x^2$  and  $y = 3 - 2x$  about the  $x$ -axis  
▶ [Link to Solution Video](#) ◀
16. Find the volume of the solid of revolution obtained by revolving the area bounded by the graphs of  $y = x^2 + x + 1$  and  $y = 4x - 1$  about the  $y$ -axis  
▶ [Link to Solution Video](#) ◀

## 4 Method of Cylindrical Shells

Let  $S$  be a solid obtained by rotating a region bounded by the graphs of  $y = f(x)$  and  $y = g(x)$  for  $a \leq x \leq b$  about the  $y$ -axis. If  $f(x)$  and  $g(x)$  are continuous functions and  $f(x) \geq g(x)$  for all  $x \in [a, b]$ , then the volume of the solid is

$$2\pi \int_a^b x[f(x) - g(x)] dx$$

Let  $S$  be a solid obtained by rotating a region bounded by the graphs of  $x = f(y)$  and  $x = g(y)$  for  $c \leq y \leq d$  about the  $x$ -axis. If  $f(y)$  and  $g(y)$  are continuous functions and  $f(y) \geq g(y)$  for all  $y \in [c, d]$ , then the volume of the solid is

$$2\pi \int_c^d y[f(y) - g(y)] dy$$

SIMPLY CLEVER

ŠKODA



We will turn your CV into  
an opportunity of a lifetime



Do you like cars? Would you like to be a part of a successful brand?  
We will appreciate and reward both your enthusiasm and talent.  
Send us your CV. You will be surprised where it can take you.

Send us your CV on  
[www.employerforlife.com](http://www.employerforlife.com)



Click on the ad to read more

1. Find the volume of the solid of revolution obtained by rotating the region bounded by the graphs of  $y = x^2 + x + 1$  and  $y = 4x - 1$  about the  $y$ -axis.  
▶ [Link to Solution Video](#) ◀
2. Find the volume of the solid of revolution obtained by rotating the region bounded by the graphs of  $y = 2x - x^2$  and  $y = 0$  about the line  $y$ -axis  
▶ [Link to Solution Video](#) ◀
3. Find the volume of the solid of revolution obtained by rotating the region bounded by the graphs of  $y = 2x^2 - x^3$  and  $y = 0$  about the  $y$ -axis.  
▶ [Link to Solution Video](#) ◀
4. Find the volume of the solid of revolution obtained by rotating the region bounded by the graphs of  $y = 2x^2 - x^3$  and  $y = 0$  about the line  $x = -4$   
▶ [Link to Solution Video](#) ◀
5. Find the volume of the solid of revolution obtained by rotating the region bounded by the graphs of  $y = 2x^2 - x^3$  and  $y = 0$  about the line  $x = 4$   
▶ [Link to Solution Video](#) ◀
6. Find the volume of the solid of revolution obtained by rotating the region bounded by the graphs of  $y = 4(x - 2)^2$  and  $y = x^2 - 4x + 7$  about the  $y$ -axis.  
▶ [Link to Solution Video](#) ◀
7. Find the volume of the solid of revolution obtained by rotating the region inside the circle  $(x - 2)^2 + (y - 3)^2 = 9$  about the line  $x = 10$ .  
▶ [Link to Solution Video](#) ◀
8. Find the volume of the solid of revolution obtained by rotating the region bounded by  $y = 3x$ ,  $y = 4 - x^2$  and the  $x$ -axis about the  $x$ -axis.  
▶ [Link to Solution Video](#) ◀



## 5 Integration by Parts

If  $f$  and  $g$  are differentiable functions, then  $(f(x) \cdot g(x))' = f(x) \cdot g'(x) + g(x) \cdot f'(x)$

If we integrate both sides,  $\int (f(x) \cdot g(x))' dx = \int [f(x) \cdot g'(x) + g(x) \cdot f'(x)] dx$

or

$$f(x) \cdot g(x) = \int [f(x) \cdot g'(x) + g(x) \cdot f'(x)] dx$$

If we let  $u = f(x)$  and  $v = g(x)$ , then  $du = f'(x) dx$  and  $dv = g'(x) dx$  and the formula above becomes

$$u \cdot v = \int u \cdot dv + \int v \cdot du$$

or

$$\int u \cdot dv = u \cdot v - \int v \cdot du$$

1. Evaluate  $\int \ln x dx$ .

► [Link to Solution Video](#) ◀

2. Evaluate  $\int \sqrt{x} \ln \sqrt[3]{x} dx$ .

► [Link to Solution Video](#) ◀

3. Evaluate  $\int x^3 (\ln x)^2 dx$ .

► [Link to Solution Video](#) ◀

4. Evaluate  $\int (\ln x)^2 dx$ .

► [Link to Solution Video](#) ◀

5. Evaluate  $\int \cos(\ln x) dx$ .

► [Link to Solution Video](#) ◀

6. Evaluate  $\int x e^{5x} dx$ .

► [Link to Solution Video](#) ◀

7. Evaluate  $\int x^2 e^{-3x} dx$ .

► [Link to Solution Video](#) ◀

8. Evaluate  $\int x \cos(10x) dx$ .

► [Link to Solution Video](#) ◀

9. Evaluate  $\int x^2 \sin 5x dx$ .

► [Link to Solution Video](#) ◀

10. Evaluate  $\int e^{3x} \sin(5x) dx$ .

► [Link to Solution Video](#) ◀

I joined MITAS because  
I wanted **real responsibility**

The Graduate Programme  
for Engineers and Geoscientists  
[www.discovermitas.com](http://www.discovermitas.com)



**Month 16**

I was a construction supervisor in the North Sea advising and helping foremen solve problems

Real work  
International opportunities  
Three work placements



11. Evaluate  $\int \tan^{-1} x \, dx$ .

► [Link to Solution Video](#) ◀

12. Evaluate  $\int x \tan^{-1} x \, dx$ .

► [Link to Solution Video](#) ◀

13. Evaluate  $\int x^3 \tan^{-1} x \, dx$ .

► [Link to Solution Video](#) ◀

14. Evaluate  $\int \tan^{-1}(1/x) \, dx$ .

► [Link to Solution Video](#) ◀

15. Evaluate  $\int \sin^{-1} x \, dx$ .

► [Link to Solution Video](#) ◀

16. Evaluate  $\int (\sin^{-1} x)^2 \, dx$ .

► [Link to Solution Video](#) ◀

17. Evaluate  $\int e^{\sqrt{x}} \, dx$ .

► [Link to Solution Video](#) ◀

18. Evaluate  $\int \sin(\sqrt[3]{x}) \, dx$ .

► [Link to Solution Video](#) ◀

19. Evaluate  $\int \cos x \ln(\sin x) \, dx$ .

► [Link to Solution Video](#) ◀

20. Evaluate  $\int e^{\sin x} (x \cos x - \sec x \tan x) \, dx$ .

► [Link to Solution Video](#) ◀

21. Evaluate  $\int x^3 \cos(x^2) dx$ .

► [Link to Solution Video](#) ◀

22. Evaluate  $\int \sec^{-1}(\sqrt{x}) dx$ .

► [Link to Solution Video](#) ◀

23. Evaluate  $\int x \tan^2 x dx$ .

► [Link to Solution Video](#) ◀

24. Evaluate  $\int \sec^3 x dx$ .

► [Link to Solution Video](#) ◀

25. Evaluate  $\int \sin^{-1}(\sqrt{x}) dx$ .

► [Link to Solution Video](#) ◀

**ie business school**

**#1 EUROPEAN BUSINESS SCHOOL**  
FINANCIAL TIMES 2013

**#gobeyond**

**MASTER IN MANAGEMENT**

**Because achieving your dreams is your greatest challenge.** IE Business School's Master in Management taught in English, Spanish or bilingually, trains young high performance professionals at the beginning of their career through an innovative and stimulating program that will help them reach their full potential.

- Choose your area of specialization.
- Customize your master through the different options offered.
- Global Immersion Weeks in locations such as London, Silicon Valley or Shanghai.

**Because you change, we change with you.**

www.ie.edu/master-management | mim.admissions@ie.edu |

# 6 Trigonometric Integrals

We will learn strategies for evaluating integrals of the form:

$$\int \sin^m(x) \cos^n(x) dx$$

$$\int \tan^m(x) \sec^n(x) dx$$

$$\int \sin(mx) \cos(nx) dx$$

$$\int \sin(mx) \sin(nx) dx$$

$$\int \cos(mx) \cos(nx) dx$$

1. Evaluate  $\int \cos^2 x dx$

► [Link to Solution Video](#) ◀

2. Evaluate  $\int \sin^2 x dx$

► [Link to Solution Video](#) ◀

3. Evaluate  $\int \sec x dx$

► [Link to Solution Video](#) ◀

4. Evaluate  $\int \csc x dx$

► [Link to Solution Video](#) ◀

5. Evaluate  $\int \sec^3 x dx$

► [Link to Solution Video](#) ◀

6. Evaluate  $\int \tan^3 x dx$

► [Link to Solution Video](#) ◀

7. Evaluate  $\int \sin^3 x \cos^{10} x \, dx$

► [Link to Solution Video](#) ◀

8. Evaluate  $\int \sin^2 x \cos^2 x \, dx$

► [Link to Solution Video](#) ◀

9. Evaluate  $\int \tan^3 x \sec^4 x \, dx$

► [Link to Solution Video](#) ◀

10. Evaluate  $\int \tan^2 x \sec x \, dx$

► [Link to Solution Video](#) ◀

11. Evaluate  $\int \sin^4 x \, dx$

► [Link to Solution Video](#) ◀

12. Evaluate  $\int \frac{1}{\sqrt{1 + \cos 4x}} \, dx$

► [Link to Solution Video](#) ◀

13. Evaluate  $\int \sin 3x \cos 7x \, dx$

► [Link to Solution Video](#) ◀

14. Evaluate  $\int_0^{\pi/4} \sec x \tan^3 x \, dx$

► [Link to Solution Video](#) ◀

15. Evaluate  $\int \cos^7(5x) \, dx$

► [Link to Solution Video](#) ◀

16. Evaluate  $\int \frac{\sin x + \cos x}{\sin 2x} \, dx$

► [Link to Solution Video](#) ◀



17. Evaluate  $\int \frac{1}{\cos x - 1} dx$

► [Link to Solution Video](#) ◀

18. Evaluate  $\int \frac{\sin x}{\sin x + \cos x} dx$

► [Link to Solution Video](#) ◀

19. Evaluate  $\int_0^{\pi/2} \frac{1}{1 + \tan x} dx$

► [Link to Solution Video](#) ◀

20. Evaluate  $\int_0^{\pi/2} \frac{\sin^3 x}{\sin^3 x + \cos^3 x} dx$

► [Link to Solution Video](#) ◀

21. Evaluate  $\int_0^{\pi/4} \ln(1 + \tan x) dx$

► [Link to Solution Video](#) ◀

22. Evaluate  $\int \frac{1}{1 + \sin x} dx$

► [Link to Solution Video](#) ◀

23. Show that for any value of  $m$ ,  $\int_0^{\pi/2} \frac{1}{1 + \tan^m x} dx = \frac{\pi}{4}$

► [Link to Solution Video](#) ◀

# 7 Trigonometric Substitution

Use trigonometric substitution to evaluate integrals with expressions like

$$\sqrt{a^2 - x^2}, \sqrt{a^2 + x^2}, \sqrt{x^2 - a^2}$$

For  $\sqrt{a^2 - x^2}$  use  $x = a \sin \theta$

For  $\sqrt{a^2 + x^2}$  use  $x = a \tan \theta$

For  $\sqrt{x^2 - a^2}$  use  $x = a \sec \theta$

1. Evaluate  $\int \sqrt{1 - x^2} dx$

► [Link to Solution Video](#) ◀

2. Evaluate  $\int \sqrt{1 + x^2} dx$

► [Link to Solution Video](#) ◀



"I studied English for 16 years but...  
...I finally learned to speak it in just six lessons"

Jane, Chinese architect

ENGLISH OUT THERE

Click to hear me talking before and after my unique course download



3. Evaluate  $\int \sqrt{x^2 - 1} \, dx$

► [Link to Solution Video](#) ◀

4. Evaluate  $\int \sqrt{25 - x^2} \, dx$

► [Link to Solution Video](#) ◀

5. Evaluate  $\int \sqrt{5 + x^2} \, dx$

► [Link to Solution Video](#) ◀

6. Evaluate  $\int \frac{\sqrt{x^2 - 9}}{x^3} \, dx$

► [Link to Solution Video](#) ◀

7. Evaluate  $\int \frac{x^2}{\sqrt{9x^2 + 4}} \, dx$

► [Link to Solution Video](#) ◀

8. Evaluate  $\int \sqrt{x^2 - 2x + 17} \, dx$

► [Link to Solution Video](#) ◀

9. Evaluate  $\int \sqrt{5 - 4x - x^2} \, dx$

► [Link to Solution Video](#) ◀

10. Evaluate  $\int \frac{x}{\sqrt{3 - 2x - x^2}} \, dx$

► [Link to Solution Video](#) ◀

11. Evaluate  $\int \frac{\sqrt{x^2 + 25}}{x^4} \, dx$

► [Link to Solution Video](#) ◀

12. Evaluate  $\int \frac{dx}{\sqrt{10x - x^2}}$

► [Link to Solution Video](#) ◀

13. Evaluate  $\int \frac{\sqrt{x^2 + 1}}{x} dx$

► [Link to Solution Video](#) ◀

14. Evaluate  $\int \frac{x^3}{\sqrt{1-x^2}} dx$

► [Link to Solution Video](#) ◀

15. Evaluate  $\int \sec^{-1} x dx$

► [Link to Solution Video](#) ◀

Excellent Economics and Business programmes at:



university of  
 groningen



**“The perfect start  
of a successful,  
international career.”**

**CLICK HERE**  
to discover why both socially  
and academically the University  
of Groningen is one of the best  
places for a student to be

[www.rug.nl/feb/education](http://www.rug.nl/feb/education)



# 8 Method of Partial Fraction

We will integrate rational functions – a ratio of two polynomials – by expressing them as sums of simpler rational functions, that are much easier to integrate.

1. Evaluate  $\int \frac{x+5}{x^2+x-2} dx$

► [Link to Solution Video](#) ◀

2. Evaluate  $\int \frac{2x^2+1}{(x-1)(x-2)(x-3)} dx$

► [Link to Solution Video](#) ◀

3. Evaluate  $\int \frac{x^2-4}{x^3-3x^2-x+3} dx$

► [Link to Solution Video](#) ◀

4. Evaluate  $\int \frac{x}{x^4-13x^2+36} dx$

► [Link to Solution Video](#) ◀

5. Evaluate  $\int \frac{x^4-4x^2+x+1}{x^2-4} dx$

► [Link to Solution Video](#) ◀

6. Evaluate  $\int \frac{x+2}{x^2(x-4)} dx$

► [Link to Solution Video](#) ◀

7. Evaluate  $\int \frac{4x^3-x^2-12x+28}{(x-2)^2(x+2)^2} dx$

► [Link to Solution Video](#) ◀

8. Evaluate  $\int \frac{2x^2-x+4}{x^3+4x} dx$

► [Link to Solution Video](#) ◀

9. Evaluate  $\int \frac{x^3 + x^2 + 2x + 1}{(x^2 + 1)(x^2 + 2)} dx$

► [Link to Solution Video](#) ◀

10. Evaluate  $\int \frac{1}{(x + 4)(x^2 + 6x + 25)} dx$

► [Link to Solution Video](#) ◀

11. Evaluate  $\int \frac{1 - x + 2x^2 - x^3}{x(x^2 + 1)^2} dx$

► [Link to Solution Video](#) ◀

12. Evaluate  $\int \frac{1}{x^3 + 1} dx$

► [Link to Solution Video](#) ◀

13. Evaluate  $\int \frac{x^2 - 1}{x^4 + x^2 + 1} dx$

► [Link to Solution Video](#) ◀

14. Evaluate  $\int \sqrt{\tan x} dx$

► [Link to Solution Video](#) ◀

15. Evaluate  $\int \ln(x^2 - x + 2) dx$

► [Link to Solution Video](#) ◀



## 9 Arc Length

If a curve has the equation  $y = f(x)$  for  $a \leq x \leq b$  and  $f'(x)$  is continuous on  $[a, b]$ , then the length of the curve is

$$\int_a^b \sqrt{1 + [f'(x)]^2} dx$$

If a curve has the equation  $x = g(y)$  for  $c \leq y \leq d$  and  $g'(y)$  is continuous on  $[c, d]$ , then the length of the curve is

$$\int_c^d \sqrt{1 + [g'(y)]^2} dy$$

1. Show that the circumference of a circle with radius  $r$  is  $2\pi r$

► [Link to Solution Video](#) ◀

2. Find the length of the curve  $f(x) = \frac{2}{3}(x^2 - 1)^{3/2}$  over the interval  $1 \leq x \leq 3$ .

► [Link to Solution Video](#) ◀

**American online**  
**LIGS University**  
is currently enrolling in the  
Interactive Online **BBA, MBA, MSc,**  
**DBA and PhD** programs:

- enroll **by September 30th, 2014** and
- **save up to 16%** on the tuition!
- pay in 10 installments / 2 years
- Interactive **Online education**
- visit [www.ligsuniversity.com](http://www.ligsuniversity.com) to find out more!

**Note:** LIGS University is not accredited by any nationally recognized accrediting agency listed by the US Secretary of Education. More info [here](#).



3. Find the length of the curve  $f(x) = \frac{x^3}{6} + \frac{1}{2x}$  over the interval  $\frac{1}{2} \leq x \leq 1$ .  
▶ [Link to Solution Video](#) ◀
4. Find the length of the curve  $f(x) = \frac{x^2}{2} - \frac{\ln x}{4}$  over the interval  $2 \leq x \leq 4$ .  
▶ [Link to Solution Video](#) ◀
5. Find the length of the curve  $f(x) = \ln(\sec x)$  over the interval  $0 \leq x \leq \pi/4$ .  
▶ [Link to Solution Video](#) ◀
6. Find the length of the curve  $f(x) = \sin^{-1} x + \sqrt{1 - x^2}$  over the interval  $0 \leq x \leq 1$ .  
▶ [Link to Solution Video](#) ◀
7. Find the length of the curve  $f(x) = \frac{x^5}{6} + \frac{1}{10x^3}$  over the interval  $1 \leq x \leq 2$ .  
▶ [Link to Solution Video](#) ◀
8. Find the length of the curve  $f(x) = x^2 - \frac{\ln x}{8}$  over the interval  $1 \leq x \leq 3$ .  
▶ [Link to Solution Video](#) ◀
9. Find the length of the curve  $x^{2/3} + y^{2/3} = 4$  over the interval  $1 \leq x \leq 8$ .  
▶ [Link to Solution Video](#) ◀
10. Find the length of the curve  $f(x) = \ln(x + \sqrt{x^2 - 1})$  over the interval  $1 \leq x \leq \sqrt{2}$ .  
▶ [Link to Solution Video](#) ◀
11. Find the length of the curve  $f(x) = \ln x$  over the interval  $1 \leq x \leq \sqrt{3}$ .  
▶ [Link to Solution Video](#) ◀
12. Find the length of the parabola  $y = x^2$  from  $(0, 0)$  to  $(1, 1)$ .  
▶ [Link to Solution Video](#) ◀
13. Find the length of the curve  $y = e^x$  over the interval  $0 \leq x \leq 1$ .  
▶ [Link to Solution Video](#) ◀
14. Show that the length of a curve  $y = f(x)$  for  $a \leq x \leq b$  is  $L = \int_a^b \sqrt{1 + [f'(x)]^2} dx$ .  
▶ [Link to Solution Video](#) ◀

# 10 Infinite Series Test for Divergence

If  $\lim_{n \rightarrow \infty} a_n \neq 0$  or if  $\lim_{n \rightarrow \infty} a_n$  does not exist, then the series  $\sum_{n=1}^{\infty} a_n$  diverges

If  $\lim_{n \rightarrow \infty} a_n = 0$  it does not mean that the series converges.

1. Determine if the series  $\sum_{n=1}^{\infty} \frac{3n^2 + 2n + 5}{10n^2 + 5n + 12}$  converges or diverges.

► [Link to Solution Video](#) ◀

2. Determine if the series  $\sum_{n=4}^{\infty} \ln \left( \frac{2n^3 + 9n + 1}{5n^3 + 3n + 15} \right)$  converges or diverges.

► [Link to Solution Video](#) ◀

3. Determine if the series  $\sum_{n=1}^{\infty} \frac{\sqrt[3]{n^3 + 3n^2 + 2n + 86}}{\sqrt{2n^2 + 9n + 285}}$  converges or diverges.

► [Link to Solution Video](#) ◀

4. Determine if the series  $\sum_{n=1}^{\infty} \cos \left( \frac{1}{n} \right)$  converges or diverges.

► [Link to Solution Video](#) ◀

5. Determine if the series  $\sum_{n=1}^{\infty} \tan^{-1}(n)$  converges or diverges.

► [Link to Solution Video](#) ◀

6. Determine if the series  $\sum_{n=1}^{\infty} \sin(n)$  converges or diverges.

► [Link to Solution Video](#) ◀

7. Determine if the series  $\sum_{n=1}^{\infty} (-1)^n 2^{1/n}$  converges or diverges.

► [Link to Solution Video](#) ◀

8. Show that if  $\lim_{x \rightarrow \infty} a_n \neq 0$  then  $\sum_{n=1}^{\infty} a_n$  diverges

► [Link to Solution Video](#) ◀

# 11 Infinite Series Geometric Series

The geometric series  $\sum_{n=0}^{\infty} ar^n = \sum_{n=1}^{\infty} ar^{n-1} = \frac{a}{1-r}$  if  $-1 < r < 1$  and diverges otherwise.

1. Express **0.555555...** as a rational number.

► [Link to Solution Video](#) ◀

2. Express **0.232323...** as a rational number.

► [Link to Solution Video](#) ◀

3. Express **0.34595959...** as a rational number.

► [Link to Solution Video](#) ◀

4. Express **1.432222222...** as a rational number.

► [Link to Solution Video](#) ◀

5. Express **1.54828282...** as a rational number.

► [Link to Solution Video](#) ◀

.....Alcatel-Lucent 

[www.alcatel-lucent.com/careers](http://www.alcatel-lucent.com/careers)

What if  
you could  
build your  
future and  
create the  
future?

One generation's transformation is the next's status quo.  
In the near future, people may soon think it's strange that  
devices ever had to be "plugged in." To obtain that status, there  
needs to be "The Shift".



Click on the ad to read more

6. Express **0.93333333...** as a rational number.

► [Link to Solution Video](#) ◀

7. Express **2.45123123123...** as a rational number.

► [Link to Solution Video](#) ◀

8. Find the sum of the series  $12 + 4 + \frac{4}{3} + \frac{4}{9} + \frac{4}{27} + \dots$

► [Link to Solution Video](#) ◀

9. Find the sum of the series  $\frac{1}{3} - \frac{2}{9} + \frac{4}{27} - \frac{8}{81} + \dots$

► [Link to Solution Video](#) ◀

10. Find the sum of the series  $\frac{1}{3} - \frac{1}{5} + \frac{3}{25} - \frac{9}{125} + \dots$

► [Link to Solution Video](#) ◀

11. Determine if the series  $\sum_{n=0}^{\infty} 3 \left(\frac{2}{5}\right)^n$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

12. Determine if the series  $\sum_{n=0}^{\infty} 2 \left(-\frac{3}{4}\right)^n$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

13. Determine if the series  $\sum_{n=0}^{\infty} \frac{3^{n+1}}{5^{n-1}}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

14. Determine if the series  $\sum_{n=0}^{\infty} (-1)^{n+1} \frac{4}{3^{n-1}}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

15. Determine if the series  $\sum_{n=1}^{\infty} \frac{4^n + 5^n}{9^{n-1}}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

16. Determine if the series  $\sum_{n=1}^{\infty} 5 \frac{2^{n+1}}{3^n}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

17. Determine if the series  $\sum_{n=1}^{\infty} (-1)^{n+1} \frac{2^{n-2}}{3^{n+1}}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

18. Determine if the series  $\sum_{n=2}^{\infty} (-1)^n \frac{3^{n-1}}{5^{n-3}}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

19. Determine if the series  $\sum_{n=3}^{\infty} \frac{1}{2^{2n+1}}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

20. Determine if the series  $\sum_{n=3}^{\infty} \frac{2^{3n-1}}{3^{2n-2}}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

21. Determine if the series  $\sum_{n=6}^{\infty} (-1)^n \frac{2^{n+3}}{3^n}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

22. Determine if the series  $\sum_{n=2}^{\infty} (-1)^n \frac{16^{n/2}}{3^{2n+1}}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

23. Show that the series  $\sum_{n=0}^{\infty} ar^n$  converges to  $\frac{a}{1-r}$  if  $-1 < r < 1$  and diverges otherwise.

► [Link to Solution Video](#) ◀

24. A ball is dropped from a height of 2 meters. The height after each bounce is  $3/4$  of the previous height. Find the total distance travelled.

► [Link to Solution Video](#) ◀

25. Show that the series  $\sum_{n=1}^{\infty} \frac{n}{5^n}$  converges and find its sum.

► [Link to Solution Video](#) ◀



# 12 Infinite Series Telescoping Series

In most cases it is not possible to find a formula for the  $n$ th partial sum of a series. It is possible to find a formula for  $S_n$  for a telescoping series. Because of cancellation,  $S_n$  will have two or three terms.

1. Determine if the series  $\sum_{n=1}^{\infty} \frac{1}{n^2 + n}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

2. Determine if the series  $\sum_{n=2}^{\infty} \frac{1}{n^2 - 1}$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

3. Determine if the series  $\sum_{n=1}^{\infty} \ln\left(\frac{n}{n+1}\right)$  converges or diverges. If it converges, find its sum.

► [Link to Solution Video](#) ◀

4. Determine if the series  $\sum_{n=1}^{\infty} \frac{4}{n^2 + 4n}$  converges or diverges. If it converges, find its sum

► [Link to Solution Video](#) ◀

5. Determine if the series  $\sum_{n=1}^{\infty} \frac{2}{n^3 + 3n^2 + 2n}$  converges or diverges. If it converges, find its sum

► [Link to Solution Video](#) ◀

# 13 Infinite Series Integral Test

Suppose  $f(x)$  is a continuous, positive, decreasing function on  $[1, \infty)$  and  $f(n) = a_n$ .

Then if  $\int_1^{\infty} f(x) dx$  is convergent, then  $\sum_{n=1}^{\infty} a_n$  is convergent and

$\int_1^{\infty} f(x) dx$  is divergent, then  $\sum_{n=1}^{\infty} a_n$  is divergent.

1. Determine if the series  $\sum_{n=1}^{\infty} \frac{1}{n}$  converges or diverges.

► [Link to Solution Video](#) ◀

2. Show that the series  $\sum_{n=1}^{\infty} \frac{1}{n^p}$  diverges for  $0 < p \leq 1$ .

► [Link to Solution Video](#) ◀

3. Show that the series  $\sum_{n=1}^{\infty} \frac{1}{n^p}$  converges for  $1 \leq p$ .

► [Link to Solution Video](#) ◀

4. Determine if the series  $\sum_{n=2}^{\infty} \frac{1}{n \ln(n)}$  converges or diverges.

► [Link to Solution Video](#) ◀

5. Determine if the series  $\sum_{n=2}^{\infty} \frac{1}{n(\ln n)^2}$  converges or diverges.

► [Link to Solution Video](#) ◀

6. Determine if the series  $\sum_{n=2}^{\infty} \frac{\ln n}{n^2}$  converges or diverges.

► [Link to Solution Video](#) ◀

7. Determine if the series  $\sum_{n=1}^{\infty} \frac{n}{e^n}$  converges or diverges.

► [Link to Solution Video](#) ◀

# 14 Limit Comparison Test

Suppose that  $\sum a_n$  and  $\sum b_n$  are series with positive terms.

If  $\lim_{n \rightarrow \infty} \frac{a_n}{b_n} = L$  and  $0 < L < \infty$ , then either both series converge or both series diverge.

1. Determine if the series  $\sum_{n=1}^{\infty} \frac{1}{n + \sqrt{n}}$  converges or diverges.

► [Link to Solution Video](#) ◀

2. Determine if the series  $\sum_{n=1}^{\infty} \frac{3n^2 + 4n + 5}{16n^4 + 9n^3 + 12n + 14}$  converges or diverges.

► [Link to Solution Video](#) ◀

3. Determine if the series  $\sum_{n=1}^{\infty} \sqrt{\frac{4n^3 + 9n^2 + 1}{n^5 + 16n^2 + 4}}$  converges or diverges.

► [Link to Solution Video](#) ◀



**Join the best at  
the Maastricht University  
School of Business and  
Economics!**

#### Top master's programmes

- 33<sup>rd</sup> place Financial Times worldwide ranking: MSc International Business
- 1<sup>st</sup> place: MSc International Business
- 1<sup>st</sup> place: MSc Financial Economics
- 2<sup>nd</sup> place: MSc Management of Learning
- 2<sup>nd</sup> place: MSc Economics
- 2<sup>nd</sup> place: MSc Econometrics and Operations Research
- 2<sup>nd</sup> place: MSc Global Supply Chain Management and Change

Sources: Keuzegids Master ranking 2013; Elsevier 'Beste Studies' ranking 2012; Financial Times Global Masters in Management ranking 2012

**Maastricht  
University is  
the best specialist  
university in the  
Netherlands  
(Elsevier)**

**Visit us and find out why we are the best!  
Master's Open Day: 22 February 2014**

[www.mastersopenday.nl](http://www.mastersopenday.nl)



Click on the ad to read more

4. Determine if the series  $\sum_{n=1}^{\infty} \frac{n^2 + 3n}{\sqrt{2n^5 + 4n^2 + 5}}$  converges or diverges.
- [Link to Solution Video](#) ◀
5. Determine if the series  $\sum_{n=1}^{\infty} \frac{\sqrt{3n^3 + 4n + 2}}{\sqrt[3]{5n^8 + 2n^2 + 10}}$  converges or diverges.
- [Link to Solution Video](#) ◀
6. Determine if the series  $\sum_{n=1}^{\infty} \sin\left(\frac{1}{n}\right)$  converges or diverges.
- [Link to Solution Video](#) ◀
7. Determine if the series  $\sum_{n=1}^{\infty} \sin\left(\frac{1}{n^3}\right)$  converges or diverges.
- [Link to Solution Video](#) ◀
8. Determine if the series  $\sum_{n=1}^{\infty} \frac{1}{\sqrt{n+1} + \sqrt{n+2} + \sqrt{5n+2}}$  converges or diverges.
- [Link to Solution Video](#) ◀
9. Determine if the series  $\sum_{n=1}^{\infty} \frac{2^n + 3^n + 5^n}{5^n + 9^n}$  converges or diverges.
- [Link to Solution Video](#) ◀
10. Determine if the series  $\sum_{n=1}^{\infty} \tan\left(\frac{n+2}{n^2 + 3n + 15}\right)$  converges or diverges.
- [Link to Solution Video](#) ◀
11. Show that the series  $\sum_{n=1}^{\infty} \frac{1}{n^2 + 5}$  converges by using three different tests
- [Link to Solution Video](#) ◀
12. Show that the series  $\sum_{n=10}^{\infty} \frac{1}{n^2 - 4}$  converges by trying three different tests
- [Link to Solution Video](#) ◀
13. Determine if the series  $\sum_{n=1}^{\infty} (5^{1/n} - 1)$  and  $\sum_{n=1}^{\infty} (5^{1/n^2} - 1)$  converge or diverge
- [Link to Solution Video](#) ◀

14. Determine if the series  $\sum_{n=1}^{\infty} \left(1 - \cos\left(\frac{1}{n}\right)\right)$  converges or diverges

► [Link to Solution Video](#) ◀

15. Determine if the series  $\sum_{n=3}^{\infty} \frac{n + \ln(n) + \sin(n+5)}{2n^2 + \cos(n^2 + 3n)}$  converges or diverges

► [Link to Solution Video](#) ◀

16. Determine if the series  $\sum_{n=5}^{\infty} \frac{\ln(n)}{n^2 + n + 1}$  converges or diverges

► [Link to Solution Video](#) ◀



The advertisement features a large central image of a smiling teacher leaning over a laptop to assist two young students, a boy and a girl. To the right, there are two smaller circular inset images: one showing three children looking at a tablet together, and another showing a child working on a laptop. In the top left corner is the 'e-learning for kids' logo, which consists of a colorful grid of squares. In the bottom right corner, a green oval contains three bullet points. At the bottom of the advertisement, a paragraph of text provides information about the foundation, its history, and its mission. A green arrow points from the bottom right towards the text 'Click on the ad to read more'.

**e-learning for kids**

- The number 1 MOOC for Primary Education
- Free Digital Learning for Children 5-12
- 15 Million Children Reached

**About e-Learning for Kids** Established in 2004, e-Learning for Kids is a global nonprofit foundation dedicated to fun and free learning on the Internet for children ages 5 - 12 with courses in math, science, language arts, computers, health and environmental skills. Since 2005, more than 15 million children in over 190 countries have benefitted from eLessons provided by EFK! An all-volunteer staff consists of education and e-learning experts and business professionals from around the world committed to making difference. eLearning for Kids is actively seeking funding, volunteers, sponsors and courseware developers; get involved! For more information, please visit [www.e-learningforkids.org](http://www.e-learningforkids.org).