



#### ITCS212 Web Programming

JavaScript2: Lab-L05-1

Instructor: Wudhichart Sawangphol Email: wudhichart.saw@mahidol.edu

Instructor: Jidapa Kraisangka Email: jidapa.kra@mahidol.edu

#### <!- (',,•ω•,,,)♡ ---- Activity 1 ---- ♡ (→ 3 ←) -!>



- You are given the skeleton of the code in "Activity1.html"
- Fill in the code for the Movie class to follow the given designed class
  - title and year are the two required properties (You can add more as desired ©)
  - You should fill in the given constructor
  - getTitle() and getReleasedYear() are the two required methods.
- Create <u>two</u> objects of the Movie class.
   Display as followed using the methods

```
Class: Movie

title /* text */
year /* number */

getTitle() {
   /* return "Title: [title]" */ }

getReleasedYear() {
   /* return "Year: [year]" */ }
```

#### **EXAMPLE OUTPUT IN THE CONSOLE LOG**

Title: Harry Potter and the Goblet of Fire released in Year: 2005

Title: Spider-Man: Far From Home released in Year: 2019

2

## <!- (',,,•ω•,,,)♡ ---- Activity 2 ---- ♡ (→ 3 ←) -!>



- Use "Activity2.html" or you can use your own "Activity1.html" as well
- From your Movie class, extend to create a subclass called ThaiMovie
  - Add titleTH as a subclass's property
  - Rewrite the constructor
  - Add getFullTitle() method to display both title in Thai and title in English
- Create <u>two</u> objects of the ThaiMovie class. Display as followed using the methods

```
Class: ThaiMovie

title /* text in Eng */
year /* number */
titleTH /* text in Thai */

getTitle()
getReleasedYear()
getFullTitle(){
/* return "Title: [titleTH]([title]) */
}
```

#### **EXAMPLE OUTPUT IN THE CONSOLE LOG**


ฉลาดเกมส์โกง (Bad Genius) released in Year: 2017 มิสเตอร์ดื้อ กันท่าเหรียญทอง (Mr Deu) released in Year: 2019

3

# <!- (',,•ω•,,,)♡ ---- Activity 3 ---- ♡ (-\) 3 (-\) -!>



- Given "Activity3.html page, use JS to perform the following tasks
  - Append a new <span> with id="nickName"
  - Put your name for the content of each <span>
    - firstName
    - lastName
    - nickName
  - Apply all <span> with the class "myFont"



## <!- (',,•ω•,,,)♡ ---- Activity 4 ---- ♡ (→ 3 ←) -!>



- Given "Activity4.html", fill in the generateMsg() method as followed:
- Once the user hit "Submit", Hide <div>: div\_form
- Generate the "Thank you" message (the format is given in the file)
- 3. Show the "Thank you" message in the <div>: div\_thk

