


Software Requirement Specification

By Left4Dead

Chosen Irl Challenge: Project D: Course Support & Activity Dashboard



Kantanut Utamapongchai	6810545468
Thanawin Thanapornthawan	6810545654
Phutarak Wongpitak	6810545841
Pakhin Daonan	6810545859

1. Target Users	3
2. The System Goal	3
3. Goal Refinement via KAOS:	4
4. Use Case Diagram	5
5. User Stories	6
6. User Requirement Specification	8
7. Activity Diagram	9
AD-1: Lecturer creates a classroom	9
AD-2: Student/TA joins a classroom	11
AD-3: Lecturer assigns a member role	12
AD-4: TA and lecturer creates or edits an activity	13
AD-5: TA and lecturer evaluates at-risk activities	14
AD-6: TA and lecturer posts a class announcement	15
AD-7: TA and lecturer exchange messages in the staff channel	16
AD-8: Student submits a file	17
8. System Requirement Specification	18
9. Traceability Matrix	20
10. Software Architecture	20
Rationale	20
11. Data Storage Technology	22
12. Development Environment	23
SQD-1: Classroom Setup, Membership and Role Assignment	25
SQD-2: Staff Creates or Edits an Activity	26
SQD-3: Activity Dashboard, At-Risk Evaluation and Student Schedule	26
SQD-4: Class Announcements and the Staff Channel	27
SQD-5: File Submission and Submission Status	28
13. Traceability Matrix	30

1. Target Users

- **Lecturer:** Creates a classroom, manages its join code, assigns member roles, creates and updates course activities, posts class announcements, coordinates with TAs in the staff channel, and reviews the at-risk list. The lecturer is the only role that can promote a member to TA.
- **Teaching Assistant (TA)/University staff:** A classroom member granted elevated permissions by the lecturer — either a student promoted to TA, or a university staff member added directly to the course in a supporting role. They help run the course day to day: creating and updating course activities, posting class announcements, coordinating with the lecturer and other staff through the staff-only channel, and monitoring the integrated activity dashboard to track the course's overall progress and rhythm.
- **Student:** Any user who joins a classroom with the join code. Students hold read-only access to class-visible activities and announcements, and may upload a file against an activity that accepts submissions. They cannot post announcements, cannot open the staff channel, and cannot change any activity.


2. The System Goal

G-0: Maintain an accurate and integrated view of course support activities across a semester.

Course staff currently coordinate assignment deadlines, lab sessions, consultation slots, project milestones, and small internal tasks using a mix of spreadsheets, calendar entries, chat groups, and email threads. No single place shows what is happening when, which work is at risk, or who owns it, and new TAs have no way to learn the course rhythm.

For this iteration, the system scope is limited to classroom setup and membership, role assignment, course activity management, an integrated activity dashboard with at-risk detection, class announcements, a staff-only message channel, file submission against an activity deadline, and a read-only student schedule view. Grading, scores, rubrics and feedback on submissions, class-wide chat open to students, person-to-person direct messages, multiple named channels, real-time push delivery, read receipts, and mentions are explicitly out of scope for this iteration and will be addressed in later iterations.

3. Goal Refinement via KAOS:



- **Sub-Goal 1 (SG-1)**

Description: Maintain: Correct classroom membership and role-based access.

Rationale: A single join code admits everyone as a Student, so the role assignment is the only thing separating read access from write access. Only the lecturer, TAs and University staff of a classroom may change its records, and only the lecturer may promote a member.

- **Sub-Goal 2 (SG-2)**

Description: Maintain: Complete and correctly owned course activity records.

Rationale: Each activity needs a title, type, due date, status, visibility, and owner, and only authorised staff may create or update one. An activity missing an owner or a due date cannot be tracked or flagged.

- **Sub-Goal 3 (SG-3)**

Description: Achieve: Provide one integrated, role-appropriate view of course activities.

Rationale: Staff currently reconstruct this view manually from several disconnected tools, and students ask repeated schedule questions because they have no view of their own. Staff see every activity of the classroom; students see only the class-visible ones.

- **Sub-Goal 4 (SG-4)**

Description: Avoid: At-risk work and unmet deadlines going unnoticed.


Rationale: Overdue, imminent, and unassigned work is the failure the department currently experiences and cannot see. Equally, staff cannot see how many students have submitted before a deadline passes, which is the earliest warning that an assignment is going badly.

- **Sub-Goal 5 (SG-5)**

Description: Achieve: Deliver classroom communication to the right audience.

Rationale: Notices posted into a chat group scroll away and are missed, so a notice board keeps them readable for the whole semester. Cover swaps, marking questions, and lab problems are a conversation rather than a notice, and must never be visible to students.

4. Use Case Diagram



ID	Use Case	Actor
UC-1	Create Classroom	Lecturer
UC-2	Join Classroom by Code	Student
UC-3	Assign Member Role	Lecturer
UC-4	Create / Edit Activity	Lecturer, TA/University staff
UC-5	Update Activity Status	Lecturer, TA/University staff
UC-6	View Activity Dashboard	Lecturer, TA/University staff
UC-7	View At-Risk Activities	Lecturer, TA/University staff
UC-8	View Class Schedule	Student
UC-9	Post Announcement	Lecturer, TA/University staff
UC-10	View Announcements	Lecturer, TA/University staff, Student
UC-11	Post Staff Message	Lecturer, TA/University staff
UC-12	View Staff Channel	Lecturer, TA/University staff
UC-13	Submit File	Student
UC-14	View Submission Status	Lecturer, TA/University staff
UC-15	Validate Activity Details	included by UC-4
UC-16	Verify Classroom Membership and Role	included by UC-2, 6, 8, 10, 12, 13

5. User Stories

User Story ID	Description	Acceptance Criteria
US-1	As a lecturer, I want to create a classroom so that a semester's course activities have one place to live.	A classroom is created with a name and semester, and the creating lecturer is recorded as its owner.
US-2	As a lecturer, I want the system to generate a unique join code so that I can invite TAs, University staff and students without managing accounts manually.	Each classroom has a code that is unique across active classrooms and can be regenerated by the lecturer.
US-3	As a TA, University staff or student invited to the course, I want to join a classroom using a code so that I can see the activities that concern me. I want to join a classroom using a code so that I can see the activities that concern me.	A valid code adds the user to the classroom as a Student. An invalid code is rejected with a message.

User Story ID	Description	Acceptance Criteria
US-4	As a lecturer, I want to promote a member to TA or University staff so that only the people I trust can change course activities.	The lecturer can change a member's role between Student, TA and University staff. The member's permissions change on their next request without rejoining.
US-5	As a lecturer or TA, I want to create an activity with an owner and due date so that responsibility and timing are explicit.	Title, type, due date, and visibility are required. A saved activity appears in the classroom dashboard.
US-6	As a lecturer, TA or University staff, I want to update an activity's status so that the dashboard reflects real progress.	Status can be changed between Not Started, In Progress, and Done. The dashboard reflects the change after saving.
US-7	As a lecturer or TA, I want one integrated view of upcoming activities so that I do not have to check several tools.	The dashboard lists all activities of the classroom ordered by due date, showing type, owner, due date, visibility, and status.
US-8	As a lecturer or TA, I want at-risk activities highlighted so that nothing is missed.	Activities meeting an at-risk rule are visually distinguished and can be listed on their own.
US-9	As a student, I want to view the class schedule so that I know when sessions and deadlines fall.	A student sees only activities with Class visibility, and cannot create, edit, or delete any activity.
US-10	As a lecturer, TA or University staff, I want to post an announcement to the class so that everyone sees the same notice.	The announcement is saved with its author and timestamp and becomes visible to every classroom member.
US-11	As a lecturer, TA, University staff or student in the classroom, I want to read the class announcements in one place so that I do not have to rely on an external chat group.	Members see all announcements of the classroom in a single list, ordered newest first. No keyword search or filtering is provided; the list is chronological only.
US-12	As a lecturer, TA or University staff, I want to send a message in the staff channel so that we can settle cover swaps and marking questions without students seeing them.	The message is saved with its author and timestamp. A Student account cannot post to or read the channel.
US-13	As a lecturer, TA or University staff, I want the staff channel to show new messages while I have it open so that a conversation works without reloading the page.	The channel shows messages oldest to newest and picks up new ones without a manual reload.
US-14	As a student, I want to upload my file against an assignment so that my work is recorded before the deadline.	The file is stored with my name, the activity, and the time of upload. Uploading again replaces my previous file.
US-15	As a lecturer, TA or University staff, I want to see how many students have submitted so that I can act before the deadline passes.	The activity shows a submitted count against the class size, and staff can open any student's file.
US-16	As a lecturer or University staff, I want only Kasetsart University members to be	Authentication is performed through Google OAuth2. After a successful Google sign-in,

User Story ID	Description	Acceptance Criteria
	able to log in, so that classroom data stays within the university.	the system verifies that the returned email address ends in @ku.th. Accounts with any other domain are rejected with a clear message and no account is created.

6. User Requirement Specification


ID	User Requirement
URS-1	A lecturer shall be able to create a classroom and be recorded as its owner.
URS-2	The system shall issue a unique join code for each classroom, and the lecturer shall be able to regenerate it.
URS-3	A user shall be able to join a classroom by entering a valid join code, and shall be admitted as a Student.
URS-4	The lecturer who owns a classroom shall be able to change a member's role between Student, TA and University staff.
URS-5	Lecturers, TAs and University staff shall be able to create and edit course activities within a classroom they belong to.
URS-6	Lecturers, TAs and University staff shall be able to assign an owner and update the status of a course activity.
URS-7	Lecturers and TAs shall be able to view all activities of their classroom in a single view ordered by due date.
URS-8	The system shall identify and highlight activities that are at risk.
URS-9	Students shall be able to view activities marked with Class visibility in a classroom they have joined, without modifying them.
URS-10	Lecturers, TAs and University staff shall be able to post an announcement to a classroom.
URS-11	Classroom members shall be able to read the classroom's announcements, most recent first.
URS-12	Lecturers, TAs and University staff shall be able to exchange messages in a staff channel that students cannot open.
URS-13	The staff channel shall show new messages to a member who has it open without requiring a manual reload.
URS-14	Students shall be able to upload a file against an activity that accepts submissions, and shall be able to see and replace their own submission.
URS-15	Lecturers, TAs and University staff shall be able to see how many students have submitted for an activity and to open any submitted file.
URS-16	Student, Lecturer, TAs and University staff can login by email (Only accept @ku.th)

7. Activity Diagram

AD-1: Lecturer creates a classroom


This diagram was used during elicitation to discover the classroom creation and code-generation responsibilities, which were converted into SRS-1, SRS-2, and SRS-3 below.

AD-1: Lecturer creates a classroom




AD-2: Student, TA or university staff joins a classroom

This diagram captures the membership flow and the default role assignment used to derive SRS-4 and SRS-5.




AD-3: Lecturer assigns a member role

This diagram captures the role-promotion flow used to derive SRS-6 and SRS-7.




AD-4: TA, university staff and lecturer creates or edits an activity

This diagram captures the authorisation check and validation flow used to derive SRS-8 through SRS-11.




AD-5: TA and lecturer evaluates at-risk activities

This diagram captures the risk evaluation flow used to derive SRS-12 and SRS-13.




AD-6: TA, university staff and lecturer posts a class announcement

This diagram captures the authorisation and validation flow used to derive SRS-15, SRS-16, and SRS-17.




AD-7: TA, university staff and lecturer exchange messages in the staff channel

This diagram captures the channel access check and message refresh loop used to derive SRS-18, SRS-19, and SRS-20.



AD-8: Student submits a file

This diagram captures the deadline check and storage flow used to derive SRS-21 through SRS-25.



8. System Requirement Specification

ID	System Requirement
SRS-1	The system shall require a classroom name and semester before saving a new classroom.
SRS-2	The system shall generate a join code that is unique among all active classrooms.
SRS-3	The system shall record the creating lecturer as the owner of the classroom and shall not allow a non-lecturer account to create a classroom.
SRS-4	The system shall add a user to a classroom only when the submitted join code matches an active classroom.
SRS-5	The system shall assign the Student role to every user admitted through a join code.
SRS-6	The system shall allow only the classroom owner to change a member's role between Student, TA and university stuff, and shall not allow the owner's own role to be changed.
SRS-7	The system shall evaluate every request against the member's current role, so that a role change takes effect without the member rejoining the classroom.
SRS-8	The system shall allow only members with the Lecturer, TA or university stuff role to create, edit, or delete activities in that classroom.
SRS-9	The system shall require an activity title, activity type, due date, and visibility of Class or Staff before saving a new or edited activity.
SRS-10	The system shall display a validation message and shall not save the activity when required data is missing or invalid.
SRS-11	The system shall store each activity with a status of Not Started, In Progress, or Done, and an optional owner.
SRS-12	The system shall classify an activity as Overdue when its due date has passed and its status is not Done; as Due Soon when its due date falls within 3 days and its status is not Done; and as Unassigned when it has no owner and its due date falls within 7 days.
SRS-13	The system shall display activities of a classroom ordered by due date with their risk classification, and shall provide a filtered list containing only activities classified as Overdue, Due Soon, or Unassigned.
SRS-14	The system shall display to a Student only activities with Class visibility, and shall reject any create, edit, or delete request from a Student account.
SRS-15	The system shall allow only members with the Lecturer, TA or university staff role to post an announcement in that classroom.
SRS-16	The system shall require an announcement title and body before posting, and shall record the author and the time of posting.
SRS-17	The system shall display a classroom's announcements to every member of that classroom, ordered most recent first.
SRS-18	The system shall provide each classroom with one staff channel, and shall reject any request to read or post in it from a member who does not hold the Lecturer or TA role.
SRS-19	The system shall store each staff message with its author, body, and time of sending, and shall reject a message with an empty body.

ID	System Requirement
SRS-20	The system shall display staff messages oldest to newest and shall deliver messages sent by other members to an open channel within 30 seconds without a manual page reload.
SRS-21	The system shall accept a file upload from a Student only for an activity marked as accepting submissions in a classroom the student has joined.
SRS-22	The system shall reject a file that exceeds the configured maximum size or is not of an allowed type, and shall display the applicable limit.
SRS-23	The system shall store each submission with the submitting student, the activity, the original file name, and the time of upload, and shall replace a student's previous submission for the same activity when they upload again.
SRS-24	The system shall mark a submission as late when its upload time is after the activity's due date.
SRS-25	The system shall allow a Student to open only their own submission, shall allow Lecturers and TAs to open any submission in their classroom, and shall display the number of students who have submitted against the number of Student members.
SRS-26	The system shall delegate user authentication to Google OAuth2 and shall not store user passwords.
SRS-27	The system shall reject any authenticated identity whose email domain is not @ku.th, returning an access-denied response.

9. Traceability Matrix

Sub-Goal	Use Case	User Story	URS	Activity Diagram	SRS
SG-1	UC-1 Create Classroom, UC-2 Join Classroom by Code, UC-3 Assign Member Role, UC-16 Verify Classroom Membership and Role	US-1, US-2, US-3, US-4	URS-1, URS-2, URS-3, URS-4	AD-1, AD-2, AD-3	SRS-1, SRS-2, SRS-3, SRS-4, SRS-5, SRS-6, SRS-7
SG-2	UC-4 Create / Edit Activity, UC-5 Update Activity Status, UC-15 Validate Activity Details	US-5, US-6	URS-5, URS-6	AD-4	SRS-8, SRS-9, SRS-10, SRS-11
SG-3	UC-6 View Activity Dashboard, UC-8 View Class Schedule	US-7, US-9	URS-7, URS-9	AD-4, AD-5	SRS-13, SRS-14
SG-4	UC-7 View At-Risk Activities, UC-13 Submit File, UC-14 View Submission Status	US-8, US-14, US-15	URS-8, URS-14, URS-15	AD-5, AD-8	SRS-12, SRS-13, SRS-21, SRS-22, SRS-23, SRS-24, SRS-25
SG-5	UC-9 Post Announcement, UC-10 View Announcements, UC-11 Post Staff Message, UC-12 View Staff Channel	US-10, US-11, US-12, US-13	URS-10, URS-11, URS-12, URS-13	AD-6, AD-7	SRS-15, SRS-16, SRS-17, SRS-18, SRS-19, SRS-20

10. Software Architecture

Based on the SRS for the Course Support & Activity Dashboard (Left4Dead2), the recommended architecture is a **Modular Monolithic Architecture** using the **Model-View-Controller (MVC)** pattern. This is a single deployable application internally organized into clearly separated modules and layers, avoiding the operational overhead of microservices while preventing the code tangling of a flat monolith.

Rationale

The project supports collaborative course management with distinct user roles (Lecturer, TA/university stuff, and Student) and real-time communication needs for staff. However, as a student group project handling a single university course's activity tracking, announcements, and staff coordination, a full microservices architecture would introduce unnecessary complexity (such as service discovery and inter-service network management).

An MVC modular approach allows a clean separation of concerns:

- **Presentation (View):** Delivers role-appropriate user interfaces for Students, TAs, University stuff, and Lecturers.
- **Controller:** Manages request routing, permission checks, and membership validation (Verify Classroom Membership and Role).
- **Model / Business Logic:** Encapsulates business rules such as risk-status evaluation (Overdue, Due Soon, Unassigned), classroom join-code generation, and role-promotion constraints.

Component	Layer/Type	Description
Web/Mobile Client	Presentation (View)	Renders the class schedule, dashboards, announcement boards, and file upload forms tailored to the active user's role (Student, TA, or Lecturer).
Classroom and Activity Controller	Controller	Handles HTTP requests for classroom setup, role management, activity creation, risk-status filtering, and message posting; performs authorization checks before invoking business logic
Course Model / Business Logic	Model	Encapsulates core rules including unique join-code validation, role-permission rules, and automatic risk classification algorithms (Overdue, Due Soon, Unassigned).
Course Database	Persistence	Stores structured relational data for users, memberships, roles, activities, announcements, staff messages, and file submission metadata.
Authentication & Role Module	Cross-cutting	Verifies classroom membership and checks whether a user holds Student, TA, or Lecturer privileges for every secured request.

11. Data Storage Technology

The recommended data storage technology is a Relational Database Management System (RDBMS), specifically **MySQL**, used as the primary data store for this iteration, together with a separate file store for the files students upload.

Rationale

- Nearly all data described in the SRS is structured and fits a fixed schema: users, classrooms, memberships and roles, activities, announcements, staff messages, and submission records, each with well-defined attributes and clear relationships to one another. There are no nested or variable-shape structures in this iteration that would justify a document-oriented or key-value NoSQL store. MySQL additionally enforces data integrity constraints directly at the storage layer, such as the unique join code required by SRS-2, the mandatory fields of SRS-1, SRS-9, and SRS-16, and the fixed value sets for role, status, and visibility (SRS-5, SRS-11, SRS-14), and it supports transactional consistency for the multi-row operations of SRS-6, SRS-12, and SRS-23. Its indexed ordering and date comparison also answer the dashboard, at-risk, announcement, and submission-count queries of SRS-13, SRS-17, SRS-20, and SRS-25 in a single query rather than in application code. MySQL is reached from the Node.js and Express backend through the mysql2 connection pool. A second store is required because SRS-21 to SRS-25 introduce uploaded files, the only unstructured data in this system. Storing file bytes in MySQL as BLOB columns would inflate every database dump and slow the queries that share the same storage, so the database keeps the submission record and a reference, while the file store keeps the bytes.

Component	Data Storage Technology	Description
Course & Activity Database	MySQL 8 (InnoDB), accessed via the mysql2 pool	Single relational schema storing tables for users, classrooms, memberships, activities, announcements, staff channel messages, and student submission metadata; supports the queries and constraints required by SRS-1 through SRS-25.

Submission File Storage	Docker volume on the application host	Stores the bytes of files uploaded by students, keyed by the submission record in MySQL. Written only after the size and type check of SRS-22, and read only through an authorised Express route (SRS-25).
-------------------------	---------------------------------------	--

Only these two stores are required for the current SRS scope. Should future iterations introduce less-structured data, such as activity logs or notification payloads, a supplementary NoSQL document store could be added at that time without disrupting the relational schema.

12. Development Environment

The recommended development and deployment environment is a **containerized environment (using Docker and Docker Compose)** rather than bare metal.

Rationale

The system must run consistently across four team members' laptops and on whatever machine the department uses for the demonstration. Docker packages the Node.js and Express application, its npm dependencies, and the MySQL server into isolated containers described once in a Compose file, so every developer runs the same runtime and database version with a single command. This matters directly for the requirements: the at-risk classification of SRS-12 and the late-submission rule of SRS-24 depend on the environment's clock and time zone, and the ordering rules of SRS-17 and SRS-20 depend on how MySQL stores and compares DATETIME values, so pinning the images removes a class of defect that would otherwise appear on one machine only. Containers also make it simple to drop and re-seed the database with dated test data while testing risk classification and re-submission, without touching a developer's own MySQL installation. Bare-metal deployment would tie the system to one machine's installed Node.js version, MySQL version, and file paths, and would leave the uploaded files of Section 10 in a loose host directory rather than a declared, backed-up volume.

Component	Development Environment	Description
Application Server (View, Controller, Model, Auth & Role middleware)	Docker container running Node.js with Express	Runs the MVC application logic in an isolated, reproducible image and serves the HTML, CSS, and client-side JavaScript to the browser; deployed identically on a developer laptop or the demonstration host.
Database Server	MySQL container (via Docker Compose) with a named volume	Runs MySQL in its own container, orchestrated alongside the application container, keeping data storage decoupled from the host machine's configuration and allowing the schema to be reset and re-seeded from versioned SQL scripts.
Submission File Storage	Docker volume mounted into the application container	Holds uploaded submission files outside the container's writable layer so they survive a rebuild and can be backed up separately from the database dump.
Local Development Machine	Docker Desktop, with Node.js installed for editor tooling	Used by each team member to build and test the full stack before deployment, mirroring the production container configuration to minimise environment inconsistencies.

12. Sequence Diagrams for All SRS


The following sequence diagrams are derived from the chosen MVC modular architecture (Section 9) and cover all five sub-goals traced in the traceability matrix: SG-1 classroom membership and role-based access, SG-2 course activity records, SG-3 the integrated role-appropriate view, SG-4 at-risk work and unmet deadlines, and SG-5 classroom communication. Between them they account for every requirement from SRS-1 to SRS-25 and all sixteen use cases of Section 4.

Each participant is one of the components named in Section 9: the Browser as the View, the Express Controller, the Auth and Role Middleware, the Model, the MySQL database, and the File Storage introduced in Section 10. A solid arrow is a call and a dashed arrow is a return. A self-call is work performed inside one component. An alt fragment shows two mutually exclusive outcomes and a loop fragment shows repetition. UC-15 Validate Activity Details

and UC-16 Verify Classroom Membership and Role have no diagram of their own because they are included use cases; they appear inside the diagrams of the use cases that include them. SRS-7 is realised by the Auth and Role Middleware being consulted on each request rather than at join time, which is why that check recurs at the start of every protected interaction instead of appearing once.


SQD-1: Classroom Setup, Membership and Role Assignment

Traced requirements: SRS-1, SRS-2, SRS-3, SRS-4, SRS-5, SRS-6, SRS-7




SQD-2: Staff Creates or Edits an Activity

Traced requirements: SRS-8, SRS-9, SRS-10, SRS-11




SQD-3: Activity Dashboard, At-Risk Evaluation and Student Schedule

Traced requirements: SRS-12, SRS-13, SRS-14




SQD-4: Class Announcements and the Staff Channel

Traced requirements: SRS-15, SRS-16, SRS-17, SRS-18, SRS-19, SRS-20



SQD-5: File Submission and Submission Status

Traced requirements: SRS-21, SRS-22, SRS-23, SRS-24, SRS-25



13. Traceability Matrix

From Sub-Goal to SRS

Sub-Goal	Use Case	User Story	URS	Activity Diagram	SRS
SG-1	UC-1 Create Classroom, UC-2 Join Classroom by Code, UC-3 Assign Member Role, UC-16 Verify Classroom Membership and Role	US-1, US-2, US-3, US-4	URS-1, URS-2, URS-3, URS-4	AD-1, AD-2, AD-3	SRS-1, SRS-2, SRS-3, SRS-4, SRS-5, SRS-6, SRS-7
SG-2	UC-4 Create / Edit Activity, UC-5 Update Activity Status, UC-15 Validate Activity Details	US-5, US-6	URS-5, URS-6	AD-4	SRS-8, SRS-9, SRS-10, SRS-11
SG-3	UC-6 View Activity Dashboard, UC-8 View Class Schedule	US-7, US-9	URS-7, URS-9	AD-4, AD-5	SRS-13, SRS-14
SG-4	UC-7 View At-Risk Activities, UC-13 Submit File, UC-14 View Submission Status	US-8, US-14, US-15	URS-8, URS-14, URS-15	AD-5, AD-8	SRS-12, SRS-13, SRS-21, SRS-22, SRS-23, SRS-24, SRS-25
SG-5	UC-9 Post Announcement, UC-10 View Announcements, UC-11 Post Staff Message, UC-12 View Staff Channel	US-10, US-11, US-12, US-13	URS-10, URS-11, URS-12, URS-13	AD-6, AD-7	SRS-15, SRS-16, SRS-17, SRS-18, SRS-19, SRS-20

From SRS to Sequence Diagram

SRS	SQD
SRS-1	SQD-1
SRS-2	SQD-1
SRS-3	SQD-1
SRS-4	SQD-1
SRS-5	SQD-1
SRS-6	SQD-1
SRS-7	SQD-1, and every protected interaction in SQD-2 to SQD-5
SRS-8	SQD-2
SRS-9	SQD-2
SRS-10	SQD-2
SRS-11	SQD-2
SRS-12	SQD-3
SRS-13	SQD-3
SRS-14	SQD-3
SRS-15	SQD-4
SRS-16	SQD-4
SRS-17	SQD-4
SRS-18	SQD-4
SRS-19	SQD-4
SRS-20	SQD-4
SRS-21	SQD-5
SRS-22	SQD-5
SRS-23	SQD-5
SRS-24	SQD-5
SRS-25	SQD-5