


Course: Individual Software Development Process' 2026

Iteration Report: Iteration 1

By Left4Dead

Chosen Irl Challenge: Project Project D: Course Support & Activity Dashboard



Thanawin	6810545654
Thanapornthawan	
Phutarak Wongpitak	6810545841
Pakhin Daonan	6810545859
Kantanut	6810545468
Utamapongchai	

Table of Contents

1. Project Snapshot.....	1
1.1 Project-Wide Gantt Chart.....	1
1.2 Current Iteration Gantt Chart.....	2
2. Sprint/Board Status Snapshot.....	2
3. Scope Addition/Change Log.....	3
4. Retrospective.....	3
5. Testing & Quality Notes.....	4
6. Project Risk Register.....	4
7. Individual Contribution Log.....	5


1. Project Snapshot

Note: This section must include both Gantt Chart for the whole project and the calculation of the critical path for the project, and each iteration. Created via Plane.so.

Note: Project Repository is mandatory for the report submission of Iteration 2. For Iteration 1, this can leave blank as "(WIP)".

Project Repository: "(WIP)".


1.1 Project-Wide Gantt Chart



Critical Path: Requirements and SRS Finalization → Architecture and DB Design → Iteration 1: Classroom Setup & Membership (US-1, US-2, US-3) → Iteration 2: Role Assignment & Activity Management (US-4, US-5, US-6) → Iteration 3: Dashboard, Schedule & At-Risk (US-7, US-8, US-9) → Iteration 4: Announcements & Staff Channel (US-10–US-13) → Iteration 5: File Submission & Status (US-14, US-15) → Iteration 6: Google OAuth2 & @ku.th Restriction (US-16) → Iteration 7: Docker, Testing & Deployment

Critical Path Duration: 98 calendar days

1.2 Current Iteration Gantt Chart



Critical Path: Finalize User/Classroom/Membership DB schema → Implement Create Classroom (US - 1) → Implement Auth & Role Middleware (UC-16) → Implement Join Code Generation & Regeneration (US-2) → Manual testing & defect fixes Classroom setup and Membership

Critical Path Duration: 11 calendar days

2. Sprint/Board Status Snapshot

Note: User Stories Must Be Consistent User Stories in Software Proposal (Week 4). For Maximum Capacity , It Must Be:

- 3 User Stories for Iteration 1
- 4 User Stories for Iteration 2

Iteration Goal: Deliver a working, demoable classroom setup and membership slice so that a lecturer can create a classroom and receive a unique join code, and an invited user can join that classroom with the code and be admitted as a Student, directly supporting Sub-Goal SG-1 from the SRS.

Capacity Declared: 3 user stories (at the Iteration 1 hard limit; no basis needed as this is the fixed ceiling for a first iteration).

User Story	Description	Owner	Status	Within Capacity (Y/N)	Notes
US-1	As a lecturer, I want to create a classroom so that a semester's course activities have one place to live.	Kantanut Utamapongchai, Thanawin Thanapornthawan	In Progress	Y	Core blocker task; US-2 and US-3 both depend on the classroom record existing first. Covers SRS-1 and SRS-3.
US-2	As a lecturer, I want the system to generate a unique	Phutarak Wongpitak , Pakhin	In Progress	Y	Uniqueness enforced at the database layer via a UNIQUE

	join code so that I can invite TAs, University staff and students without managing accounts manually.	Daonan			constraint. Covers SRS-2.
US-3	As a TA, University staff or student invited to the course, I want to join a classroom using a code so that I can see the activities that concern me.	Phutarak Wongpitak , Pakhin Daonan	In Progress	Y	Depends on US-2 being completed first to produce a valid code to test against. Covers SRS-4 and SRS-5.

3. Scope Addition/Change Log

Note: Log any item added, expanded, or swapped in after planning began. Empty is a good sign; frequent entries signal scope creep.

Item added/changed	Reason	What as dropped to compensate (one-in-one-out)
(None applicable)	Team stayed within the originally committed 3 user stories for the full iteration	(None)

4. Retrospective

What went well	What didn't go well	Action items for next sprint
Planning was solid. The SRS was finished before coding began, so US-1, US-2 and US-3 were scoped clearly and each traced to its SRS requirements (SRS-1 to SRS-5).	No member has built a web application before, so time went into learning Node.js, Express, MySQL and Docker instead of feature code. US-2's join-code uniqueness took longer than planned.	Estimate setup and learning as their own tasks, and record actual time per story to build a real velocity baseline for Iteration 2.

Ownership was split by layer early, so no two members worked on the same part of US-1 to US-3.	Estimates were guesswork. US-3 was blocked waiting on US-2, which we did not account for when planning.	Pair up on at least one story in Iteration 2 to spread knowledge, and flag blockers within a day instead of waiting.
--	---	--

5. Testing & Quality Notes

Note: any bugs, defects, tests (informal & formal) encountered and/or fixed during this iteration can be included here. If there is none, just put "(None applicable)" below.

1. Lecturer locked out of their own classroom. The classroom row saved but no membership row was written for the creator, so the UC-16 membership check refused them entry to the classroom they'd just made. Fixed by inserting the owner's lecturer membership inside the same transaction as the classroom insert.
2. Lowercase join code rejected. Codes store uppercase; the lookup compared raw input, so a student typing 8nrshg was told the classroom didn't exist. Fixed by normalising case in `findByJoinCode()`. Worth calling out explicitly — it only surfaces when someone types rather than pastes, which is exactly how a code read off a projector gets entered.
3. **Same email accepted with different names.** During manual testing of the Google OAuth2 login flow, the system allowed the same email address to be associated with different names as separate user records. This could result in duplicate accounts representing the same user. The expected behaviour is that the authenticated email uniquely identifies an account, regardless of the user's displayed name. This issue is recorded for correction by enforcing email uniqueness and checking for an existing user by email before creating a new account.

6. Project Risk Register

Risk ID	Description	Likelihood (L/M/H)	Impact (L/M/H)	Mitigation/Contingency	Status
R-01	All four members are beginners, so Iteration 2 capacity may be miscalibrated once the 3-story limit lifts.	H	M	Record actual time per story in Iteration 1 to build a velocity baseline.	Open
R-02	Ownership split by layer means each layer is known by one member only.	M	H	Pair two members on at least one story in Iteration 2.	Open
R-03	Google OAuth2 setup (SRS-26, SRS-27) is new to the team and blocks every protected route if delayed.	M	H	Start OAuth early in Iteration 2; use a temporary local login for development.	Open

7. Individual Contribution Log

Note: One row per member, filled in by that member. The submission of this file considered that the form below is consented and confirmed by the whole team. This section directly supports the Individual Project Contribution and Peer Evaluation grading components.

Note 2: For Iteration 1, evidence can be a reference to the video presentation/iteration report that is related to the responsible task(s) (e.g. Lalita's Evidence). However, for Iteration 2, the reference must be on **GitHub** file and commit only, which is uploaded by that team member.

Student Name	Tasks owned this sprint	Course concept(s) applied	Evidence	Self-rated effort (1-5)
Kantanut Utamapongchai	US-1 (Create Classroom); front-end styling and shared layout; project-wide Gantt chart	Critical-path method from the project-management lecture; SRS-1/SRS-3 traced to form fields and the owner record	Video presentation; Gantt chart in Section 1.1	5
Thanawin Thanapornthawan	US-1 front-end (classroom create and detail views); iteration Gantt chart with critical path detail views); iteration Gantt chart with critical path	SRS-to-UI traceability; critical-path method; informal testing against acceptance criteria	Video presentation; Gantt chart in Section 1.2	5
Phutarak Wongpitak	US-2 (join-code generation and regeneration); user/classroom/membership schema	Database design from the DBMS lecture; enforced SRS-2 uniqueness as a UNIQUE constraint at the storage layer rather than in application code	Video presentation	5
Pakhin Daonan	US-3 (join classroom by code); manual testing across all three stories and defect logging	Authorisation-check pattern from the architecture lecture (UC-16 membership verification); informal testing to validate acceptance criteria	Video presentation; defect list in Section 5	5