









ABI code:

```
[
  {
    "inputs": [],
    "name": "getString",
    "outputs": [
      {
        "internalType": "string",
        "name": "",
        "type": "string"
      }
    ],
    "stateMutability": "pure",
    "type": "function"
  }
]
```

Bytecode:

```
608060405234801561001057600080fd5b50610173806100206000396000f3fe6080604052348015
61001057600080fd5b506004361061002b5760003560e01c806389ea642f14610030575b600080fd5
b61003861004e565b604051610045919061011b565b60405180910390f35b606060405180604001
60405280600781526020017f5a6f6e6520313700000000000000000000000000000000000000
00000000815250905090565b600081519050919050565b600082825260208201905092915050565
b60005b838110156100c55780820151818401526020810190506100aa565b600084840152505050
50565b6000601f19601f8301169050919050565b60006100ed8261008b565b6100f7818561009656
5b93506101078185602086016100a7565b610110816100d1565b840191505092915050565b60006
02082019050818103600083015261013581846100e2565b90509291505056fea2646970667358221
2202e9a4dd3d8bc061a7b46cb515067375f9c85ea9b12929226a3b49028e17bf79464736f6c6343000
8120033
```

DEPLOY & RUN TRANSACTIONS

ENVIRONMENT  
Remix VM (Shanghai)

ACCOUNT  
0x5B3...eddC4 (99.999999%)

GAS LIMIT  
3000000

VALUE  
0 Wei

CONTRACT  
MyContract - Thanga Boopathi S.sol

Deploy

At Address

Deployed Contracts

MYCONTRACT AT 0xD81...39138

MYCONTRACT AT 0XD8B...33FA8

Thanga Boopathi S.sol 1

```
1 pragma solidity ^0.8.0;
2
3 contract MyContract {
4     function getString() public pure returns (string memory) {
5         return "Zone 17";
6     }
7 }
```

listen on all transactions

Search with transaction hash or address

[vm] from: 0x563...eddC4 to: MyContract.(constructor) value: 0 wei data: 0x608...20033 logs: 0 hash: 0x8f2...abdc

Debug