

### SOLIDITY COMPILER

COMPILER +

0.8.18+commit.87f61d96

⌵

☐ Include nightly builds

☐ Auto compile


☐ Hide warnings


Advanced Configurations >

Compile Benitline Geno E.s...  
Compile and Run script ⓘ

CONTRACT

MyContract (Benitline Geno E.sol) ⌵

Publish on Ipfs 

Publish on Swarm 

Compilation Details

ABI Bytecode

Warning: SPDX license identifier not provided in source file. Before publishing, consider adding a comment containing "SPDX-License-Identifier: <SPDX-License>" to each source file. Use "SPDX-License-Identifier: "

Benitline Geno E.sol 1 x


```
1 pragma solidity ^0.8.0;
2
3
4 contract MyContract {
5     function getString() public pure returns (string memory) { infinite gas
6         return "Zone 17";
7     }
8 }
```

0 ☐ listen on all transactions


Search with transaction hash or address


- ethers.js
- Remix

Type the library name to see available commands.



### SOLIDITY COMPILER


COMPILER 


0.8.18+commit.87f61d96 



☐ Include nightly builds

☐ Auto compile


☐ Hide warnings


Advanced Configurations 


Compile Benitline Geno E.s... 

Compile and Run script  



CONTRACT

MyContract (Benitline Geno E.sol) 





Publish on Ipfs 


Publish on Swarm 




Compilation Details

 ABI  Bytecode

Warning: SPDX license identifier not provided in source file. Before publishing, consider adding a comment containing "SPDX-License-Identifier: <SPDX-License>" to each source file. Use "SPDX-License-Identifier:" as a starting point.

   Home  Benitline Geno E.sol 1 x

```
1  pragma solidity ^0.8.0;
2
3
4  contract MyContract {
5      function getString() public pure returns (string memory) {  infinite gas
6          return "Zone 17";
7      }
8  }
```

  0 ☐ listen on all transactions  Search with transaction hash or address

- ethers.js
- remix

Type the library name to see available commands.

>




ABI code:

```
[
  {
    "inputs": [],
    "name": "getString",
    "outputs": [
      {
        "internalType": "string",
        "name": "",
        "type": "string"
      }
    ],
    "stateMutability": "pure",
    "type": "function"
  }
]
```




Bytecode:

```
608060405234801561001057600080fd5b50610173806100206000396000f3fe6080604052348015
61001057600080fd5b506004361061002b5760003560e01c806389ea642f14610030575b600080fd5
b61003861004e565b604051610045919061011b565b60405180910390f35b606060405180604001
60405280600781526020017f5a6f6e6520313700000000000000000000000000000000000000
00000000815250905090565b600081519050919050565b600082825260208201905092915050565
b60005b838110156100c55780820151818401526020810190506100aa565b600084840152505050
50565b6000601f19601f8301169050919050565b60006100ed8261008b565b6100f7818561009656
5b93506101078185602086016100a7565b610110816100d1565b840191505092915050565b60006
02082019050818103600083015261013581846100e2565b90509291505056fea2646970667358221
2202e9a4dd3d8bc061a7b46cb515067375f9c85ea9b12929226a3b49028e17bf79464736f6c6343000
8120033
```


DEPLOY & RUN TRANSACTIONS ✓ >


ENVIRONMENT   
Remix VM (Shanghai)  


VM

ACCOUNT   
0x5B3...eddC4 (99.99999999%)  


GAS LIMIT  
3000000



VALUE  
0 Wei 




CONTRACT  
MyContract - Benitline Geno E.sol   
evm version: paris

Deploy 


☐ Publish to IPFS


At Address  Load contract from Address


Transactions recorded   >

Deployed Contracts   
> MYCONTRACT AT 0xD91...39138  

Benitline Geno E.sol 1 x

```
1 pragma solidity ^0.8.0;
2
3
4 contract MyContract {
5     function getString() public pure returns (string memory) {  infinite gas
6         return "Zone 17";
7     }
8 }
```

0 ☐ listen on all transactions  Search with transaction hash or address

 [vm] from: 0x5B3...eddC4 to: MyContract.(constructor) value: 0 wei data: 0x608...20033 logs: 0 hash: 0xe5f...5d5b6 