




SOLIDITY COMPILER






COMPILER



0.8.18+commit.87f61d96



☐

Include nightly builds


☐

Auto compile

☐


Hide warnings


Advanced Configurations



Compile Kannan R.sol


Compile and Run script






CONTRACT


MyContract (Kannan R.sol)




Publish on Ipfs




Publish on Swarm



Compilation Details





ABI





Bytecode

Warning: SPDX license identifier not provided in source file. Before publishing, consider adding a comment containing "SPDX-License-Identifier: <SPDX-License>" to each source file. Use "SPDX-License-Identifier:" as a starting point.











Home



Kannan R.sol



1

pragma solidity ^0.8.0;

2

3

contract MyContract {

4

function getString() public pure returns (string memory) {


5


return "Zone 17";

6

7

}






0

☐

listen on all transactions




Search with transaction hash or address

• ethers.js


• remix


Type the library name to see available commands.

>





SOLIDITY COMPILER






COMPILER





0.8.18+commit.87f61d96



☐

Include nightly builds


☐

Auto compile


☐

Hide warnings


Advanced Configurations




Compile Kannan R.sol




Compile and Run script







CONTRACT




MyContract (Kannan R.sol)




Publish on Ipfs




Publish on Swarm





Compilation Details







Warning: SPDX license identifier not provided in source file. Before publishing, consider adding a comment containing "SPDX-License-Identifier: <SPDX-License>" to each source file. Use "SPDX-License-Identifier:" as a starting point.











Home



Kannan R.sol



1

pragma solidity ^0.8.0;

2

3

contract MyContract {

4

function getString() public pure returns (string memory) {


5


return "Zone 17";

6

7

}






0

☐

listen on all transactions



Search with transaction hash or address

• ethers.js

• remix

Type the library name to see available commands.

>

ABI code:

```
[
  {
    "inputs": [],
    "name": "getString",
    "outputs": [
      {
        "internalType": "string",
        "name": "",
        "type": "string"
      }
    ],
    "stateMutability": "pure",
    "type": "function"
  }
]
```

Bytecode:

```
608060405234801561001057600080fd5b50610173806100206000396000f3fe6080604052348015
61001057600080fd5b506004361061002b5760003560e01c806389ea642f14610030575b600080fd5
b61003861004e565b604051610045919061011b565b60405180910390f35b606060405180604001
60405280600781526020017f5a6f6e6520313700000000000000000000000000000000000000
00000000815250905090565b600081519050919050565b600082825260208201905092915050565
b60005b838110156100c55780820151818401526020810190506100aa565b600084840152505050
50565b6000601f19601f8301169050919050565b60006100ed8261008b565b6100f7818561009656
5b93506101078185602086016100a7565b610110816100d1565b840191505092915050565b60006
02082019050818103600083015261013581846100e2565b90509291505056fea2646970667358221
2202e9a4dd3d8bc061a7b46cb515067375f9c85ea9b12929226a3b49028e17bf79464736f6c6343000
8120033
```

DEPLOY & RUN TRANSACTIONS

ENVIRONMENT
Remix VM (Shanghai)

ACCOUNT
0x5B3...eddC4 (99.9999999%)

GAS LIMIT
3000000

VALUE
0 Wei

CONTRACT
MyContract - Kannan R.sol

Deploy

At Address

Deployed Contracts
MYCONTRACT AT 0xD91...39138

1
2
3
4
5
6
7

```
pragma solidity ^0.8.0;

contract MyContract {
    function getString() public pure returns (string memory) {
        return "Zone 17";
    }
}
```

0

listen on all transactions

Search with transaction hash or address

[vm] from: 0x5B3...eddC4 to: MyContract.(constructor) value: 0 wei data: 0x08...20033 logs: 0 hash: 0xb6c...d52b8

Debug