```
\leftarrow \rightarrow \mathsf{G}
                (i) localhost:9200
 🔡 💢 Team's ticket 📶 Cost Saving 🔼 Cloud Cost Tracki...
                                                          Course:
retty-print 🗍
 "name": "b3461ba1fa20",
 "cluster_name" : "docker-cluster",
 "cluster_uuid" : "sprZaCJ-TQ-ZPJgtzPVftQ",
 "version": {
   "number" : "8.9.0",
   "build_flavor" : "default",
   "build_type" : "docker",
   "build_hash" : "8aa461beb06aa0417a231c345a1b8c38fb498a0d",
   "build_date": "2023-07-19T14:43:58.555259655Z",
   "build_snapshot" : false,
   "lucene_version" : "9.7.0",
   "minimum_wire_compatibility_version" : "7.17.0",
   "minimum_index_compatibility_version" : "7.0.0"
 "tagline" : "You Know, for Search"
G
               △ Not Secure 192.168.64.16:5000
 \leftarrow \rightarrow
  Team's ticket
                     Cost Saving
                                 Cloud Cost Tracki...
                                                    Courses | Synerg
Pretty-print 🗌
 "endpoints": {
   "GET /healthcheck": "Get status of all services",
   "GET /healthcheck/<service>": "Get status of specific service",
   "GET /history": "Get historical monitoring data",
   "POST /add": "Add monitoring data to Elasticsearch"
 },
 "service": "rbcapp1 Monitoring API",
 "valid_services": [
   "apache2",
   "rabbitmq-server",
   "postgresql",
   "rbcapp1"
  "version": "1.0"
```

```
\leftarrow \rightarrow C

    ∧ Not Secure 192.168.64.16:5000/healthcheck/rbcapp1

  ☐ Cost Saving Cloud Cost Tracki...
                                                          Courses | Synerge
Pretty-print 


  "service_name": "rbcapp1",
  "status": "UP",
  "timestamp": "2025-08-12T09:46:46.787317Z"
}
← → C ∧ Not Secure 192.168.64.16:5000/healthcheck/wrong
 🔡 | 🧩 Team's ticket 🔞 Cost Saving 🔼 Cloud Cost Tracki... 🚦 Courses | Synerge... 📅 Microsoft Certifica... 📑 Microsoft H
Pretty-print 
 "error": "Invalid service name. Valid services: ['apache2', 'rabbitmq-server', 'postgresql', 'rbcapp1']"
            C

    ∧ Not Secure 192.168.64.16:5000/healthcheck/apache2

     ticket 📶 Cost Saving
                                        Cloud Cost Tracki...
                                                               Courses | S
retty-print □
  "service_name": "apache2",
 "status": "UP",
  "timestamp": "2025-08-12T09:53:39.656261Z"
}

    ∧ Not Secure 192.168.64.16:5000/healthcheck/postgresql

           \mathbf{G}
  🔡 🗼 🄀 Team's ticket 👩 Cost Saving 🛛 Cloud Cost Tracki... 🚦 Courses | Syne
retty-print □
 "service_name": "postgresql",
 "status": "UP",
  "timestamp": "2025-08-12T09:54:34.282492Z"
```




```
[(venv) bash-5.2$ ansible-playbook playbook.yml -e action=verify_install
[WARNING]: provided hosts list is empty, only localhost is available. Note that the implicit localhost does not match 'all' [WARNING]: Found variable using reserved name: action
ok: [localhost
ok: [localhost]
ok: [localhost]
ok: [localhost] => (item=rabbitmq-server)
ok: [localhost] => (item=erlang-nox)
ok: [localhost]
ok: [localhost]
ok: [localhost]
: ok=7 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
```

[(venv) bash-5.2\$ ansible	
	e using reserved name: action
PLAY [Install and config	ure httpd, rabbitmq, postgresql] ************************************
<pre>TASK [Gathering Facts] * ok: [localhost]</pre>	***************************************
TASK [httpd : Install Apok: [localhost]	oache httpd] ************************************
TASK [httpd : Ensure Apa ok: [localhost]	che is started and enabled] ************************************
<pre>TASK [rabbitmq : Install ok: [localhost] => (item ok: [localhost] => (item</pre>	
TASK [rabbitmq : Ensure ok: [localhost]	RabbitMQ service is started and enabled] ************************************
TASK [postgresql : Insta ok: [localhost]	ll PostgreSQL] ************************************
TASK [postgresql : Ensur ok: [localhost]	re PostgreSQL service is started and enabled] ************************************
PLAY RECAP ************************************	**************************************
<i>`</i> ####################################	***************************************
(venv) bash-5.2\$ ansible- [WARNING]: provided hosts	######################################
(venv) bash-5.2\$ ansible- [WARNING]: provided hosts [WARNING]: Found variable	-playbook playbook.yml —e action=check—disk s list is empty, only localhost is available. Note that the implicit localhost does not match 'al
(venv) bash-5.2\$ ansible- [WARNING]: provided hosts [WARNING]: Found variable PLAY [Install and configu	-playbook playbook.yml —e action=check-disk s list is empty, only localhost is available. Note that the implicit localhost does not match 'al a using reserved name: action
(venv) bash-5.2\$ ansible- [WARNING]: provided hosts [WARNING]: Found variable PLAY [Install and configu TASK [Gathering Facts] ** ok: [localhost]	-playbook playbook.yml -e action=check-disk s list is empty, only localhost is available. Note that the implicit localhost does not match 'al e using reserved name: action ure httpd, rabbitmq, postgresql] ************************************
(venv) bash-5.2\$ ansible- [WARNING]: provided hosts [WARNING]: Found variable PLAY [Install and configu TASK [Gathering Facts] ** ok: [localhost] TASK [httpd : Install Apa ok: [localhost]	-playbook playbook.yml -e action=check-disk s list is empty, only localhost is available. Note that the implicit localhost does not match 'al' e using reserved name: action ure httpd, rabbitmq, postgresql] ************************************
(venv) bash-5.2\$ ansible- [WARNING]: provided hosts [WARNING]: Found variable PLAY [Install and configu TASK [Gathering Facts] ** ok: [localhost] TASK [httpd : Install Apa ok: [localhost] TASK [httpd : Ensure Apac ok: [localhost]	-playbook playbook.yml -e action=check-disk s list is empty, only localhost is available. Note that the implicit localhost does not match 'all using reserved name: action ure httpd, rabbitmq, postgresql] ************************************
<pre>(venv) bash-5.2\$ ansible- [WARNING]: provided hosts [WARNING]: Found variable PLAY [Install and configuration of the configuration</pre>	-playbook playbook.yml -e action=check-disk s list is empty, only localhost is available. Note that the implicit localhost does not match 'all using reserved name: action ure httpd, rabbitmq, postgresql] ************************************
(venv) bash-5.2\$ ansible- [WARNING]: provided hosts [WARNING]: Found variable PLAY [Install and configu TASK [Gathering Facts] ** ok: [localhost] TASK [httpd : Install Apa ok: [localhost] TASK [nttpd : Ensure Apa ok: [localhost] TASK [rabbitmq : Install ok: [localhost] => (item= ok: [localhost] => (item= TASK [rabbitmq : Ensure Fok: [localhost]	-playbook playbook.yml -e action=check-disk s list is empty, only localhost is available. Note that the implicit localhost does not match 'all a using reserved name: action The httpd, rabbitmq, postgresql] ************************************
(venv) bash-5.2\$ ansible- [WARNING]: provided hosts [WARNING]: Found variable PLAY [Install and configut TASK [Gathering Facts] ** ok: [localhost] TASK [httpd : Install Apa ok: [localhost] TASK [httpd : Ensure Apac ok: [localhost] TASK [rabbitmq : Install ok: [localhost] => (item= ok: [localhost] => (item= ok: [localhost] => (item= ok: [localhost] TASK [rabbitmq : Ensure Fok: [localhost] TASK [rabbitmq : Install ok: [localhost]	-playbook playbook.yml -e action=check-disk s list is empty, only localhost is available. Note that the implicit localhost does not match 'all a using reserved name: action The httpd, rabbitmq, postgresql] ************************************