CS3220 Web and Internet Programming HTML and XML Basics

Chengyu Sun California State University, Los Angeles


HTML

HyperText Markup Language, the language for creating web pages

XML

Extensible Markup Language, the general-purposed language to describe structured data

A Brief History of HTML and XML



An XML Example

Some Terminology

- Declaration
- Tag
 - Opening (start) tag
 - Closing (end) tag
- Attribute
- Element
 - Content
 - Empty element (i.e. no content)
 - Root element

What About Encoding?

- An encoding is a way to represent characters in a computer as a sequence of 0's and 1's
- For more details, please read this
- ◆Or, just remember always use UTF-8

NOT Well-Formed XML

```
<?xml version="1.0" encoding="UTF-8"?>
<users>
    <user type="faculty">
        <name>Chengyu Sun</Name>
        <office>ET A317</office>
        <phone ext="6697">
    </user>
    <user type="faculty">
        <name>Raj Pamula</name>
        <office>E&T A324</office>
    </users>
</user>
```

Validity of XML

- Q: How can we decide if some wellformed XML is valid (i.e. correct)?
- ◆ A: We need a "specification" of the elements used in the XML.

Specify XML Grammar – DTD

- Document Type Definition
- DTD Example http://www.w3schools.com/xml/xml_dt
 d examples.asp

Reference DTD in XML

Reference a "private" DTD (DTD intended for use by a single author or a group of authors)

<!DOCTYPE root_element SYSTEM "DTD_location">

Reference a "public" DTD

<!DOCTYPE root_element PUBLIC
"DTD_name" "DTD_location">

DOCTYPE Examples

Private DTD

Public DTD

See https://www.w3schools.com/tags/tag_doctype.asp

XML Recap

- Terminology
- Well-formedness
- Validity
 - DTD and <!DOCTYPE>

Structure of an HTML Page

DOCTYPE <!DOCTYPE html> Declaration <html> <head> <meta charset= "UTF-8"> Head <title>CS3220</title> Section <html> </head> Root <body> Element Body <h2>CS3220</h2> Section </body> </html>

DOCTYPE Declaration

- Specifies which version of HTML/XHTML the document uses
- Common DOCTYPE declarations
 - HTML 4.01 Strict
 - HTML 4.01 Transitional
 - XHTML 1.0 Strict
 - XHTML 1.0 Transitional
 - HTML 5

What About Well-formedness of HTML?

- ◆HTML (not XHTML) is more forgiving
 - Tag and attribute names are caseinsensitive
 - Some tags are self closing, e.g. <meta> and

 - Some closing tags are optional, e.g. , and even <html>, <head>, <body>

<head> Section

- Contain elements that provide information about the web page rather than the content of the page
 - <title> title for the browser tab
 - <meta> metadata about the page
 - link> mostly used for style sheets

<body> Section

Contain elements that will be displayed in the browser window

Tools for HTML Development

- Text editors for developers
 - Sublime Text
 - Visual Studio Code by Microsoft
 - Atom by GitHub
- IDEs
 - Visual Studio
 - Eclipse
- Professional tools for web designers like
 Adobe Dreamweaver

Using VS Code

- File and folder
- Auto Save
- Recommended extensions
 - HTMLHint
- Emmet https://emmet.io/
 - html:5
 - +, >, and *
 - lorem

Headings and Paragraphs

- ◆<h1>, <h2>, ..., <h6>
- >
- A block element always starts on a new line and can contain other elements

Other Commonly Used Block Elements ...

- preformatted text, i.e.
 whitespaces and line breaks are
 preserved
- <blockquote>
- <div> a general-purposed block element used to structure a page into logical divisions that can be formatted, positioned, and/or processed.

... Other Commonly Used Block Elements

- ♦ unordered list
- ♦ ordered list
- ♦ list item

Common Inline Elements

- <i> italic, bold, <u> underlined
- emphasized
- strongly emphasized
- <code> for computer code
- a general-purposed inline element (like an inline version of <div>)
- ♦ < br > line break

Anchor <a>

 Creates a hyperlink to other web pages, files, locations within the same page, email addresses, or any other URL.

CSULA

URL

Absolute and Relative URL ...

Absolute URL

http://www.calstatela.edu/logo.gif

... Absolute and Relative URL

Relative URL

```
/logo.gif
/img/logo.gif
```

Relative to the root path

```
logo.gif    ./logo.gif
img/logo.gif    ./logo.gif
    ./img/log.gif
```

Relative to the current path

- current folder
- •• parent folder

Link to Locations within a Page

```
<a href="#section1">Introduction</a>
<a href="#section2">HTML Basics</a>
...
<h2 id="section1">Introduction</h2>
...
<h2 id="section2">HTML Basics</h2>
...
```

Some Core Attributes

- Attributes that are common to all HTML elements
- id: a unique identifier for the element
- title: additional information about the
 element
- class: CSS class
- style: inline CSS style
- More at https://www.w3.org/TR/2012/WD-
 httml-markup-20121011/global-attributes.html

Other Uses of <a>

Email link

Email Me

Phone link

Call me

Image

- Attributes
 - src: URL to the image
 - alt: alternate text if the image cannot be displayed
 - height and width in pixels
- JPEG, GIF, PNG, SVG images are supported by most browsers
- Clickable image??

HTML Special Characters (HTML Entities)

- White space:

 <! <</pre>
- ◆>: >
- **♦&:** &
- More at
 http://www.w3schools.com/html/html
 entities.asp

HTML Comment

- <!-- This is a single-line comment. -->
- <!-- This is a multi-line comment. -->

The syntax for comments is the same for both XML and HTML

HTML Recap

- Basic page structure
- Block elements
- Inline elements
- ♦ <a> and
 - Absolute and relative URL
- Special characters
- Comment