

Week 2 Quiz

Due Feb 5 at 11:59pm **Points** 19 **Questions** 16
Available until Feb 5 at 11:59pm **Time Limit** None **Allowed Attempts** 3

Instructions

Please watch the lecture videos in this module and answer the following questions.

This quiz was locked Feb 5 at 11:59pm.

Attempt History

	Attempt	Time	Score
KEPT	Attempt 2	2 minutes	19 out of 19
LATEST	Attempt 2	2 minutes	19 out of 19
	Attempt 1	17 minutes	18.5 out of 19

⚠️ Answers will be shown after your last attempt

Score for this attempt: **19** out of 19

Submitted Feb 1 at 3:42pm

This attempt took 2 minutes.

Question 1

1 / 1 pts

Which of the following is not a tag used to create HTML tables?

☐ <td>

☒ <tc>

☐ <th>

☐ <tr>

Question 2**1 / 1 pts**

Can an HTML table have different columns in different rows?

☒ Yes

☐ No

Question 3**1 / 1 pts**

If you want to use a `<caption>` element for an HTML table, the `<caption>` element should be

☐ before the `<table>` element.

☐ after the `<table>` element.

☐ inside the `<table>` element and after `<tbody>` if there's a `<tbody>` element.

☒ inside the `<table>` element and before `<thead>` if there's a `<thead>` element.

Question 4**1 / 1 pts**

To create a table like the following:

Product	Quantity	Price
---------	----------	-------

Book	2	\$5
Beer	1	\$6
Total	\$16	

The cell for "Total" should have the attribute:

- ☐ width="2"
- ☐ rowspan="2"
- ☐ col="2"
- ☒ colspan="2"

Question 5

1 / 1 pts

What is the value of the action attribute in a <form>?

- ☐ It's the action a user can perform on the form.
- ☐ It's the action a server-side program can perform on the form.
- ☒ It's the URL of the server-side program that will process the submitted form.
- ☐ It's the URL of the form page.

Question 6

2 / 2 pts

Which of the following are valid values for the method attribute of <form>?
(There are multiple correct answers. Please select all of them.)

☒ get☒ GET☐ fetch☒ POST**Question 7****1 / 1 pts**

When a user submits a form, the data in the form will be sent to the server as

☐ Request data☐ Request content☒ Request parameters☐ Request headers**Question 8****2 / 2 pts**

Which of the following form controls can be created using the `<input>` tag? (There are multiple correct answers. Please select all of them.)

☒ Single-line text field☒ Checkbox☒ File upload field☐ Multiple-line text area

☐ Dropdown list☒ Radio button**Question 9****2 / 2 pts**

Which of the following are correct ways to specify the boolean attribute selected for <option>? (There are multiple correct answers. Please select all of them.)

☐ selected="true"☒ selected=""☒ selected☒ selected="selected"**Question 10****1 / 1 pts**

To group multiple radio buttons together so only one of them can be selected at the same time, we must

☐ Give all the radio buttons the same value.☒ Give all the radio buttons the same name.☐ Put all the radio buttons in the same <fieldset>.☐ Put all the radio buttons in the same <optgroup>.

Question 11**1 / 1 pts**

Suppose we have the following in a form:

```
<select name="grade">  
  <option value="A">Great</option>  
  <option value="B">Good</option>  
  <option value="C">Passed</option>  
  <option value="NC">No Credit</option>  
</select>
```

If a user selects the second option (i.e. Good) and submits the form, the value of the request parameter sent to the server will be:

- ☐ Good
- ☐ 2
- ☐ B&Good
- ☒ B

Question 12**1 / 1 pts**

Where should a `<style>` element be in an HTML document?

- ☒ In `<head>` element.
- ☐ After `<body>` element.
- ☐ After `<head>` element.
- ☐ In `<body>` element.

Question 13**1 / 1 pts**

Consider the following CSS ruleset:

```
.p { color: red; }
```

Which of the following statement is correct?

- ☐ The selector selects all the <p> elements.
- ☐ The selector selects the elements with the attribute "p".
- ☒ The selector selects the elements with the css class "p".
- ☐ The selector selects the element with the id "p".

Question 14**1 / 1 pts**

Consider the following CSS ruleset:

```
[name] { color: red; }
```

Which of the following statement is correct?

- ☐ The selectors selects all the <name> elements.
- ☐ The selector selects the element with the id "name".
- ☐ The selector selects all the elements with the css class "name".
- ☒ The selector selects all the elements with the attribute "name".

Question 15**1 / 1 pts**

What is the color specified in the following CSS ruleset?

```
p { color: #00FF00; }
```

- ☐ Blue
- ☐ White
- ☐ Red
- ☒ Green
- ☐ Black

Question 16

1 / 1 pts

Which of the following CSS property do you use to make the text in a paragraph right-aligned?

- ☒ text-align
- ☐ text-alignment
- ☐ line-height
- ☐ text-indent

Quiz Score: **19** out of 19