\mathbb{Z}^g

Groups

Calendar

History

Studio

Modules

People

Grades

Quiz 11 At

Due Nov 7 at 11:59pm **Questions** 6 Available Nov 3 at 11:59pm - Nov 21 at 11:59pm Time Limit 30 Minutes Points 6

Submission Details: Time: 10 minutes **Current Score:** 4 out of 6

Kept Score:

4 out of 6

Instructions

Quiz 11

Attempt History

LATEST Attempt 1

Attempt Time Score 10 minutes 4 out of 6

① Correct answers will be available on Nov 15 at 12am.

Score for this quiz: 4 out of 6 Submitted Nov 7 at 9:10pm This attempt took 10 minutes.

1 / 1 pts Question 1 State transition labelled a, b / c means "when machine reads an a from the input and the top symbol of the stack is a b, it may replace the b with c." What edge label would indicate "Read a 0, don't pop anything from stack, don't push anything to the stack"? A. 0, λ /0 B. **λ**, 0/0 C. λ , λ /0 D. 0. λ/λ \bigcirc A D B C

0 / 1 pts Incorrect Question 2 b,1;11 b,0;10 a,1;01 a,0;00 b,z;1z b,1;λ a,z;0z a,0;λ b,z;λ b,0;λ a,z;λ c,1;1 a,1;λ_ c,0;0 What is the configuration after (q0, abcba, Z) A. q2, λ ,0Z B. q1, λ ,Z C. q1, λ ,0Z D. q2,Z,1Z E. q2, λ ,Z ОВ \bigcirc A D O E O C

1 / 1 pts Question 3 b,1;11 b,0;10 a,1;01 a,0;00 b,1;λ a,0;λ b,z;λ b,0;λ a,z;λ b,z;1z a,z;0z c,1;1 c,0;0 $a, 1; \lambda >$ What is the final end configuration starting from (q0, aacb, Z) A. $q_{2}, \lambda, 0Z$ B. q_{2}, λ, Z C. $q_{1}, \lambda, 0Z$ D. $q_{2}, Z, 1Z$ E. $q_{2}, \lambda, 1Z$ ОВ O E A C

1 / 1 pts Question 4 a, X/XXa, Z/XZ $b, X/\lambda$ What is the next configuration after (q0, aabb, Z) A. q1, abb, XZ B. q1, abb, ZX C. q1, abb, XX D. q1, abb, Z E. None of the above ОВ A E C

1 / 1 pts **Question 5** Which of the following pairs have DIFFERENT expressive power? Deterministic finite automata(DFA) and Non-deterministic finite automata(NFA) Α Deterministic push down automata (DPDA) and Non-deterministic push down automata (NPDA) В None of A or B A only Both A and B ☑ B only

0 / 1 pts Incorrect Question 6 Given a NPDA below: b,B;BB a,Β;λ a,S;AA a,S;ABB λ, z ; Sz _ λ , z; λ If you write the configuration sequence on input aaa as shown below, give the configuration that is possible for (A) and (B)? (q0, aaa, Z) (q1, aaa, SZ) (q2,aaa,S) (q1,aa,BBZ) (q1,aaa,ABBZ) (q1,aaa,AAZ) (q1,aa,ABBZ) (q1,aa, AAZ)