

Properties

Season	SS26	Carryover Colors	
Code	608395	Responsible	Saitip Ribring
Style	Aska Proof Jacket Men	Development	
Carry Over		Responsible Pattern	Jennie Salldal

Colorway Gallery



Chlorophyll Green

Colorway Code: 5YE

Active: ✓



Tarn Blue

Colorway Code: 3N5

Active: ✓



True Black

Colorway Code: 2C5

Active: ✓

Haglöfs	Aska Proof Jacket Men-608395	Aska Proof Jacket Men-608395	Draft-Sample 02.12.2025, 6:03 AM
---------	------------------------------	------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Tarn Blue	Chlorophyll Green
							Colorway	Colorway	Colorway
Fabric (4)									
Proof 2L	GV-MS45-WR-RCY-L-GV 15K	Proof 2L Plain weave mechanical stretch 15K/ 15K Face: 100% POLYESTER-RECYCLED Membrane: 100% POLYURETHANE	F1	Grand and Great Textile	2,3	YD	True Black P2305086-C	Tarn Blue P2305085-B	Chlorophyll Green P2409040-A
Woven uncoated	Q140N-3011A000	Plain tafetta lining, 83g 100% POLYESTER RECYCLED	L1, Draw cord channel and pocket bags	Formosa	1,63	YD	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C
Knits	DSC01302	Recycled polyester mesh 70g 100% POLYESTER-RECYCLED	Mesh pkt bags	Duck San CO.,LTD	0,24	YD	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C
Knits	RC-3617-130	Brushed tricot for chinguard, 130g 100% POLYESTER-RECYCLED	Chin guard	Burltex (Tai Tung Interlining International Ltd.)	0,07	YD	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130
Zip (2)									
Package	CIFOR-56 DA8BLH P16 KENSIN N-ANTI REVERSE TO-IPOM. CAN PASS CPSC	1-way Open End Size #5 Coil reverse auto-lock slider in color C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free) CAN PASS CPSC	CF zip	YKK	1	PCS	C6 - True Black 580	C6 - True Black 580	X6J - Magnetite 156
Displaying 1 - 5 of 35 results									

Haglöfs	Aska Proof Jacket Men-608395	Aska Proof Jacket Men-608395	Draft-Sample 02.12.2025, 6:03 AM
---------	------------------------------	------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Tarn Blue	Chlorophyll Green
							Colorway	Colorway	Colorway
Package	CIFC-51 DFBW P16 KENSIN N-ANTI REVERSE T-B-0	1-way Closed End size #5 coil revere non-lock slider C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free) CAN PASS CPSC	Hand pkts x 2	YKK	2	PCS	C6 - True Black 580	C6 - True Black 580	X6J - Magnetite 156
Trim (18)									
Other	NF025D	LOCAL - Interlining should follow Haglöfs RSL	Interlining. Where needed.	5S Weaving and Coating Co, LTD.	0,7	M	None	None	None
Seam Tape	3097	LOCAL - Adhesive	Adhesive glue 4mil . Where needed.	Sealon	0,016	M	None	None	None
Seam Tape	S25908-B160 60mm 2L	PROOF 2L tape 60mm for PU and TPU membranes 100% Polyurethane	Seamseal tape 60 mm. For EMB	TSGS Inc.	0,15	YD	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L
Seam Tape	S25908-B160 15mm 2L	PROOF 2L tape 15mm for PU and TPU membranes 100% Polyurethane	Seamseal tape 15mm.	TSGS Inc.	16,73	YD	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L
Seam Tape	S25908-B160 20mm 2L	PROOF 2L tape 20mm for PU and TPU membranes 100% Polyurethane	Seamseal tape 20 mm.	TSGS Inc.	2,7	YD	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L
Puller	HPPMT-16	H P Puller Medium Semi-transparent BLUESIGN 60% THERMOPLASTIC POLYURETHANE, 40% POLYESTER	Front zip x 1 , Hand pkts x 2	Trim Service	3	PCS	Magnetite HPPMT-16	Magnetite HPPMT-16	Magnetite HPPMT-16

Displaying 6 - 12 of 35 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Tarn Blue	Chlorophyll Green
							Colorway	Colorway	Colorway
Cord Lock	TS 664	Cord Stopper TS664 BLUESIGN 100% POLYAMIDE	At hood x 2, Bottom hem x 2	Trim Service	4	PCS	Transparent	Transparent	Transparent
Eyelet	EYHAGL800	Round Eyelet Mini	At hood x 4 ,Bottom hem x 4	Wasa Sweden AB	8	PCS	True Black 46809/ EYHAGL800T.BLA	True Black 46809/ EYHAGL800T.BLA	Magnetite 45969/ EYHAGL800MAGNE
Logo Label	Sylko thread	LOCAL - Embroidery Eyelets	At inside of hood.	Nasa	2	PCS	True Black	Tarn Blue	Magnetite
Button	Part A 15mm Plastic Cap:117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	UTX Snapbutton Lite Version 15mm 50% POM, 50% BRASS	Visible at front placket x 2 /Hidden under front placket x 4	UTX	6	PCS	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020
Webbing	HTCWHL-15-6mm	Two Color Webbing Hangloop 6mm BLUESIGN 100% POLYESTER	At back neck	Trim Service	1	PCS	Magnetite/Granite HTCWHL-15-6mm	True black/Magnetite HTCWHL-15-6mm	Magnetite/Granite HTCWHL-15-6mm
Elastic cord	2mm cord	2mm elastic cord	At hood and bottom hem	Trim Service	3,11	YD	True Black 2mm cord	True Black 2mm cord	Magnetite 2mm cord
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	For cord adjustment at bottom hem	Trim Service	0,31	YD	True Black HTCW-14 5mm	True Black HTCW-14 5mm	Magnetite HTCW-14 5mm

Displaying 13 - 19 of 35 results

Haglöfs	Aska Proof Jacket Men-608395	Aska Proof Jacket Men-608395	Draft-Sample 02.12.2025, 6:03 AM
---------	------------------------------	------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Tarn Blue	Chlorophyll Green
							Colorway	Colorway	Colorway
Cord Lock	HPCSL-15	H P Cord Loop Stop	For cord adjustment at bottom hem	Trim Service	2	PCS	Transparent	Transparent	Magnetite HPCSL-15
Cord End	HTCES-15	H P Cord End for SINGLE 2.5mm cord	At front hood adjustment	Trim Service	2	PCS	Transparent	Transparent	Magnetite HTCES-15
Webbing	DW-1031	Signature Explore Necklabel 10mm 100% POLYESTER	See placement on design sketches.	Dragon Times	1	YD	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Webbing	HTCW-07-20mm	Webbing 20mm HTCW BLUESIGN 100% POLYESTER	As pull tab on bottom sleeve.	Trim Service	0,15	YD	True Black HTCW-07-20mm	True Black HTCW-07-20mm	Magnetite HTCW-07-20mm
Elastic	B28421 & A22381	LOCAL - Velcro	Velcro, hook, at bottom sl. Straps is in F1.	Paiho	0,42	M	True Black	True Black	Chlorophyll Green
Label (6)									
Logo Label	Sylko thread	LOCAL - "Haglofs" wordmark embroidered MEDIUM 11mm x 37mm	At chest. Pls see sketch	Nasa	1	PCS	Magnetite	Dk Tarn Blue	Dew Green
Logo Label	Sylko thread	LOCAL - "H" symbol embroidered SMALL 20mm x 25mm	At left sleeve .Pls see sketch	Nasa	1	PCS	Magnetite	Dk Tarn Blue	Dew Green

Displaying 20 - 26 of 35 results

Haglöfs	Aska Proof Jacket Men-608395	Aska Proof Jacket Men-608395	Draft-Sample 02.12.2025, 6:03 AM
---------	------------------------------	------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Tarn Blue	Chlorophyll Green
							Colorway	Colorway	Colorway
Logo Label	Sylko thread	LOCAL . Proof Embroidered logo 40mm width	At front lower. Pls check placement on design sketch.	Nasa	1	PCS	Magnetite	Dk Tarn Blue	Dew Green
Woven label	HAG 1132 Big necklabel Haglöfs	Brandplatform 100% RECYCLED POLYESTER	Pls see placement on sketch	Nilorn East Asia Ltd.	1	PCS	Black	Black	Black
Size Label	HAG 1133	SMALL sizelabel	Pls see placement on sketch. To be ordered after sizes of order.	Nilorn East Asia Ltd.	1	PCS	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER		Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE
Packaging (5)									
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	Placement 1	Nilorn East Asia Ltd.	1	PCS	None	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd IF no special hangtag is being used	Placement 2	Nilorn East Asia Ltd.	1	PCS	None	None	None

Displaying 27 - 32 of 35 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Tarn Blue	Chlorophyll Green
							Colorway	Colorway	Colorway
Hangtag	HAG 2012	Product specific Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: Always 3rd	Placement 3	Nilorn East Asia Ltd.	1	PCS	None	None	None
Hangtag	HAG 2015	PROOF Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: always after product specific	Placement 4	Nilorn East Asia Ltd.	1	PCS	None	None	None
Polybag		Polybag quality pls see our TOA			1	PCS	Transparent	Transparent	Transparent

Displaying 33 - 35 of 35 results

Haglöfs	Aska Proof Jacket Men-608395	608395J4 M-list 20250609			Draft-Sample 02.12.2025, 6:03 AM	
Size Chart	608395J4 M-list 20250609	Fit	Standard	Revision	5	
Tolerance	Jackets(shell/softshell/insulation)	Comment	20250609:			
Size Range	S-XXXL		-Updated fit and design.			
Sizes	S-XXXL					
Base Size	L		This is a Base Pattern, pls trace out pieces from our base			
Grading	Men's Uppers Size L		pattern(608395J4) and make details			
Pattern Number	608395J4		and fabric choice according to			
Pattern Number (Revision)	608395J4		design sketch.			
Construction Type	Pattern	Description	Copy from Breeze 607680 Ss25			

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	XXXL	Comment
Chest			-2,000	2,000		115,300	121,300	127,300	133,300	139,300	147,300	New mmt 20250609
Waist			-2,000	2,000		109,600	115,600	121,600	127,600	133,600	141,600	New mmt 20250609
Bottom			-2,000	2,000		110,900	116,900	122,900	128,900	134,900	142,900	New mmt 20250609
Back length, at cb			-1,000	1,000		78,000	79,000	80,000	81,000	82,000	83,000	New mmt 20250609
Back length to waistline, at cb			-1,000	1,000		48,400	49,200	50,000	50,800	51,600	52,400	New mmt 20250609
Armhole depth, at cb			-1,500	1,500		25,400	26,200	27,000	27,800	28,600	29,400	New mmt 20250609
Back width, at ½ armhole depth			-1,000	1,000		46,000	48,000	50,000	52,000	54,000	56,600	New mmt 20250609
Shoulder			-0,500	0,500		14,800	15,400	16,000	16,600	17,200	17,800	New mmt 20250609
Sleeve length fr. neck			-1,000	1,000		84,800	86,400	88,000	89,600	91,200	92,800	New mmt 20250609
Bicep			-1,000	1,000		51,200	53,200	55,200	57,200	59,200	61,200	New mmt 20250609
Elbow			-1,000	1,000		35,400	36,800	38,200	39,600	41,000	42,400	New mmt 20250609
Bottom sleeve			-1,000	1,000		30,400	31,200	32,000	32,800	33,600	34,400	New mmt 20250609
Front length, at cf			-1,000	1,000		62,000	62,700	63,400	64,100	64,800	65,500	New mmt 20250609
Neckline, excl. zip			-1,000	1,000		52,000	53,500	55,000	56,500	58,000	59,500	New mmt 20250609
Displaying 1 - 14 of 21 results										Units: CM Grading Display: Absolute		

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	XXXL	Comment
Hood width, at narrowest place			-1,000	1,000		47,000	48,500	50,000	51,500	53,000	54,500	New mmt 20250609
Hood height			-1,000	1,000		32,800	33,400	34,000	34,600	35,200	35,800	New mmt 20250609
Hood cf			-0,500	0,500		13,200	13,500	13,800	14,100	14,400	14,700	New mmt 20250609
Hood opening			-1,000	1,000		54,500	55,100	55,700	56,300	56,900	57,500	New mmt 20250609
Front zip			-1,000	1,000		75,000	76,000	77,000	78,000	79,000	80,000	New mmt 20250609
Sidepkt zip			-1,000	1,000		18,000	19,000	19,000	20,000	20,000	21,000	
Front placket width			-0,300	0,300		5,500	5,500	5,500	5,500	5,500	5,500	New mmt 20250609
Displaying 15 - 21 of 21 results										Units: CM Grading Display: Absolute		

Points of Measure Gallery



Chest
Description:



Waist
Description:



Bottom
Description:



Back length, at cb
Description:

Points of Measure Gallery

			
Back length to waistline, at cb Description:	Armhole depth, at cb Description:	Back width, at ½ armhole depth Description:	Shoulder Description:
			
Sleeve length fr. neck Description:	Bicep Description:	Elbow Description:	Bottom sleeve Description:
			
Front length, at cf Description:	Neckline, excl. zip Description:	Hood width, at narrowest place Description:	Hood height Description:

Points of Measure Gallery



Hood cf
Description:



Hood opening
Description:



Front zip
Description:



Sidepkt zip
Description:




Front placket width
Description:

Labeled Images


OVERVIEW COLOR SKETCH	OUT	
   CHLOROPHYLL GREEN TARN BLUE TRUE BLACK		
01. Color Overview		

Labeled Images




02. Overview Sketch

Labeled Images




Labeled Images




04. Inside Sketch

Labeled Images




Labeled Images




11. Detail Sketch 1

Labeled Images



12. Detail Sketch 2

Labeled Images



13. Detail Sketch 3

Haglöfs		Aska Proof Jacket Men-608395		1st Proto		Approved 05.12.2024, 4:18 PM					
Size Chart Review		1st Proto		Size Chart		608395J4 M-list 20250609		Base Size		L	
Description				Size Range		S-XXXL		Grading		Men's Uppers Size L	
Pattern Number		608395J4		Sizes		S-XXXL					
Construction Type		Pattern		Tolerance		Jackets(shell/softshell/insulation)					

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	L				Review Comment	Factory Comment
						1st Proto					
						Target	Actual	Actual Delta	Sample Actual		
Chest			-2,000	2,000		127,000	126,000	-1,000			
Waist			-2,000	2,000		123,900	124,000	0,100			
Bottom			-2,000	2,000		124,000	124,000	0,000			
Back length, at cb			-1,000	1,000		80,000	80,500	0,500			
Back length to waistline, at cb			-1,000	1,000		50,000	50,000	0,000			
Armhole depth, at cb			-1,500	1,500		27,000	27,000	0,000			
Back width, at seam			-1,000	1,000		49,700	49,500	-0,200			
Shoulder			-0,500	0,500		16,000	16,200	0,200			
Sleeve length fr. neck			-1,000	1,000		88,000	88,800	0,800			
Bicep			-1,000	1,000		55,000	54,000	-1,000			
Elbow			-1,000	1,000		38,000	37,800	-0,200			
Bottom sleeve			-1,000	1,000		32,000	32,000	0,000			
Front length, at cf			-1,000	1,000		63,400	64,000	0,600			
Neckline, excl. zip			-1,000	1,000		57,000	56,500	-0,500			
Hood width, at narrowest place			-1,000	1,000		53,500	52,500	-1,000			
Hood height			-1,000	1,000		34,000	34,000	0,000			
Hood cf			-0,500	0,500		14,300	15,000	0,700			

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	L 1st Proto				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual		
Hood opening			-1,000	1,000		54,000	55,000	1,000			
Front zip			-1,000	1,000		77,000	77,500	0,500			
Sidepkt zip			-1,000	1,000		19,000	19,000	0,000			
Front placket width			-0,300	0,300		5,000	5,000	0,000			
Displaying 18 - 21 of 21 results										Units: CM	

Haglöfs	Aska Proof Jacket Men-608395	shipment sample	Draft 02.12.2025, 6:03 AM
Commented by: April Lok Date:02 Dec 2025 Color : True Black Comments : sample is ok			