

Properties

Season	SS26	Main technology platform	Mimic
Code	607444	Main platform specification	Mimic Silver
Style	Mimic Alert Hood Men	Responsible Development	Jenny Yip
Working Name	Mimic Stretch Hood Men	Responsible Pattern	Ulrika Moberg
Carry Over	✓		
Update			
Product State			
Carryover Colors	True Black, Oak Brown, Deep Teal		

Active Colorways Images



Data Sheets

Data Sheet	Type	Subtype	Subtype	Revision
1	Style BOM	Clothing		1
1	Size Chart			1
1	Image Data Sheet			1
1	Style Review			1
Displaying 4 results				

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
607444J4 DXF.zip	1	04.04.2024, 4:15 PM		607444J4 DXF.zip			Mimic Alert Hood Men-607444	Style
607444J4.zip	1	04.04.2024, 4:15 PM		607444J4.zip			Mimic Alert Hood Men-607444	Style
Displaying 2 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Oak Brown	Deep Teal	Dew Green
							Colorway	Colorway	Colorway	Colorway
Fabric (5)										
Woven uncoated	YQ2896-1	Single layer woven with mechanical stretch 100% POLYESTER- RECYCLED	F1	Teijin Frontier CO., LTD	1,96	YD	True Black YQ2896-1	Oak Brown A64345-A	Deep Teal A64345-A	Dew Green A69821-E
Knits	372 MOREA	Matte Polyamide with high stretch and slightly brushed back, 170g 80% POLYAMIDE, 20% ELASTANE	F2 - Cuff	HUNG YEN KNITTING & DYEING	0,06	M	True Black Nero 9265	Magnetite Titanium 9154	Tarn Blue Blu Assoluto 6219	Magnetite Titanium 9154
Downproof	Z2367F	Woven fabric DWR 75% POLYESTER- RECYCLED, 25% POLYESTER	L1	Teijin Frontier CO., LTD	1,85	YD	True Black A62884	Concrete A64338-A	Magnetite A64338-A	Concrete A64338-A
Knits	RC-3617-130	Brushed tricot for chinguard, 130g 100% POLYESTER- RECYCLED	L2 - insideof neck+ inside of pocket bag	Burltex (Tai Tung Interlining International Ltd.)	0,3	YD	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130
Woven uncoated	Q140N-3011A000	Plain tafetta lining, 83g 100% POLYESTER RECYCLED	L3 - pocket bag + on inside of CF placket	Formosa	0,21	YD	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Concrete VHT8Q01-F
Zip (3)										
Package	VSOR-56 DA8LHD EJ P14 KENSIN N-ANTI	1-way Open End size #5 Vislon auto-lock slider in color EJ (Shiny enamel finish PFAS-free), CAN CPSC	CF zip	YKK	1	PCS	True Black 580	Oak Brown VN: V7B18 CH: LAO: V7B18	Deep Teal 908	Dew Green VN: VP443, LAO: VP443
Running meter	03 CF CHAIN PBR*	Running meter chain size #3 coil	For hand pocket zippers + inside pocket zip - chain	YKK	0,45	M	True Black 580	Oak Brown VN: V7B18 CH: LAO: V7B18	Deep Teal 908	Dew Green VN: VP443, LAO: VP443

Displaying 1 - 7 of 31 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Oak Brown	Deep Teal	Dew Green
							Colorway	Colorway	Colorway	Colorway
Separate slider	03 C DFBW EJ PARTS KENSIN N-ANTI	Slider for size #3 coil reverse non-lock EJ (Shiny enamel PFAS-free)	Hand pocket zip + inside pocket zip-slider	YKK	3	PCS	True Black slider colour matched to zippertape	Oak Brown	Deep Teal	Dew Green
Trim (14)										
Synthetic Insulation	Flexway 60gsm	Syntethic 4-way stretch insulation 60g 75% POLYESTER- RECYCLED, 25% POLYESTER	I2- see placement in sketch	Shinih Enterpirse CO., Ltd.	1,72	YD	White	White	White	White
Webbing	HTCWHL-15-6mm	Two Color Webbing Hangloop 6mm BLUESIGN 100% POLYESTER	At outside neck	Trim Service	1	PCS	True black/Magnetite HTCWHL-15-6mm	Warm Grey/Oakbrown	True black/Magnetite HTCWHL-15-6mm	Warm Grey/Oakbrown
Puller	HPPM-15	H P Puller Medium BLUESIGN 80% THERMOPLASTIC POLYURETHANE, 20% POLYESTER	Hand pockets pullers	Trim Service	2	PCS	True Black HPPM-15	Magnetite HPPM-15	True Black HPPM-15	Warm Grey
Puller	HPPS-15	H P Puller Small BLUESIGN 80% THERMOPLASTIC POLYURETHANE, 20% POLYESTER	At inside pocket	Trim Service	1	PCS	True Black HPPS-15	Magnetite HPPS-15	True Black HPPS-15	Warm Grey
Puller	HPPM-15	H P Puller Medium BLUESIGN 80% THERMOPLASTIC POLYURETHANE, 20% POLYESTER	Puller for CF zip	Trim Service	1	PCS	True Black HPPM-15	Magnetite HPPM-15	True Black HPPM-15	Warm Grey
Cord Lock	TS 664	Cord Stopper TS664 BLUESIGN 100% POLYAMIDE	At back of hood	Trim Service	1	PCS	True Black TS 664	Transparent	Transparent	Transparent
Cord Lock	HPCSL-15	H P Cord Loop Stop	At back of hood	Trim Service	1	PCS	True Black HPCSL-15	Transparent	Transparent	Transparent
Displaying 8 - 15 of 31 results										

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Oak Brown	Deep Teal	Dew Green
							Colorway	Colorway	Colorway	Colorway
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	To hold stoppers at back of hood and at bottom hem	Trim Service	0,33	YD	True Black HTCW-14 5mm	Warm Grey	Tarn Blue HTCW-14 5mm (19-4009 TCX)	Chlorophyll Green
Eyelet	EYHAGL801	Round Eyelet Mid	At back of hood	Wasa Sweden AB	1	PCS	True Black 46814/ EYHAGL801T.BLA	Oak Brown EYHAGL801OABRO	Tarn Blue EYHAGL801TABLU	Warm Grey
Cord Lock	TS 664	Cord Stopper TS664 BLUESIGN 100% POLYAMIDE	At bottom hem	Trim Service	2	PCS	True Black TS 664	Transparent	Transparent	Transparent
Cord Lock	HPCSL-15	H P Cord Loop Stop	At bottom hem	Trim Service	2	PCS	True Black HPCSL-15	Transparent	Transparent	Transparent
Elastic cord	2mm cord	2mm elastic cord	At bottom hem and at hood adjustment	Trim Service	2,9	YD	True Black 2mm cord	Oak Brown	Tarn Blue 2mm cord (19-4009 TCX)	Chlorophyll Green
Logo Label	Sylko thread	LOCAL - Embroidery Eyelets	At bottom hem	Nasa	4	PCS	True Black	Oak Brown	Tarn Blue	Dew Green
Webbing	DW-0979	13MM width woven webbing , non elastic (Explore Patterned Webbing) 100% POLYESTER	Explore webbing. Pls see placement on design sketch.	Dragon Times	0,05	PCS	Signal Yellow	Signal Yellow	Signal Yellow	Signal Yellow
Label (5)										
Logo Label	Sylko thread	LOCAL - "H" symbol embroidered SMALL 20mm x 25mm	For logo placement pls see sketch.	Nasa	1	PCS	Magnetite	Teak Brown	Mountain Teal	Chlorophyll Green
Displaying 16 - 23 of 31 results										

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Oak Brown	Deep Teal	Dew Green
							Colorway	Colorway	Colorway	Colorway
Logo Label	Sylko thread	LOCAL - "H" symbol embroidered SMALL 20mm x 25mm	For logo placement pls see sketch.	Nasa	1	PCS	Magnetite	Teak Brown	Mountain Teal	Chlorophyll Green
Logo Label	Sylko thread	LOCAL - "Haglofs" wordmark embroidered MEDIUM 11mm x 37mm	For logo placement pls see sketch.	Nasa	1	PCS	Magnetite	Teak Brown	Mountain Teal	Chlorophyll Green
Size Label	HAG 112 HAG 114, HAG 116	H Folded Size Label MEN XS-XXL BLUESIGN. Order length and size according to PO 100% POLYESTER	Size label	Nilorn East Asia Ltd.	1	PCS	Magnetite HAG 112 + size, HAG 114 + size (LONG), HAG 116 + size (SHORT)	Magnetite HAG 112 + size, HAG 114 + size (LONG), HAG 116 + size (SHORT)	Magnetite HAG 112 + size, HAG 114 + size (LONG), HAG 116 + size (SHORT)	Magnetite HAG 112 + size, HAG 114 + size (LONG), HAG 116 + size (SHORT)
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER		Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE
Packaging (4)										
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st		Nilorn East Asia Ltd.	1	PCS	None	None	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd		Nilorn East Asia Ltd.	1	PCS	None	None	None	None
Hangtag	HAG 2019	Mimic Silver Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: always after product specific		Nilorn East Asia Ltd.	1	PCS	Silver	Silver	Silver	Silver
Polybag		Polybag quality pls see our TOA			1		Transparent	Transparent	Transparent	Transparent

Haglöfs		Mimic Alert Hood Men-607444		607444J4 m-list 2024-01-18		Draft-Sample 29.05.2025, 8:45 AM	
Size Chart	607444J4 m-list 2024-01-18	Construction Type	Pattern Base	Description			
Tolerance	Jackets(shell/softshell/insulation)	Fit	Standard	Revision	1		
Size Range	S-XXXL	Comment	JSS comments 2024-01-18: * Fit looks nice and ok. Pattern is partly a pattern base, pls trace out missing pieces according to design sketch and lines at pattern.				
Sizes	S-XXXL						
Base Size	L						
Grading	Men's Uppers Size L						
Pattern Number	607444J4						
Pattern Number (Revision)							

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	XXXL	Comment
Chest			-2,000	2,000		112,900	118,900	124,900	130,900	136,900	144,900	
Waist			-2,000	2,000		102,300	108,300	114,300	120,300	126,300	134,300	
Bottom			-2,000	2,000		108,000	114,000	120,000	126,000	132,000	140,000	
Back length, at cb			-1,000	1,000		74,000	75,000	76,000	77,000	78,000	79,000	
Back length to waistline, at cb			-1,000	1,000		48,400	49,200	50,000	50,800	51,600	52,400	
Armhole depth, at cb			-1,500	1,500		24,000	24,800	25,600	26,400	27,200	28,000	
Back width, at seam		straight across	-1,000	1,000		43,700	45,700	47,700	49,700	51,700	54,300	
Sleeve length fr. neck			-1,000	1,000		83,100	84,700	86,300	87,900	89,500	91,100	
Bicep			-1,000	1,000		47,900	49,900	51,900	53,900	55,900	57,900	
Elbow			-1,000	1,000		34,100	35,500	36,900	38,300	39,700	41,100	
Bottom sleeve, cuff		relaxed	-1,000	1,000		21,400	22,200	23,000	23,800	24,600	25,400	
Bottom sleeve, extended			-1,000	1,000		28,200	29,000	29,800	30,600	31,400	32,200	
Front length, at cf			-1,000	1,000		61,300	62,000	62,700	63,400	64,100	64,800	
Neckline, excl. zip			-1,000	1,000		50,000	51,500	53,000	54,500	56,000	57,500	

Displaying 1 - 14 of 24 results

Units: CM Grading Display: Absolute

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	XXXL	Comment
Neck drop cb			-0,500	0,500		2,000	2,000	2,000	2,000	2,000	2,000	
Neck drop cf			-0,500	0,500		10,600	10,900	11,200	11,500	11,800	12,100	
Neck width			-0,500	0,500		17,800	18,400	19,000	19,600	20,200	20,800	
Hood width		at seam	-1,000	1,000		48,000	49,500	51,000	52,500	54,000	55,500	
Hood height			-1,000	1,000		34,800	35,400	36,000	36,600	37,200	37,800	
Hood cf			-0,500	0,500		13,600	13,900	14,200	14,500	14,800	15,100	
Hood opening			-1,000	1,000		55,600	56,200	56,800	57,400	58,000	58,600	
Front zip			-1,000	1,000		74,500	75,500	76,500	77,500	78,500	79,500	
Sidepkt zip			-1,000	1,000		18,000	19,000	19,000	20,000	20,000	21,000	
Innerpkt zip			-1,000	1,000		15,000	16,000	16,000	17,000	17,000	18,000	

Displaying 15 - 24 of 24 results

Units: CM Grading Display: Absolute

Points of Measure Gallery



Chest
Description:



Waist
Description:



Bottom
Description:







Back length, at cb
Description:

Points of Measure Gallery

			
Back length to waistline, at cb Description:	Armhole depth, at cb Description:	Back width, at seam Description:	Sleeve length fr. neck Description:
			
Bicep Description:	Elbow Description:	Bottom sleeve, cuff Description:	Bottom sleeve, extended Description:
			
Front length, at cf Description:	Neckline, excl. zip Description:	Neck drop cb Description:	Neck drop cf Description:


Points of Measure Gallery

			
Neck width Description:	Hood width Description:	Hood height Description:	Hood cf Description:
			
Hood opening Description:	Front zip Description:	Sidepkt zip Description:	Innerpkt zip Description:

Labeled Images

OVERVIEW COLORSKETCH	OUT	STYLE NAME: 607444	 Haglöfs
    DEW GREEN CO DEEP TEAL CO OAK BROWN CO TRUE BLACK			
01. Color Overview			

Labeled Images

MAIN SKETCH	OUT	STYLE NAME: 607444	
			
02. Overview Sketch			

Labeled Images

INSIDE SKETCH

OUT

STYLE NAME: 607444

Haglöfs

INSULATION

60g insulation on full body
Note: no lining in this picture
(only shell F1 and insulation L1)

LINING

Lining view:
Note: lining created with minimal seams

POCKETBAG

Hand pkt bag:
Outer pkt front bag: made of L2
Inner pkt back bag: made of L3

FACE 1
F1

FACE 2
F2

LINING 1
L1

LINING 2
L2

INSULATION
I1
SHEET 60G

LINING 3
L3




H Folded Neck Label

Inside pkt
#3 rev coil zip
HP puller S


Adjustable hem:
- 2mm el cord
- TS664 cordstopper
- 5mm fixing webbing
- HP cord loop stop

04. Inside Sketch


Labeled Images

DETAIL SKETCH	OUT	STYLE NAME: 607444	
Hood outside view: Shaped hood with adjustment at back  Barfac Hood inside view without lining: One point adjustable hood  interlining hood seam inner side Adjustable hood cordstopper TS664 HP Cord Loop Stop 5mm fixing webbing Haglöfs eyelet Mid F1 tab to hold cord in the place Hood CB outside view: 			
12. Detail Sketch 2			


Labeled Images






Labeled Images



Labeled Images



Labeled Images

DETAIL SKETCH	OUT	STYLE NAME: 607444	
Hood outside view: Shaped hood with adjustment at back  Bartac Hood inside view without lining: One point adjustable hood  interlining hood seam inner side F1 tab to hold cord in the place Adjustable hood cordstopper TS664 HP Cord Loop Stop 5mm fixing webbing Haglöfs eyelet Mid Hood CB outside view: 			
16. Hood Instruction			

Haglöfs	Mimic Alert Hood Men-607444	SMS comments	Draft 29.05.2025, 8:45 AM
Commented by: Jenny Yip Date: May 14,2025 Next sample: No Sample SMS comments: Dew Green -OK			