


Properties

Season	SS26	Carryover Colors	
Code	608159	Responsible	Matilda Sandberg
Style	L.I.M Pace Shorts Men	Development	
Carry Over		Responsible Pattern	Ulrika Moberg

Colorway Gallery



Chalk Beige

Colorway Code: 5S9


Active: ✓



Chlorophyll Green

Colorway Code: 5YE

Active: ✓



Purple Fog

Colorway Code: 5YK

Active: ✓



True Black

Colorway Code: 2C5

Active: ✓

Haglöfs	L.I.M Pace Shorts Men-608159	L.I.M Pace Shorts Men-608159	Draft-Sample 02.10.2025, 6:54 AM
---------	------------------------------	------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Chlorophyll Green	Purple Fog	True Black	Chalk Beige
							Colorway	Colorway	Colorway	Colorway
Fabric (2)										
Woven uncoated	C3D20017-Q	Climatic Lite, 102g 93% POLYAMIDE- RECYCLED, 7% ELASTANE	F1	VIETNAM DE LICACY INDUSTRIAL CO., LTD	0,75	YD	Chlorophyll Green V241025-1C	Purple Fog V241028-1C	True Black C3D20017-Q	Chalk Beige V230891-1C
Knits	DSC01302	Recycled polyester mesh 70g 100% POLYESTER- RECYCLED	mesh pkt lining	Duck San CO.,LTD	0,44	YD	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	True Black 26-10-2023 #B	Concrete 31-10-2023 #B
Zip (2)										
Package	CHC-31 DFY599 P12 KENSIN N-ANTI P-TOP	1-way Closed End size #3 Coil concealed, singel slider to pocket, non-lock with slider color C5 (Silver) or V3 (Black Silver). See separate line for rubber col.	Side pocket	YKK	1	PCS	C5 - Dew Green VN: VP443, LAO: VP443	C5 - Purple Fog 380	V3 - True Black 580	C5 - Chalk Beige 085 - from FW26 use "Warm Grey"
Separate slider	Rubber colour for YKK zip slider Y599		Side pocket - Zip Slider - Rubber color	YKK	1	PCS	Tech Bright Yellow YKK Rubber col ref: XQ	Tech Red YKK Rubber col ref: XY	True Black YKK Rubber col ref: Rubber col ref: A	Tech Bright Yellow YKK Rubber col ref: XQ
Trim (6)										
Webbing	HTELW-13-5mm	Low-elastic lace 5mm	Elastic lace - inside waist tunnel	Trim Service	1	YD	Tech Bright Yellow	Tech Red	True Black	Tech Bright Yellow
Thread	Astra tex 27	LOCAL - Embroidery Eyelets/Button Holes	inside CF	Coats Phong Phu	2	PCS	Chlorophyll Green	Purple Fog	True Black	Chalk Beige
Puller	NF-0526	L.I.M Puller (short) 100% Recycled polyester	in slider	Dragon Times	1	PCS	Tech Bright Yellow	Tech Red BC000039	True Black NF-0526	Tech Bright Yellow

Displaying 1 - 7 of 19 results

Haglöfs	L.I.M Pace Shorts Men-608159	L.I.M Pace Shorts Men-608159	Draft-Sample 02.10.2025, 6:54 AM
---------	------------------------------	------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Chlorophyll Green	Purple Fog	True Black	Chalk Beige
							Colorway	Colorway	Colorway	Colorway
Elastic	NW-0438	40mm Elastic webbing, no logo 83% POLYESTER, 17% ELASTANE	at waist - acc to sketch	Dragon Times	1,14	YD	Tech Bright Yellow	Tech Red	Black NW-0438	Tech Bright Yellow
Static cord	HTTCW-13	1mm thin static cord	at back - acc to sketch	Trim Service	0,13	YD	Tech Bright Yellow	Tech Red	True Black	Tech Bright Yellow
Webbing	DW-1031	Signature Explore Necklabel 10mm 100% POLYESTER	at back next to size label	Dragon Times	1	YD	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Label (5)										
Print Label	HAG 474 & 481	20x25mm (H) SMALL Reflective transfer 30 - 40%: pigmented, water-based polyurethane paints 60 - 70%: water-based polyurethane hot melt adhesives	acc to sketch	Nilorn East Asia Ltd.	1	PCS	Lt Grey Logo HAG 474	Lt Grey Logo HAG 474	Dk Grey Logo HAG 481	Lt Grey Logo HAG 474
Print Label	HAG 476 & 483	37x11mm (Haglöfs) MEDIUM Reflective transfer 30 - 40%: pigmented, water-based polyurethane paints 60 - 70%: water-based polyurethane hot melt adhesives	acc to sketch	Nilorn East Asia Ltd.	1	PCS	Lt Grey Logo HAG 476	Lt Grey Logo HAG 476	Dk Grey Logo HAG 483	Lt Grey Logo HAG 476
Print Label	HAG 4021, HAG 4022, HAG 4023	L.I.M reflective transfer 40x8,5mm	acc to sketch	Nilorn East Asia Ltd.	1	PCS	Tech Bright Yellow HAG 4023	Lt Grey Logo HAG 4021	Dk Grey Logo HAG 4022	Tech Bright Yellow HAG 4023
Size Label	DL-4467, DL4636, DL-4637	LIM/ZT sizelabel Brandplatform. Order size according to PO	at center of inside back	Dragon Times	1	PCS	Transparent DL-4467-001 LIM series + size, DL-4636-001 + size (long), DL-4637-001+size (short)	Transparent DL-4467-001 LIM series + size, DL-4636-001 + size (long), DL-4637-001+size (short)	Transparent DL-4467-001 LIM series + size, DL-4636-001 + size (long), DL-4637-001+size (short)	Transparent DL-4467-001 LIM series + size, DL-4636-001 + size (long), DL-4637-001+size (short)

Displaying 8 - 14 of 19 results

Placements


Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Chlorophyll Green	Purple Fog	True Black	Chalk Beige
							Colorway	Colorway	Colorway	Colorway
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER		Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE
Packaging (4)										
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	in right side belt loop Placement: 1	Nilorn East Asia Ltd.	1	PCS	None	None	None	None
Hangtag	HAG 2010	L.I.M Series Hangtag, 55x132mm, Placement: Always 2nd	Placement: 2	Nilorn East Asia Ltd.	1	PCS	None	None	None	None
Hangtag	HAG 2012	Product specific Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: Always 3rd	Placement: 3	Nilorn East Asia Ltd.	1	PCS	None	None	None	None
Polybag		Polybag quality pls see our TOA			1	PCS	Transparent	Transparent	Transparent	Transparent
Displaying 15 - 19 of 19 results										

Haglöfs		L.I.M Pace Shorts Men-608159		608159P4 m-list 2025-08-14		Draft-Sample 02.10.2025, 6:54 AM	
Size Chart	608159P4 m-list 2025-08-14	Pattern Number (Revision)	608159P4	Comment	JSS comments 2025-08-14: Grading looks nice and ok in general.		
Tolerance	Pants/bibs/Skirts						
Size Range	S-XXL	Construction Type	Pattern Base				
Sizes	S-XXL	Fit	Standard				
Base Size	L			Description			
Grading	Men's Lowers Size L			Revision	9		
Pattern Number	608159P4						


Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	Comment
Waistband		relaxed	-1,500	1,500		76,000	82,000	88,000	94,000	100,000	
Waistband, extended			-1,500	1,500		95,400	101,400	107,400	113,400	119,400	
Seat 2/3 of front rise			-1,500	1,500		102,400	108,400	114,400	120,400	126,400	
Thigh			-1,000	1,000		70,200	73,200	76,200	79,200	82,200	
Bottom leg, shorts		without slit	-0,750	0,750		58,000	60,400	62,800	65,200	67,600	
Slit length		on front piece	-1,000	1,000		6,000	6,000	6,000	6,000	6,000	
Front rise incl. waistband, incl. ½ crotch insert			-0,500	0,500		25,500	26,500	27,500	28,500	29,500	
Back rise incl. waistband, incl. ½ crotch insert			-0,500	0,500		36,600	37,800	39,000	40,200	41,400	
Crotch insert			-0,500	0,500		9,700	9,700	9,700	9,700	9,700	
Inseam, shorts			-1,000	1,000		17,500	17,750	18,000	18,250	18,500	
Frontpkt zip			-1,000	1,000		14,000	15,000	15,000	16,000	16,000	
Displaying 11 results						Units: CM Grading Display: Absolute					


Points of Measure Gallery

			
Waistband Description:	Waistband, extended Description:	Seat 2/3 of front rise Description:	Thigh Description:
			
Bottom leg, shorts Description:	Slit length Description:	Front rise incl. waistband, incl. ½ crotch insert Description:	Back rise incl. waistband, incl. ½ crotch insert Description:
			
Crotch insert Description:	Inseam, shorts Description:	Frontpkt zip Description:	

Labeled Images

COLOR OVERVIEW	OUT	STYLE NAME: 608159	 Haglöfs
 Chalk Beige  Chlorophyll Green  Purple Fog  True Black			
01. Color Overview			

Labeled Images

OVERVIEW SKETCH	LIM	STYLE NAME: 608159	 Haglöfs
			
02. Overview Sketch			

Labeled Images

INSIDE SKETCH


LIM

STYLE NAME: 608159



FACE 1
F1

LINING 1
L1



04. Inside Sketch


Labeled Images

LOGO INSTRUCTION

LIM

STYLE NAME: 608159





25mm

25mm

H Symbol Small




Haglöfs wordmark Medium



25mm

25mm


Haglöfs



25mm

25mm

Align




25mm

Align

LIM Series Logo



Application of explore webbing to size label, att. inside CB



stitch/seam

9mm


0,9 cm folded loop

Explore webbing

2mm


L.I.M SERIES SMALL

Haglöfs



Center

Haglöfs



40mm

WW




WW

L.I.M Back Hanger loop


60mm length

1 mm static cord


Labeled Images

FABRIC INSTRUCTION	LIM	STYLE NAME: 608159	 Haglöfs
FACE 1 F1 LINING 1 L1 			
12. Fabric Instruction			

Labeled Images

TRIM & ACC INSTRUCTION	LIM	STYLE NAME: 608159	 Haglöfs
5mm solid webbing inside waist tunnel -sewn eyelets Waistband elastic Side pocket #3 concealed zip, LIM puller short elastic belt is 2mm visible to outside at top 			
13. Trim & Acc. Instruction			

Labeled Images

STITCH & LAMINATION INSTRUCTION	LIM	STYLE NAME: 608159	 Haglöfs
 2-needle stitch single stitch single stitch bartack bartack Side seam shifted towards back 15mm			
14. Stitch & Lamination Instruction			

Haglöfs				L.I.M Pace Shorts Men-608159				JSS		Approved 14.08.2025, 7:19 AM	
Size Chart Review		JSS		Size Chart		608159P4 m-list 2025-08-14		Base Size		L	
Description				Size Range		S-XXL		Grading		Men's Lowers Size L	
Pattern Number		608159P4		Sizes		S-XXL					
Construction Type		Pattern Base		Tolerance		Pants/bibs/Skirts					

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S JSS				L JSS				XXL JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Waistband		relaxed	-1,500	1,500		76,000	76,000	0,000		88,000	88,000	0,000		100,000	101,000	1,000			
Waistband, extended			-1,500	1,500		95,400	95,000	-0,400		107,400	107,000	-0,400		119,400	119,000	-0,400			
Seat 2/3 of front rise			-1,500	1,500		102,400	101,400	-1,000		114,400	113,000	-1,400		126,400	126,400	0,000			
Thigh			-1,000	1,000		70,200	69,200	-1,000		76,200	75,600	-0,600		82,200	82,200	0,000			
Bottom leg, shorts		without slit	-0,750	0,750		58,000	58,000	0,000		62,800	62,200	-0,600		67,600	67,600	0,000			
Slit length		on front piece	-1,000	1,000		6,000	6,000	0,000		6,000	6,000	0,000		6,000	6,000	0,000			
Front rise incl. waistband, incl. ½ crotch insert			-0,500	0,500		25,500	25,500	0,000		27,500	27,500	0,000		29,500	29,500	0,000			
Back rise incl. waistband, incl. ½ crotch insert			-0,500	0,500		36,600	36,200	-0,400		39,000	39,600	0,600		41,400	41,000	-0,400			

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S JSS				L JSS				XXL JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Crotch insert			-0,500	0,500		9,700	9,700	0,000		9,700	9,500	-0,200		9,700	9,500	-0,200			
Inseam, shorts			-1,000	1,000		17,500	17,200	-0,300		18,000	18,000	0,000		18,500	18,900	0,400			
Frontpkt zip			-1,000	1,000		14,000	13,800	-0,200		15,000	15,400	0,400		16,000	16,000	0,000			
Displaying 9 - 11 of 11 results																			Units: CM

Haglöfs	L.I.M Pace Shorts Men-608159	PPS com	Draft 02.10.2025, 6:54 AM
Commented by: Matilda Date: 2025-10-01 Next sample: Shipment Sample PPS comments: General comments: * Make sure all seams are secured. * Make sure all loose threads are trimmed. * Sample ok			