


ASICS	AHQ MATCH LASER CUT SHORT WOMEN WESTERN _2042A430	SS26-2042A430-VTS-PP Comments	Wednesday, September 3, 2025 at 3:32:36 PM Japan Standard Time
-------	--	----------------------------------	--

Sample Ex Factory Date	Sample Stage	FINAL	Sample Type	PRE PRODUCTION
------------------------	--------------	-------	-------------	----------------

Properties



Item Trading Code	2042A430	Size Range	(GLB) WOMEN'S:AP
Article Description	MATCH LASER CUT SHORT	Sizes	XS-XL
Season	26SS	Fit	REGULAR
BOM Stage	FINAL	Pattern	WESTERN
Product Type	APPAREL	Number of Colorways	1
Brand	ASICS		

Marketing Information

Category 4	TENNIS
------------	--------

Product Management

Gender	WOMEN
--------	-------

Person in Charge

Developer 1	Yulia Bergevoet
-------------	-----------------

Sourcing Information

Supplier	VIETSUN INVESTMENT CORPORATION	Factory2
Factory1	VIET DUC INT.CO.LTD	Factory2 COO
Factory1 COO	VIETNAM	

Colorway Gallery



ILLUMINATE GREEN

Color Code: 300

Description:


Active: ✓

Data Sheets

Data Sheet	Type	Phase	Revision	Is Current	State	State Modified Date	State Modified By	View	Product	Product Color
PPS Comments	Item Review		1	✓	DRAFT				AHQ MATCH LASER CUT SHORT WOMEN WESTERN _2042A430	
Size Chart Review - PPS	Size Chart Review		1	✓	APPROVED	8/16/2025, 3:56 AM	Yulia Bergevoet	APP:Size Chart Review	AHQ MATCH LASER CUT SHORT WOMEN WESTERN _2042A430	
BOM-2042A430	Item BOM	Production	3	✓	APPROVED	8/19/2025, 4:22 AM	Yulia Bergevoet	APP:BOM_TDS_DP	AHQ MATCH LASER CUT SHORT WOMEN WESTERN _2042A430	
Displaying 1 - 3 of 5 results										

Data Sheets

Data Sheet	Type	Phase	Revision	Is Current	State	State Modified Date	State Modified By	View	Product	Product Color
Image Data Sheet-2042A430	Image Data Sheet	Production	2	✓	APPROVED	5/4/2025, 2:37 AM	Yulia Bergevoet	APP:Image Data Sheet	AHQ MATCH LASER CUT SHORT WOMEN WESTERN _2042A430	
2042A352_WWWSPN-4	Size Chart	Production	17	✓	APPROVED	9/1/2025, 8:24 PM	Yulia Bergevoet	APP:Size Chart_DP(Absolute)	AHQ MATCH LASER CUT SHORT WOMEN WESTERN _2042A430	
Displaying 4 - 5 of 5 results										



Item Review	PPS Comments	Subtype Enum
Description		

ASICS	AHQ MATCH LASER CUT SHORT WOMEN WESTERN _2042A430	PPS Comments	Draft 9/3/2025, 3:31 PM
Yulia Bergevoet Aug 19 4:25 AM PRE PRODUCTION COMMENTS MATERIALS/ COLORS: * SMS fabric used for PPS. Pls submit top sample in bulk fabric for reference. * Laser cut looks sharp. Pls follow sharp/clean placement for bulk. SIZESPEC/FIT: Overall measurements are within tolerance. Fit looks overall ok. * There is some confusion about the placement of the Spiral. The position was approved as per SMS, pls follow this and advise the correct measurements. TRIMS: * Bonded WB is still standing off a bit. If possible pls angle a little bit. Pls make sure there is no excess top fabric (Liverpool) on the WB like on 2042A433. WORKMANSHIP: * Please take care of overall neat workmanship in production. * A lot of puckering/ gathering at WB, especially at the back. Centre back looks wrinkled and messy overall, pls improve in production. See page 3 + 4. * Bottom hem is wavy too, see page 4. PLS FOLLOW ALL COMMENTS AND CONTINUE FOR PRODUCTION. PLS SUBMIT TOP SAMPLE FOR REFERENCE + TRIMS CARDS FOR APPROVAL			







Uneven gathering at Waistband

Wavy at bottom hem

Evaluation - M

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	M						M						M						M						Review Comment					
						Size Chart Review - 2ND						Size Chart Review - SMS						Size Chart Review - FIT						Size Chart Review - PPS											
						Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	Target	Sample Actual	Sample Actual Delta		Actual	Actual Delta	Revised	Revised Delta	
SHORTS																																			
B03		1/2 Waist Width, Relaxed	-0.5	0.5		35.0			36.0	1.0	35.0		35.0			35.5	0.5	35.0		35.0			35.0	0.0	35.0		35.0			35.0	0.0	35.0			
B04		1/2 Waist Width, Stretched (Pattern)	-0.5	1.0		50.2			49.0	-1.2	50.2		50.2			50.2	0.0	50.2		50.2			50.2	0.0	50.2		50.2			50.0	-0.2	50.2			
B06		Hip Position from WB edge	-0.5	0.5		22.5			22.5	0.0	22.5		22.5			22.5	0.0	22.5		22.5			22.5	0.0	22.5		22.5			22.5	0.0	22.5			
B07		1/2 Hip Width	-0.5	1.0		57.0			57.0	0.0	57.0		57.0			57.0	0.0	57.0		57.0			56.0	-1.0	57.0		57.0			57.0	0.0	57.0			
B10		1/2 Thigh Width	-0.5	1.0		36.5			36.5	0.0	36.5		36.5			37.0	0.5	36.5		36.5			36.0	-0.5	36.5		36.5			37.2	0.7	36.5			
B14		1/2 Open Leg Hem (Inseam : 10.0 < 17.5)	-0.5	1.0		36.5			36.5	0.0	36.5		36.5			36.0	-0.5	36.5		36.5			36.0	-0.5	36.5		36.5			36.5	0.0	36.5			
B16		Front Rise, incl. WB	-0.5	0.5		29.0			29.0	0.0	29.0		30.0			31.3	1.3	30.0		30.0			30.0	0.0	30.0		30.0			30.0	0.0	30.0			
B17		Back Rise, incl. WB	-0.5	1.0		38.0			39.0	1.0	38.0		37.0			37.9	0.9	37.0		37.0			37.6	0.6	37.0		37.0			37.5	0.5	37.0			
B18		Inseam (10.0 < 17.5)	-0.3	0.3		5.2			5.0	-0.2	5.2		5.2			5.2	0.0	5.2		5.2			5.2	0.0	5.2		5.2			5.5	0.3	5.2			
B22		Gusset from Frontrise to Backrise	-0.3	0.3		6.0			6.0	0.0	6.0		6.0			5.7	-0.3	6.0		6.0			6.2	0.2	6.0		6.0			6.0	0.0	6.0			
B31		Waist Height	-0.3	0.3					9.0	9.0	7.5	7.5	7.5			8.2	0.7	7.5		7.5			7.4	-0.1	7.5		7.5			7.5	0.0	7.5			
B31		Waist Height	-0.3	0.3					9.0	9.0	9.0	9.0	7.5			8.2	0.7	7.5		7.5			7.4	-0.1	7.5		7.5			7.5	0.0	7.5			
INNER TIGHTS																																			
B04		1/2 Waist Width, Stretched (Pattern)	-0.5	1.0		38.5			38.5	0.0	38.5		38.5			38.5	0.0	38.5		38.5			39.0	0.5	38.5		38.5			38.5	0.0	38.5			
B58		1/2 Liner Hip Width	-0.5	1.0		42.1			42.8	0.7	42.1		42.2			42.0	-0.2	42.2		42.2			42.2	0.0	42.2		42.2			42.5	0.3	42.2			
B59		Liner Hip Width Position from WB seam or lowest WB stich	-0.5	0.5		14.0			14.0	0.0	14.0		14.0			14.0	0.0	14.0		14.0			14.0	0.0	14.0		14.0			14.0	0.0	14.0			
Displaying 1 - 17 of 27 results																																			
Units: CM																																			

Evaluation - M

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	M						M						M						M						Review Comment				
						Size Chart Review - 2ND						Size Chart Review - SMS						Size Chart Review - FIT						Size Chart Review - PPS										
						Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	Target	Sample Actual	Sample Actual Delta		Actual	Actual Delta	Revised	Revised Delta
B60		Inner Short Thigh Width	-0.5	0.5		25.5			26.0	0.5	25.5		25.3			25.2	-0.1	25.3		25.3			25.0	-0.3	25.3		25.3			25.3	0.0	25.3		
B61		Inner Short Thigh Position "Gusset Design" from gusset	-0.3	0.3		4.1			4.1	0.0	4.1		4.1			4.1	0.0	4.1		4.1			4.1	0.0	4.1		4.1			4.1	0.0	4.1		
B57		1/2 Leg Opening Inner short (2N1) (Inseam : 0 < 10.0)	-0.5	0.5		21.0			22.0	1.0	21.0		21.0			23.0	2.0	21.0		21.0			21.0	0.0	21.0		21.0			21.5	0.5	21.0		
B56		Inseam Inner short (2N1)	-0.3	0.3		9.0			9.0	0.0	9.0		9.0			9.0	0.0	9.0		9.0			9.0	0.0	9.0		9.0			9.0	0.0	9.0		
B49		Liner Front Rise, excl. WB	-0.5	0.5		19.7			20.0	0.3	19.7		19.0			20.5	1.5	19.0		19.0			19.5	0.5	19.0		19.0			19.5	0.5	19.0		
B50		Liner Back Rise, excl. WB	-0.5	0.5		26.0			26.0	0.0	26.0		27.0			26.5	-0.5	27.0		27.0			27.0	0.0	27.0		27.0			27.0	0.0	27.0		
B62		Inner Short Gusset from Front Rise to Back Rise	-0.3	0.3		6.1			6.1	0.0	6.1		6.1			5.9	-0.2	6.1		6.1			6.0	-0.1	6.1		6.1			6.1	0.0	6.1		
LOGO																																		
M05		on Hem up from Hem edge	-0.3	-0.3		3.5			3.5	0.0	3.5					15.0	15.0			15.0			14.5	-0.5	15.0		7.0			15.0	8.0	7.0		
M06		on Hem from Side Seam	-0.3	-0.3		5.5			5.5	0.0	5.5					6.7	6.7			7.0			7.0	0.0	7.0		15.0			7.0	-8.0	15.0		
Displaying 18 - 27 of 27 results																																		
Units: CM																																		

Placements

Main Material	Type	Image	Material Generated Material Code	Material Supplier Material Code	Material	COO	Material Description	Composition	Sustainable Material	Sustainable Information	Status	Common Size	Usage/	UOM	Supplier	Supplier Quote	Unit Price	Seasons	Placement	ILLUMINATE GREEN_300		Comment
																				Color	Color Status	
FABRIC (3)																						
✓	FABRIC		FAB6504197	C36998-4Q VN	HOUSTON-(RECYCLED), wicking, 4 Way Stretch Woven--C36998-4Q VN	VIETNAM	TAFFETA	87% Recycled Polyester, 13% Spandex	✓	RECYCLED 87%	APPROVED		0	m	DE LICACY	DE LICACY-FOB-VIETNAM	2.580	23SS	B /SHORT	GN78F-24S ILLUMINATE GREEN 	Approved 11/18/2024, 3:22 PM	
	FABRIC		FAB8190176	A10DEPE0002	LIVERPOOL, ASICS RUN, INTERLOCK, A10DEPE0002, 79% RECYCLED, 240GSM	CAMBODIA	INTERLOCK	79% Recycled Polyester, 21% Spandex	✓		APPROVED		0.458	YD	SABRINA	SABRINA-FOB	3.580	25SS	A/ Waistband	GN78F-24S ILLUMINATE GREEN 	LIMITED APPROVED 1/8/2025, 8:05 PM	
	FABRIC		FAB8190176	A10DEPE0002	LIVERPOOL, ASICS RUN, INTERLOCK, A10DEPE0002, 79% RECYCLED, 240GSM		INTERLOCK	79% Recycled Polyester, 21% Spandex	✓		APPROVED		0.298		SABRINA		0.000		C/ INNER SHORTS	GN78F-24S ILLUMINATE GREEN 	LIMITED APPROVED 1/8/2025, 8:05 PM	
TRIM (6)																						
	THREAD		THR4442003	Coats Ecoverde	Recycled Thread-THR4442003-Coats Ecoverde								0		COATS		0.000		ALL SEAM, WHERE APPLICABLE			
	LABELING		LAB8614554	AS-HTL36-SC	Asics Raised Silicon Spiral, 36x35mm, AS-HTL36-SC						APPROVED		0		AVERY DENNISON		0.000		SEE SKETCH - RIGHT FRONT HEM	GR04-19AW GRAPHITE GREY 	Approved 6/2/2025, 7:33 PM	
	TRIM		TRI8620643	78018-8P+S2078	Shiny drawcord + printed SMSB, SS26 Tennis, 78018-8P+S2078			100% Polyester			APPROVED		0		ECI		0.000		Inside waistband	GN78F-24S ILLUMINATE GREEN with CREAM lettering 	Approved 1/22/2025, 5:33 PM	
	ARTWORK		ART8815123		Perforation detail at the side hems and back								0				0.000		At the side hem			
	ADHESIVE		ADH8699688	BFF6410-2MIL (or BFF6410 CLR .002 1524MM)	BEMIS FILM FOR WAISTBAND, BFF6410-2MIL (or BFF6410 CLR .002 1524MM)								0				0.000		Waistband			

Displaying 1 - 8 of 17 results

ASICS	AHQ MATCH LASER CUT SHORT WOMEN WESTERN _2042A430	BOM-2042A430	Approved-Production 8/19/2025, 4:22 AM
-------	---	--------------	--

Placements

Main Material	Type	Image	Material Generated Material Code	Material Supplier Material Code	Material	COO	Material Description	Composition	Sustainable Material	Sustainable Information	Status	Common Size	Usage/	UOM	Supplier	Supplier Quote	Unit Price	Seasons	Placement	ILLUMINATE GREEN_300		Comment
																				Color	Color Status	
	FABRIC		FAB8001564	#5376	HOT-MELT ADHESIVE COLOR CUTTING SHEET-FAB8001564-#5376						APPROVED		0		YKK		0.000		Bonded eyeelts for buttonholes	S301 BLACK	Approved 9/19/2017, 4:06 PM	
PACKAGING (8)																						
	LABELING		LAB4798450	TG-0004T	ASICS BRAND TAG KP (BG-1)-LAB4798450-TG-0004T								1		TENTAC		0.000		As per ASICS Manual			
	LABELING		LAB6184602	M60-ACT	ACTI BREEZE TAG KP-LAB6184602-M60-ACT								0		TENTAC		0.000					
	LABELING		LAB4798510	M70-REC	RECYCLED SUSTAINABILITY TAG KP (SG-1)-LAB4798510-M70-REC								1		TENTAC		0.000		As per ASICS Manual			
	TRIM		TRI8612642	9AS005711	Cotton String white_ Avery Dennison 9AS005711								0		AVERY DENNISON		0.000					
	LABELING		LAB7370570	RWL-0001	WOVEN SIZE/COO LABEL _ADULT_4 LANGUAGES_RWL-0001			100% Polyester			APPROVED		1		TENTAC		0.000		As per ASICS Manual	0800982 BIRCH		
	LABELING		LAB0165244	NGT130 QR	Care & Content Label AEB/ AOP-LAB0165244-NGT130 QR								1		CLOTEX (TRIMCO)	CLOTEX-FOB	0.000		Follow guidelines			
	PACKAGING		PAC8000966	-	PACKAGING-PAC8000966--TISSUE						APPROVED		1				0.000		INSERT INTO FOLDED GARMENT			FACTORY SOURCE
	PACKAGING		PAC8000967		PACKAGING-PAC8000967-POLYBAG WITH WARNING						APPROVED		1				0.000		PACKING PACKAGE FOR GARMENT			FACTORY SOURCE

Displaying 9 - 17 of 17 results

TENNIS - WOMEN
MATCH ACTIBREEZE SHORT
2042A430

SKETCH



TRIMS:

#1





ASICS SPIRAL
36x35mm RAISED SILICON

#2

FLAT DRAWCORD


SOUND MIND, SOUND BODY






DETAILS

NOT TO SCALE





DETAILS

PUNCH HOLE REFERENCE IMAGE



TRIMS

TRIM#2 FLAT DRAWCORD 7cm(W-repeat) x 0.7cm(H)



SOUND MIND, SOUND BODY SOUND MIND, SOUND BODY SOUND MIND, SOUND BODY



ASICS	AHQ MATCH LASER CUT SHORT WOMEN WESTERN _2042A430				2042A352_WWWSPN-4		Approved-Production 9/1/2025, 8:24 PM	
Size Chart	2042A352_WWWSPN-4		Size Range	(GLB) WOMEN'S:AP		Grade Rule	WWSPN	
Description	TENNIS MATCH SHORT WOMEN WESTERN		Selected Sizes	XS-XL				
			Base Size	M				

Points of Measure

Dim	Description	Tol (-)	Tol (+)	Hide	Comment	XS	S	M	L	XL
SHORTS										
B03	1/2 Waist Width, Relaxed	-0.5	0.5			28.0	31.5	35.0	39.0	43.0
B04	1/2 Waist Width, Stretched (Pattern)	-0.5	1.0			43.2	46.7	50.2	54.2	58.2
B06	Hip Position from WB edge	-0.5	0.5			21.1	21.8	22.5	23.2	23.9
B07	1/2 Hip Width	-0.5	1.0			50.0	53.5	57.0	61.0	65.0
B10	1/2 Thigh Width	-0.5	1.0			32.9	34.7	36.5	38.8	41.1
B14	1/2 Open Leg Hem (Inseam : 10.0 < 17.5)	-0.5	1.0			32.9	34.7	36.5	38.8	41.1
B16	Front Rise, incl. WB	-0.5	0.5			28.0	29.0	30.0	31.5	32.9
B17	Back Rise, incl. WB	-0.5	1.0			34.5	35.7	37.0	38.8	40.6
B18	Inseam (10.0 < 17.5)	-0.3	0.3			5.2	5.2	5.2	5.2	5.2
B22	Gusset from Frontrise to Backrise	-0.3	0.3			6.0	6.0	6.0	6.0	6.0
B31	Waist Height	-0.3	0.3			7.5	7.5	7.5	7.5	7.5
B31	Waist Height	-0.3	0.3			7.5	7.5	7.5	7.5	7.5
INNER TIGHTS										
B04	1/2 Waist Width, Stretched (Pattern)	-0.5	1.0			32.9	35.7	38.5	41.7	44.9
B58	1/2 Liner Hip Width	-0.5	1.0			36.6	39.4	42.2	45.4	48.6
B59	Liner Hip Width Position from WB seam or lowest WB stich	-0.5	0.5			12.6	13.3	14.0	14.7	15.4
B60	Inner Short Thigh Width	-0.5	0.5			21.8	23.6	25.3	27.1	28.8
B61	Inner Short Thigh Position "Gusset Design" from gusset	-0.3	0.3			4.1	4.1	4.1	4.1	4.1
B57	1/2 Leg Opening Inner short (2N1) (Inseam : 0 < 10.0)	-0.5	0.5			17.6	19.3	21.0	22.8	24.6
Displaying 1 - 20 of 28 results						Units: CM Grade Rule Display: Absolute				

Points of Measure

Dim	Description	Tol (-)	Tol (+)	Hide	Comment	XS	S	M	L	XL
B56	Inseam Inner short (2N1)	-0.3	0.3			9.0	9.0	9.0	9.0	9.0
B49	Liner Front Rise, excl. WB	-0.5	0.5			17.0	18.0	19.0	20.5	22.0
B50	Liner Back Rise, excl. WB	-0.5	0.5			24.2	25.6	27.0	29.0	31.0
B62	Inner Short Gusset from Front Rise to Back Rise	-0.3	0.3			6.1	6.1	6.1	6.1	6.1
LOGO										
M05	on Hem up from Hem edge	-0.3	-0.3			7.0	7.0	7.0	7.0	7.0
M06	on Hem from Side Seam	-0.3	-0.3			10.0	10.0	10.0	10.0	10.0
DET	Draw String length	-1.5	2.0			96.0	103.0	110.0	118.0	126.0
Displaying 21 - 28 of 28 results						Units: CM Grade Rule Display: Absolute				