

ASICS	AHQ FUJITRAIL ALL OVER PRINT 5IN SHORT MEN WESTERN _2011D526	2011D526_SMS Comments	Tuesday, August 19, 2025 at 5:56:31 PM Japan Standard Time
-------	---	--------------------------	--

Sample Ex Factory Date	Sample Stage	FINAL	Sample Type	PRE PRODUCTION
------------------------	--------------	-------	-------------	----------------

Properties

Item Trading Code	2011D526	Product Type	APPAREL	Pattern	WESTERN
Article Description	FUJITRAIL ALL OVER PRINT 5IN SHORT	Brand	ASICS	Number of Colorways	2
Season	26SS	Size Range	(GLB) MEN'S:AP		
BOM Stage	FINAL	Sizes	XS-2XL		
		Fit	REGULAR		

Marketing Information

Category 4	PERFORMANCE RUNNING
------------	---------------------

Product Management

Gender	MEN
--------	-----

Person in Charge

Developer 1	Miranda Waal
-------------	--------------

Sourcing Information

Supplier	VIETSUN INVESTMENT CORPORATION	Factory1 COO	VIETNAM	Factory2 COO
Factory1	VIET DUC INT.CO.LTD	Factory2		

Colorway Gallery



MIDNIGHT/COBALT BURST/CREAM

Color Code: 400
Description:
Active: ✓



PERFORMANCE BLACK/CARBON/CREAM

Color Code: 001
Description:
Active: ✓

Data Sheets

Data Sheet	Type	Phase	Revision	Is Current	State	State Modified Date	State Modified By	View	Product	Product Color
SMS comments_ASICS	Item Review		1	✓	APPROVED	4/24/2025, 8:44 PM	Miranda Waal		AHQ FUJITRAIL ALL OVER PRINT 5IN SHORT MEN WESTERN _2011D526	
Size Chart Review - SMS	Size Chart Review		1	✓	APPROVED	4/24/2025, 8:25 PM	Miranda Waal	APP:Size Chart Review	AHQ FUJITRAIL ALL OVER PRINT 5IN SHORT MEN WESTERN _2011D526	
2011D392_Image	Image Data Sheet	Production	2	✓	APPROVED	4/24/2025, 8:36 PM	Miranda Waal	APP:Image Data Sheet	AHQ FUJITRAIL ALL OVER PRINT 5IN SHORT MEN WESTERN _2011D526	

Displaying 1 - 3 of 5 results

Data Sheets

Data Sheet	Type	Phase	Revision	Is Current	State	State Modified Date	State Modified By	View	Product	Product Color
2011D526_BOM	Item BOM	Production	5	✓	APPROVED	8/19/2025, 5:51 PM	Alejandro Najera Dominguez	APP:BOM_TDS_DP	AHQ FUJITRAIL ALL OVER PRINT 5IN SHORT MEN WESTERN _2011D526	
2011D526_Size spec	Size Chart	Production	6	✓	APPROVED	4/24/2025, 8:25 PM	Miranda Waal	APP:Size Chart_DP(Absolute)	AHQ FUJITRAIL ALL OVER PRINT 5IN SHORT MEN WESTERN _2011D526	
Displaying 4 - 5 of 5 results										

ASICS		AHQ FUJITRAIL ALL OVER PRINT 5IN SHORT MEN WESTERN _2011D526		SMS comments_ASICS	Approved 4/24/2025, 8:44 PM
Item Review		SMS comments_ASICS		Description	Subtype Enum

ASICS	AHQ FUJITRAIL ALL OVER PRINT 5IN SHORT MEN WESTERN _2011D526	SMS comments_ASICS	Approved 4/24/2025, 8:44 PM
Miranda Waal Apr 24 8:46 PM SMS COMMENTS: FIT: * The fit is approved, following the approved fit of style 2011D392 * Pls follow the size spec carefully FABRICS/TRIMS: * Pls refer to the BOM. => Pls note the mesh panel at back and the CB pocket needs to be changed to color MIDNIGHT on C/way 400. See also updated BOM. => Zipper coloris changed to black on c/way 001. WORKMANSHIP: * Pls avoid puckering of the seams. * Pls ensure the fabric is divided equally over the waistband PLS PROCEED PP SAMPLE PLS SEND THE TRIMCARD FOR APPROVAL, PRIOR TO THE START OF BULK PRODUCTION.			

Evaluation - L

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	L							L							Review Comment
						Size Chart Review-1st proto							Size Chart Review - SMS							
						Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	
SPEC																				
B03		1/2 Waist Width, Relaxed	-0.5	1.0		39.5			39.5	0.0	39.5		39.5			39.5	0.0	39.5		
B05		1/2 Waist Width, Stretched (Minimum)	-0.5	10.0		55.5			55.0	-0.5	55.5		55.5			55.5	0.0	55.5		
B06		Hip Position from WB edge	-0.5	0.5		20.5			20.5	0.0	20.5		20.5			20.5	0.0	20.5		
B07		1/2 Hip Width	-0.5	1.0		59.0			59.0	0.0	59.0		59.0			60.0	1.0	59.0		
B10		1/2 Thigh Width	-0.5	1.0		37.6			37.6	0.0	37.6		37.6			37.6	0.0	37.6		
B14		1/2 Open Leg Hem (Inseam : 10.0 < 17.5)	-0.5	1.0		35.0			34.5	-0.5	35.0		35.0			35.5	0.5	35.0		
B13		Leg Cuff Height (Rib or Elastic)	-0.3	0.3		1.5			1.5	0.0	1.5		1.5			1.5	0.0	1.5		
B18		Inseam (10.0 < 17.5)	-0.5	0.5		12.5			14.0	1.5	12.5		12.5			12.5	0.0	12.5		
B16		Front Rise, incl. WB	-0.5	0.5		27.0			27.5	0.5	27.0		27.0			27.0	0.0	27.0		
B17		Back Rise, incl. WB	-0.5	1.0		38.5			41.0	2.5	38.5		38.5			40.5	2.0	38.5		Pls keep to spec!
B22		Gusset from Frontrise to Backrise	-0.3	0.3		6.0			6.5	0.5	6.0		6.0			6.0	0.0	6.0		
Displaying 1 - 12 of 29 results																				
Units: CM																				

Evaluation - L

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	L							L							Review Comment
						Size Chart Review-1st proto							Size Chart Review - SMS							
						Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	
Z21		String Length	-2.0	2.5		132.0			132.0	0.0	132.0		132.0			132.0	0.0	132.0		
B31		Waist Height	-0.3	0.3		4.0			4.0	0.0	4.0		4.0			4.0	0.0	4.0		
SPRINTER																				
B59		Liner Hip Width Position from WB seam or lowest WB stich	-0.3	0.3		6.0			6.0	0.0	6.0		6.0			6.0	0.0	6.0		
B58		1/2 Liner Hip Width	-0.5	1.0		51.0			51.0	0.0	51.0		51.0			50.0	-1.0	51.0		Pls keep to spec!
B51		Liner Crotch Length	-0.5	1.0		61.0			62.0	1.0	61.0		61.0			60.0	-1.0	61.0		Pls keep to spec!
B52		Liner Crotch Width	-0.3	0.3		8.0			8.0	0.0	8.0		8.0			8.0	0.0	8.0		
B54		1/2 Liner Leg Opening, Relaxed	-0.5	0.5		30.0			30.0	0.0	30.0		30.0			30.0	0.0	30.0		
B53		Liner Side Length	-0.3	0.3		8.0			8.0	0.0	8.0		8.0			8.0	0.0	8.0		
LOGO																				
M05		on Hem up from Hem edge	-0.3	0.3		3.0			3.3	0.3	3.0		3.0			3.0	0.0	3.0		
M06		on Hem from Side Seam	-0.3	0.3		3.5			3.5	0.0	3.5		3.5			3.5	0.0	3.5		
REFLECTIVE DOT, 1 CM TOWARDS THE OUTSIDE FROM CENTER BACK PANEL																				
M05		on Hem up from Hem edge	-0.3	0.3		3.0			3.0	0.0	3.0		3.0			3.0	0.0	3.0		


Evaluation - L

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	L								L								Review Comment
						Size Chart Review-1st proto								Size Chart Review - SMS								
						Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta	Target	Sample Actual	Sample Actual Delta	Actual	Actual Delta	Revised	Revised Delta			
FUJIMOUNTAIN																						
M05		on Hem up from Hem edge	-0.3	0.3		3.0			3.5	0.5	3.0		3.0			3.0	0.0	3.0				
M06		on Hem from Side Seam	-0.3	0.3		2.5			3.0	0.5	2.5		2.5			2.5	0.0	2.5				
Displaying 27 - 29 of 29 results																						
Units: CM																						


- TRIMS:
- 

#1 ASICS SPIRAL
H 3.0 cm x W 2.9 cm
SILVER REFLECTIVE
- #2 SILVER REFLECTIVE HEAT
TRANSFER CIRCLE
- #3 PULLER


- #4 FLAT DRAWCORD
- #5 ELASTICATED BINDING
- #6 ELASTIC
- #7 ASICS FUJITRAIL LOGO
- #8
- #9




SPECIFICATION



UNIVERSAL PHONE POCKET


DETAILS

(NOT REAL SIZE)




SIDE SLIT

(NOT REAL SIZE)




TRIM #2 2.0 cm (W) x 2.0 cm (H)




TRIM #7 8.1 cm (W) x 5.8 cm (H)


TRIMS



TRIM #4 TSB1212+U03 POLY





Col. Specification





Placements

Main Material	Type	Image	Material Generated Material Code	Material Supplier Material Code	Material	COO	Material Description	Composition	Sustainable Material	Sustainable Information	Status	Common Size	Usage/	UOM	Supplier	Supplier Quote	Unit Price	Seasons	Placement	MIDNIGHT/COBALT BURST/CREAM_400		PERFORMANCE BLACK/CARBON/CREAM_001		Comment
																				Color	Color Status	Color	Color Status	
FABRIC (5)																								
✓	FABRIC		FAB8683706	GTS-S382-PT(VN) MEN	HA LONG + AOP SS26 FT MEN, 100% rPET, GTS-S382-PT(VN) MEN		WEAVE	100% Recycled Polyester	✓		DEVELOPMENT		0		Grand Textile		0.000		A1, all woven panels- (backpanel with AOP option 1)	(base):COBALT BURST MIDNIGHT (print) 	Approved 4/3/2025, 7:35 PM	(base):CARBON PERFORMANCE BLACK (print) 	Approved 4/3/2025, 7:35 PM	placeholder
	FABRIC		FAB8436711	GTS-S382	HA LONG, 100% RECYCLED PES, WOVEN, 83 GSM, GTS-S382		WEAVE	100% Recycled Polyester	✓		APPROVED		0		Grand Textile		0.000		A1_backpanel	BL16-19S MIDNIGHT 	LIMITED APPROVED 3/13/2025, 12:47 PM	1000175 PERFORMANCE BLACK 	Approved 3/18/2024, 4:19 PM	
	FABRIC		FAB8139435	PCO-3089-10	OTRANTO, 85% RECYCLED, PCO-3089-10, DRY		CIRCULAR KNIT	85% Recycled Polyester, 15% Spandex	✓	RECYCLED 84%	DEVELOPMENT		0		MEN CHUEN		0.000		Gusset	BL16-19S MIDNIGHT 	LIMITED APPROVED 4/29/2025, 3:17 PM	1000175 PERFORMANCE BLACK 	LIMITED APPROVED 4/17/2024, 12:42 PM	
	FABRIC		FAB8139435	PCO-3089-10	OTRANTO, 85% RECYCLED, PCO-3089-10, DRY		CIRCULAR KNIT	85% Recycled Polyester, 15% Spandex	✓	RECYCLED 84%	DEVELOPMENT		0		MEN CHUEN		0.000		Expandable back pocket/ backyoke	BL16-19S MIDNIGHT 	LIMITED APPROVED 4/29/2025, 3:17 PM	1000175 PERFORMANCE BLACK 	LIMITED APPROVED 4/17/2024, 12:42 PM	
	FABRIC		FAB5855274	PCO-3001-26	SINGAPORE, RECYCLED, PCO-3001-26, 60G/M2		MESH	100% Polyester	✓	RECYCLED 83%	LIMITED APPROVED		0		MEN CHUEN		0.000		Inner brief	BL16-19S MIDNIGHT (DOT part is P. Black) 	LIMITED APPROVED 12/11/2023, 5:10 PM	GR05-19AW CARRIER GREY (DOT part is BLACK) 	Approved 8/20/2021, 4:43 PM	
TRIMS (10)																								
	TRIM		TRI8659412	TBC	CFC-36 DABY504 EJ PBL12 GREEN-F KENSIN N-ANTI P-TB REVERSE SLS								1		YKK		0.000		Backpocket zipper - TAPE+TEETH_17.5 cm	BL108F-26S COBALT BURST 		1000175 PERFORMANCE BLACK 		
	TRIM		TRI8659412	TBC	CFC-36 DABY504 EJ PBL12 GREEN-F KENSIN N-ANTI P-TB REVERSE SLS								1		YKK		0.000		Backpocket zipper - SLIDER	1200248 CREAM 		1000175 PERFORMANCE BLACK 		





Displaying 1 - 7 of 25 results

Placements

Main Material	Type	Image	Material Generated Material Code	Material Supplier Material Code	Material	COO	Material Description	Composition	Sustainable Material	Sustainable Information	Status	Common Size	Usage/	UOM	Supplier	Supplier Quote	Unit Price	Seasons	Placement	MIDNIGHT/COBALT BURST/CREAM_400		PERFORMANCE BLACK/CARBON/CREAM_001		Comment
																				Color	Color Status	Color	Color Status	
	TRIM		TRI8285985	AS00011	ZIP ATTACHMENT, CORD LOOP WITH PU GRIPPER, RECYCLED, AS00011			90% Polyester, 10% Polyurethane			APPROVED		1		SAB		0.000		Backpocket zipper-puller attachment	BL108F-26S COBALT BURST/ grip: COBALT BURST 	Approved 2/18/2025, 3:35 PM	cord: PERF. BLACK / grip: PERF. BLACK 	Approved 1/3/2024, 5:13 PM	
	TRIM		TRI7636692	UNN0644	UNN0644 ; GROSS GRAIN TAPE WOVEN SELF EDGE; NYLON WEBBING TAPE; SUPPLIER: PAIHO VN			100% Nylon				20mm	1		Vietnam Paiho		0.000		Backpocket zipper-garage	1000175 PERFORMANCE BLACK 	Approved 6/6/2023, 4:39 PM	1000175 PERFORMANCE BLACK 	Approved 6/6/2023, 4:39 PM	
	TRIM		TRI8000730	WPA-DNW-WOS	Colored elastic- TRI8000730-WPA-DNW-WOS						APPROVED	40	0		WUXI PAIHO		0.000		Waist	BL16-19S MIDNIGHT 	Approved 8/18/2021, 12:22 PM	1000175 PERFORMANCE BLACK 	Approved 6/7/2022, 1:12 PM	
	TAPE		TAP6197672	BRD161	10MM Polyester Braided tape (BRD161) - COLORED TAPE			100% Polyester					0		PAIHO		0.000		WB DC	BL16-19S MIDNIGHT(2nd/3rd color cobaltburst/ cream 	Approved 12/16/2024, 11:01 AM	PERFORMANCE BLACK (2nd/3rd cream/carbon)	Approved 12/16/2024, 10:58 AM	
	ARTWORK		ART2845441	FACTORY SOURCE	BUTTON HOLE- ART2845441- FACTORY SOURCE						APPROVED		2				0.000		Outside DC exit	BL16-19S MIDNIGHT 		1000175 PERFORMANCE BLACK 		
	TRIM		TRI0160805	FACTORY SOURCE	Elastic- TRI0160805- FACTORY SOURCE							5MM	0				0.000		Inside leg opening innerbrief					59210S-5 ex Paiho- Use black for dark colors and white for ight colors
	ARTWORK		ART7403465		CIRCLE SHAPED BARTACK-- TATAMI STITCH_LOCAL SOURCE						APPROVED		4				0.000		Top of sideslit					DTM
	THREAD		THR4442003	Coats Ecoverde	Recycled Thread- THR4442003- Coats Ecoverde								0		COATS		0.000		On all constructed seams					DTM

Displaying 8 - 15 of 25 results

Placements

Main Material	Type	Image	Material Generated Material Code	Material Supplier Material Code	Material	COO	Material Description	Composition	Sustainable Material	Sustainable Information	Status	Common Size	Usage/	UOM	Supplier	Supplier Quote	Unit Price	Seasons	Placement	MIDNIGHT/COBALT BURST/CREAM_400		PERFORMANCE BLACK/CARBON/CREAM_001		Comment
																				Color	Color Status	Color	Color Status	
TRANSFERS (3)																								
	LABELING		LAB1576375	RT-4429	Asics Spiral Logo (30mm x 29mm) Reflective Film RT-4429		HEAT TRANSFER						1		J-LONG LTD		0.000		LHS front hem, see spec	1102618 SILVER REFLECTIVE 	Approved 9/27/2018, 11:58 PM	1102618 SILVER REFLECTIVE 	Approved 9/27/2018, 11:58 PM	
	LABELING		LAB2554970	KC398-1000mm	Alphalux Full Width reflective stretchable film (elastic)-KC398-1000mm		HEAT TRANSFER						2		J-LONG LTD		0.000		Back leg, Circular	1102618 SILVER REFLECTIVE 		1102618 SILVER REFLECTIVE 		2cm diameter-laser cut by factory
	ARTWORK		ART8815254		SCREENPRINT: Mount FUJITRAIL 58 x 81 cm--waterbased matte plastisol								1				0.000		RHS front hem	1200248 CREAM 		1200248 CREAM 		
CORPORATE/ LABELS & HANGTAGS (7)																								
	ARTWORK		ART8522103		ASICS SIZE TRANSFER - COO 4 LANG		HEAT					#95321 - Made in Vietnam	1		A-TEX		0.000		Inside RHS from CB, 2.0cm under top WB	0800982 BIRCH 	Approved 4/9/2024, 6:45 PM	0800982 BIRCH 	Approved 4/9/2024, 6:45 PM	
	TRIM		TRI8612642	9AS005711	Cotton String white_ Avery Dennison 9AS005711								1		AVERY DENNISON		0.000		Attach hangtags to garment,					
	TAPE		TAP8660483		5 MM WOVEN TAPE TO ATTACH HANGTAG TO GARMENT_LOCAL SOURCE								1				0.000		Loop to attach tags: 1cm from the carelabel, placed towards CB side, between the carelabel and CB seam	0800982 BIRCH 		0800982 BIRCH 		
	LABELING		LAB4798450	TG-0004T	ASICS BRAND TAG KP (BG-1)-LAB4798450-TG-0004T								1		TENTAC		0.000		As per ASICS Manual					
	LABELING		LAB4179165	M60-DRY	DRY FUNCTION TAG KP (FG-7)-LAB4179165-M60-DRY								1		TENTAC		0.000		As per ASICS Manual					
	LABELING		LAB4798510	M70-REC	RECYCLED SUSTAINABILITY TAG KP (SG-1)-LAB4798510-M70-REC								1		TENTAC		0.000		As per ASICS Manual					

Displaying 16 - 24 of 25 results

Placements

Main Material	Type	Image	Material Generated Material Code	Material Supplier Material Code	Material	COO	Material Description	Composition	Sustainable Material	Sustainable Information	Status	Common Size	Usage/	UOM	Supplier	Supplier Quote	Unit Price	Seasons	Placement	MIDNIGHT/COBALT BURST/CREAM_400		PERFORMANCE BLACK/CARBON/CREAM_001		Comment
																				Color	Color Status	Color	Color Status	
	LABELING		LAB0165244	NGT130 QR	Care & Content Label AEB/ AOP-LAB0165244-NGT130 QR								1		CLOTEX (TRIMCO)		0.000		Inside waistband seam, 10 cm LHS as worn from CB					
Displaying 25 - 25 of 25 results																								

ASICS		AHQ FUJITRAIL ALL OVER PRINT 5IN SHORT MEN WESTERN _2011D526				2011D526_Size spec				Approved-Production 4/24/2025, 8:25 PM	
Size Chart		2011D526_Size spec		Size Range		(GLB) MEN'S:AP		Grade Rule		WMSPN	
Description		Regular Fit Woven Shorts Western		Selected Sizes		XS-2XL					
		Men <10.0-sprinter>10cm<17.5		Base Size		L					

Points of Measure

Dim	Description	Tol (-)	Tol (+)	Hide	Comment	XS	S	M	L	XL	2XL
SPEC											
B03	1/2 Waist Width, Relaxed	-0.5	1.0			29.0	32.5	36.0	39.5	43.5	47.5
B05	1/2 Waist Width, Stretched (Minimum)	-0.5	10.0			43.5	47.5	51.5	55.5	60.5	65.5
B06	Hip Position from WB edge	-0.5	0.5			18.4	19.1	19.8	20.5	21.2	21.9
B07	1/2 Hip Width	-0.5	1.0			47.0	51.0	55.0	59.0	64.0	70.0
B10	1/2 Thigh Width	-0.5	1.0			31.3	33.4	35.5	37.6	40.6	44.1
B14	1/2 Open Leg Hem (Inseam : 10.0 < 17.5)	-0.5	1.0			28.7	30.8	32.9	35.0	38.0	41.5
B13	Leg Cuff Height (Rib or Elastic)	-0.3	0.3			1.5	1.5	1.5	1.5	1.5	1.5
B18	Inseam (10.0 < 17.5)	-0.5	0.5			12.5	12.5	12.5	12.5	12.5	12.5
B16	Front Rise, incl. WB	-0.5	0.5			24.0	25.0	26.0	27.0	28.5	30.0
B17	Back Rise, incl. WB	-0.5	1.0			34.3	35.7	37.1	38.5	40.5	42.6
B22	Gusset from Frontrise to Backrise	-0.3	0.3			6.0	6.0	6.0	6.0	6.0	6.0
Z21	String Length	-2.0	2.5			108.0	116.0	124.0	132.0	142.0	154.0
B31	Waist Height	-0.3	0.3			4.0	4.0	4.0	4.0	4.0	4.0
SPRINTER											
B59	Liner Hip Width Position from WB seam or lowest WB stich	-0.3	0.3			3.9	4.6	5.3	6.0	6.7	7.4
B58	1/2 Liner Hip Width	-0.5	1.0			40.5	44.0	47.5	51.0	54.5	58.5
B51	Liner Crotch Length	-0.5	1.0			55.0	57.0	59.0	61.0	64.5	68.0
B52	Liner Crotch Width	-0.3	0.3			7.4	7.6	7.8	8.0	8.3	8.6
B54	1/2 Liner Leg Opening, Relaxed	-0.5	0.5			26.4	27.6	28.8	30.0	31.7	33.6
Displaying 1 - 20 of 29 results						Units: CM Grade Rule Display: Absolute					

Points of Measure

Dim	Description	Tol (-)	Tol (+)	Hide	Comment	XS	S	M	L	XL	2XL
B53	Liner Side Length	-0.3	0.3			6.5	7.0	7.5	8.0	8.5	9.0
LOGO											
M05	on Hem up from Hem edge	-0.3	0.3			3.0	3.0	3.0	3.0	3.0	3.0
M06	on Hem from Side Seam	-0.3	0.3			2.5	2.5	3.5	3.5	3.5	4.5
REFLECTIVE DOT, 1 CM TOWARDS THE OUTSIDE FROM CENTER BACK PANEL											
M05	on Hem up from Hem edge	-0.3	0.3			3.0	3.0	3.0	3.0	3.0	3.0
FUJIMOUNTAIN											
M05	on Hem up from Hem edge	-0.3	0.3			3.0	3.0	3.0	3.0	3.0	3.0
M06	on Hem from Side Seam	-0.3	0.3			1.5	1.5	2.5	2.5	2.5	3.5
Displaying 21 - 29 of 29 results						Units: CM Grade Rule Display: Absolute					