

Properties

Season	SS26	Main technology platform	None
Code	608237	Main platform specification	
Style	Solis Zip Off Jacket Women	Responsible Development	Matilda Sandberg
Working Name	SH Jacket Women	Responsible Pattern	Jennie Salldal
Carry Over			
Update			
Product State	1st Proto		
Carryover Colors			
Active Colorways Images			



Data Sheets

Data Sheet	Type	Subtype	Subtype	Revision
1	Style BOM	Clothing		1
9	Size Chart			9
1	Image Data Sheet			1
1	Size Chart Review			1
1	Style Review			1
Displaying 5 results				

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
608237J4 Dxf.zip	1	17.04.2025, 1:20 PM		608237J4 Dxf.zip			Solis Zip Off Jacket Women-608237	Style
Displaying 1 - 1 of 2 results								

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
608237J4.zip	1	17.04.2025, 1:20 PM		608237J4.zip			Solis Zip Off Jacket Women-608237	Style
Displaying 2 - 2 of 2 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Purple Fog	Yellow Rise
							Colorway	Colorway
Fabric (3)								
Woven uncoated	DT-3999-R	SH zip off pant and jacket fabric 100% POLYAMIDE- RECYCLED	F1	Dry-Tex	2,62	YD	Purple Fog C24090394-04H	Yellow Rise C24090394-06C
Knits	YS 135 RE	Big hole mesh 100% POLYESTER- RECYCLED	F2 - mesh pkts + packbags	Yoosung	0,22	YD	Grey Stock color from supplier	Grey Stock color from supplier
Knits	DSC01302	Recycled polyester mesh 70g 100% POLYESTER- RECYCLED	F3 - mesh back yoke	Duck San CO.,LTD	0,17	YD	Concrete 31-10-2023 #B	Concrete 31-10-2023 #B
Zip (4)								
Package	VSOR-36 DALH5 H3 P12L KENSIN N-ANTI NEWKOB4	Vislon size #3 with light weight tape, autolook, slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight zipper. CF zip	YKK	1	PCS	C6 - Fresh Pink 207	C6 - Stone Brick 135
Package	VSC-31 DFW P12L KENSIN N-ANTI NEWKOB4	Vislon closed end size #3 with light weight tape, nonlock, slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight zipper. Hand pkts	YKK	2	PCS	C6 - Fresh Pink 207	C6 - Stone Brick 135
Package	CSOR-39 DS5VYG PUW2D KENSIN N-ANTI REVERSE TO-IPOM	Coil reversed size #3 with soflex tape, right insert slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight (SOFLEX) zipper. Right insert, zip off at left sleeve.	YKK	1	PCS	C6 - Fresh Pink 511	C6 - Stone Grey 337
Package	CSOL-39 DS5VYG PUW2D KENSIN N-ANTI REVERSE TO-IPOM	Coil reversed size #3 with soflex tape, left insert, slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight (SOFLEX) zipper. Left insert, zip off at right sleeve	YKK	1	PCS	C6 - Lantana Pink 517	C6 - Magnetite 384
Trim (15)								
Displaying 1 - 7 of 31 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Purple Fog	Yellow Rise
							Colorway	Colorway
Other	NF025D	LOCAL - Interlining should follow Haglöfs RSL	Where needed	5S Weaving and Coating Co, LTD.	0,31	M	None	None
Puller	NF-0508	Signature puller (short) 100% Recycled polyester	Puller at CF x 1 / Hand pkts x 2	Dragon Times	3	PCS	True Black	Warm Grey
Elastic cord	2mm cord	2mm elastic cord	Adjustments at hood, btm hem & sleeve hem & sleeve zip off	Trim Service	4,93	YD	Purple Fog	Yellow Rise
Cord Lock	NO-1643	S-Cordadjuster 2mm cord	Adjustments at hood, btm hem & sleeve hem & sleeve zip off	Dragon Times	8	PCS	Smokey NO-1643-002	Smokey NO-1643-002
Cord Lock	HPCSL-15	H P Cord Loop Stop	Adjustments at hood, btm hem & sleeve hem & sleeve zip off	Trim Service	7	PCS	Transparent	Transparent
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	Adjustments at hood, btm hem & sleeve hem & sleeve zip off	Trim Service	0,48	YD	Magnetite HTCW-14 5mm	Stone Brick
Thread	Sylko thread tex 27	LOCAL - Embroidery Eyelets	Adjustments at hood, btm hem & sleeve hem & sleeve zip off	Coats Phong Phu	14	PCS	Purple Fog	Yellow Rise
Elastic	59210S-5	LOCAL - Elastic 5mm	5mm Elastic at hood opening	Premier	0,52	M	Black	White
Elastic cord	NW-1224	Tricolored Elastic Cord 1,5mm	For hook attachment	Dragon Times	0,13	YD	True Black	Warm Grey
Static cord	NW-1242	Tricolored Cord 2,0mm 100% Recycled polyester	String for bag when sleeves are packed	Dragon Times	1	YD	True Black	Warm Grey
Webbing	HTCW-07	Webbing 10mm HTCW-07 BLUESIGN 100% POLYESTER	For hook attachment when packed sleeves	Trim Service	0,13	YD	Magnetite HTCW-07 10	Stone Brick

Displaying 8 - 18 of 31 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Purple Fog	Yellow Rise
							Colorway	Colorway
Hook	NO-1286	100% R-PES injected hook , non logo 100% POLYESTER- RECYCLED	Hook - follow sketch for correct placement	Dragon Times	1	PCS	Black NO-1286	Black NO-1286
Webbing	DR-1726	Signature hangerloop (top dyed yarn) 100% RECYCLED POLYESTER	At back neck	Dragon Times	1	PCS	Magnetite DR-1726-6	Warm Grey DR-1726-4
Webbing	DW-1031	Used as necklabel together with sizelabel and HAG 1132, (Width: 10mm) 100% POLYESTER	Beside size label acc to sketch	Dragon Times	1	YD	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Button	1010 matt	Plastic press button 10mm whole set MATT FINSHI 100% POM	For attachment of hood when rolled into collar	UTX	1	PCS	Magnetite 1010 matt finish color S22493	Magnetite 1010 matt finish color S22493
Label (5)								
Embroidery	new brandplatform 11mm x 37mm	LOCAL - "Haglofs" wordmark embroidered MEDIUM 11mm x 37mm	Follow sketch for correct placement		1	PCS	Purple Fog	Dk Yellow Rise
Logo Label	6mm	LOCAL - "H Pack Me" embroidery 5.5mm X 40mm	Follow sketch for correct placement		1	PCS	Purple Fog	Dk Yellow Rise
Woven label	HAG 1137-1136	Flaglabel SMALL 100% RECYCLED POLYESTER	Follow sketch for correct placement	Nilorn East Asia Ltd.	1	PCS	Black HAG 1137	Black HAG 1137
Size Label	HAG 1134, HAG 1135, HAG 1166, HAG 1165 Brandplatform	BLUESIGN. Order size according to PO	Follow sketch for correct placement	Nilorn East Asia Ltd.	1	PCS	Light Grey HAG 1134 + size	Light Grey HAG 1134 + size
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER	Attached in side seam	Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE
Packaging (4)								
Displaying 19 - 27 of 31 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Purple Fog	Yellow Rise
							Colorway	Colorway
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	Placement: 1	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd	Placement: 2	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2012	Product specific Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: Always 3rd	Placement: 3	Nilorn East Asia Ltd.	1	PCS	None	None
Polybag		Polybag quality pls see our TOA			1	PCS	Transparent	Transparent
Displaying 28 - 31 of 31 results								

Haglöfs	Solis Zip Off Jacket Women-608237		608237J4 M-list 20250815		Draft-Sample 25.08.2025, 8:19 AM	
Size Chart	608237J4 M-list 20250815	Construction Type	Pattern	Revision	9	
Tolerance	Jackets(shell/softshell/insulation)	Fit	Relaxed			
Size Range	XS-XL	Comment	20250815 JSS: - No changes made.			
Sizes	XS-XL					
Base Size	M					
Grading	Women's Uppers Size M					
Pattern Number	608237J4			Follow update pattern 608237J4 for next sample.		
Pattern Number (Revision)		Description				

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS	S	M	L	XL	Comment
Chest			-2,000	2,000		102,800	108,800	114,800	120,800	126,800	
Waist			-2,000	2,000		101,700	107,700	113,700	119,700	125,700	
Bottom			-2,000	2,000		106,700	112,700	118,700	124,700	130,700	
Back length, at cb			-1,000	1,000		63,900	64,900	65,900	66,900	67,900	
Back length to waistline, at cb			-1,000	1,000		39,800	40,400	41,000	41,600	42,200	
Armhole depth, at cb			-1,500	1,500		24,800	25,400	26,000	26,600	27,200	
Back width		At opening, between bar tack	-1,000	1,000		35,000	37,000	39,000	41,000	43,000	
Sleeve length fr. neck			-1,000	1,000		74,800	76,400	78,000	79,600	81,200	
Bicep			-1,000	1,000		48,400	50,200	52,000	53,800	55,600	
Elbow			-1,000	1,000		34,100	35,300	36,500	37,700	38,900	
Bottom sleeve			-1,000	1,000		28,400	29,200	30,000	30,800	31,600	
Front length, at cf			-1,000	1,000		43,100	43,800	44,500	45,200	45,900	
Neckline, excl. zip			-1,000	1,000		45,700	47,200	48,700	50,200	51,700	
Collar cf		at panel	-0,500	0,500		7,400	7,700	8,000	8,300	8,600	
Displaying 1 - 14 of 24 results						Units: CM Grading Display: Absolute					

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS	S	M	L	XL	Comment
Collar stand cb			-0,500	0,500		7,000	7,000	7,000	7,000	7,000	
Top of collar, excl. zip			-1,000	1,000		43,600	45,100	46,600	48,100	49,600	
Hood width		at seam	-1,000	1,000		48,400	49,900	51,400	52,900	54,400	
Hood height			-1,000	1,000		31,800	32,400	33,000	33,600	34,200	
Hood opening		Relaxed	-1,000	1,000		63,800	64,400	65,000	65,600	66,200	
Hood opening		Extended	-1,000	1,000		67,700	68,300	68,900	69,500	70,100	
Front zip			-1,000	1,000		61,500	62,500	63,500	64,500	65,500	
Sidepkt zip			-1,000	1,000		16,000	17,000	17,000	18,000	18,000	
Sleeve Zip		Zip-off	-1,000	1,000		38,300	39,900	41,500	43,100	44,700	
Sleevepkt opening		left side	-1,000	1,000		17,700	18,700	18,700	19,700	19,700	

Displaying 15 - 24 of 24 results

Units: CM Grading Display: Absolute

Points of Measure Gallery



Chest
Description:



Waist
Description:




Bottom
Description:








Back length, at cb
Description:


Points of Measure Gallery

			
Back length to waistline, at cb Description:	Armhole depth, at cb Description:	Back width Description:	Sleeve length fr. neck Description:
			
Bicep Description:	Elbow Description:	Bottom sleeve Description:	Front length, at cf Description:
			
Neckline, excl. zip Description:	Collar cf Description:	Collar stand cb Description:	Top of collar, excl. zip Description:


Points of Measure Gallery

			
Hood width Description:	Hood height Description:	Hood opening Description:	Hood opening Description:
			
Front zip Description:	Sidepkt zip Description:	Sleeve Zip Description:	Sleevepkt opening Description:

Labeled Images

COLOR OVERVIEW	OUT	 Haglöfs
 YELLOW RISE  PURPLE FOG		
01. Color Overview		

Labeled Images

OVERVIEW SKETCH	OUT	STYLE NAME: 608237	 Haglöfs
			
02. Overview Sketch			

Labeled Images


LOGO INSTRUCTION



OUT

STYLE NAME: 608237

 Haglöfs

Application of explore webbing to size label





10 mm

7mm from edge

Flag label aligned with seam
"H" visible

Medium Wordmark
2 cm from both
seams

Haglöfs Flag Label





Please make sure "H" is visible



Embroidery




5,5 mm

40mm

Labeled Images

DETAIL SKETCH	OUT	STYLE NAME: 608237	 Haglöfs
Under arm ventilation hole fabric edge covered with main fabric piping - front view 	Reference picture for mesh hand pocket 	Reference picture for side packable pocket in sleeve 	Reference picture for possibility to store the sleeves when not in use 
Under arm ventilation hole + CB opening with mesh under - back view 	Mesh insert in pocket see through effect	side pocket on lower arm to pack zip off arm when not in use mesh inside pocket	Possibility to hook packed lets when not in use

Labeled Images

DETAIL SKETCH	OUT	STYLE NAME: 608237	Haglöfs
Cord Stopper	Detail sketch lower packable sleeve pocket		
	Puller Shock cord Webbing Bartack S - shape cord lock Hidden shockcord Embroidered Eyelet	Tricolored Cord Static 2mm length of cord: 140cm (70 cm double) S - shape cord lock Knot Doublesided hook attached with 10mm wide webbing in side seam. S - shape cord lock cord with cord stopper please make cord as short as possible 20mm from edge	

11. Detail Sketch 1

Labeled Images

FABRIC INSTRUCTION

OUT


STYLE NAME: 608237



FACE 1
F1


FACE 2
F2

FACE 3
F3




The technical drawing illustrates the construction of a women's zip-off jacket. The front view (left) shows a hood, a full-length front zipper placket, and two large vertical zippered pockets. The back view (right) shows a stand-up collar, a full-length back zipper, and a large rectangular zippered pocket. Fabric callouts include 'F1' for the main body fabric, 'F2' for the pocket linings, and 'F3' for mesh sections. Specific callouts include 'F1 inside pocket' pointing to the pocket interior, 'F3 Mesh under fabric flap' pointing to the mesh under the back pocket flap, and 'Mesh inside pocket in F3' pointing to the mesh inside the back pocket.




TRIM & ACC INSTRUCTION	OUT	STYLE NAME: 608237	Haglöfs
------------------------	-----	--------------------	---



Labeled Images

STITCH & LAMINATION INSTRUCTION	OUT	STYLE NAME: 608237	 Haglöfs
Single stitch Bartacks Bar Tack Single stitch Bartacks Bartacks 2 needle stitch no visibile stitching Single stitch Bar tack Single stitch Bar tack Stitched eyelets 			

Labeled Images

DETAIL SKETCH	OUT	STYLE NAME: 608237	 Haglöfs
Collar front when hood is stored away  Back tack Hood when rolled out  Collar back when hood is stored away  Hood stored away when delivered Press button Hood rolls up and opening is in neckline			

Haglöfs		Solis Zip Off Jacket Women-608237		JSS		Approved 15.08.2025, 11:37 AM	
Size Chart Review	JSS	Size Chart	608237J4 M-list 20250815	Base Size	M		
Description		Size Range	XS-XL	Grading	Women's Uppers Size M		
Pattern Number	608237J4	Sizes	XS-XL				
Construction Type	Pattern	Tolerance	Jackets(shell/softshell/insulation)				

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS JSS				M JSS				XL JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Chest			-2,000	2,000		102,800	103,800	1,000		114,800	115,800	1,000		126,800	127,800	1,000			
Waist			-2,000	2,000		101,700	103,000	1,300		113,700	114,700	1,000		125,700	126,700	1,000			
Bottom			-2,000	2,000		106,700	107,000	0,300		118,700	119,800	1,100		130,700	131,000	0,300			
Back length, at cb			-1,000	1,000		63,900	63,300	-0,600		65,900	66,500	0,600		67,900	68,200	0,300			
Back length to waistline, at cb			-1,000	1,000		39,800	39,800	0,000		41,000	41,000	0,000		42,200	42,200	0,000			
Armhole depth, at cb			-1,500	1,500		24,800	24,200	-0,600		26,000	25,700	-0,300		27,200	26,600	-0,600			
Back width		At opening, between bar tack	-1,000	1,000		35,000	35,000	0,000		39,000	39,500	0,500		43,000	43,300	0,300			
Sleeve length fr. neck			-1,000	1,000		74,800	74,500	-0,300		78,000	78,500	0,500		81,200	82,000	0,800			
Bicep			-1,000	1,000		48,400	48,600	0,200		52,000	52,000	0,000		55,600	56,000	0,400			
Elbow			-1,000	1,000		34,100	34,800	0,700		36,500	37,000	0,500		38,900	39,000	0,100			
Displaying 1 - 10 of 24 results																			Units: CM

Haglöfs	Solis Zip Off Jacket Women-608237	JSS	Approved 15.08.2025, 11:37 AM
---------	-----------------------------------	-----	-------------------------------

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS JSS				M JSS				XL JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Bottom sleeve			-1,000	1,000		28,400	28,000	-0,400		30,000	30,000	0,000		31,600	31,000	-0,600			
Front length, at cf			-1,000	1,000		43,100	43,800	0,700		44,500	46,000	1,500		45,900	46,800	0,900			
Neckline, excl. zip			-1,000	1,000		45,700	46,000	0,300		48,700	49,000	0,300		51,700	52,000	0,300			
Collar cf		at panel	-0,500	0,500		7,400	7,100	-0,300		8,000	8,000	0,000		8,600	8,400	-0,200			
Collar stand cb			-0,500	0,500		7,000	6,600	-0,400		7,000	7,200	0,200		7,000	7,500	0,500			
Top of collar, excl. zip			-1,000	1,000		43,600	44,000	0,400		46,600	47,500	0,900		49,600	50,400	0,800			
Hood width		at seam	-1,000	1,000		48,400	48,000	-0,400		51,400	51,400	0,000		54,400	54,400	0,000			
Hood height			-1,000	1,000		31,800	32,000	0,200		33,000	34,000	1,000		34,200	34,600	0,400			
Hood opening		Relaxed	-1,000	1,000		63,800	64,000	0,200		65,000	66,000	1,000		66,200	66,000	-0,200			
Hood opening		Extended	-1,000	1,000		67,700	67,700	0,000		68,900	68,900	0,000		70,100	70,300	0,200			
Front zip			-1,000	1,000		61,500	61,500	0,000		63,500	64,000	0,500		65,500	66,000	0,500			
Sidepkt zip			-1,000	1,000		16,000	16,000	0,000		17,000	17,000	0,000		18,000	18,000	0,000			

Haglöfs	Solis Zip Off Jacket Women-608237	JSS	Approved 15.08.2025, 11:37 AM
---------	-----------------------------------	-----	-------------------------------

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS JSS				M JSS				XL JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Sleeve Zip		Zip-off	-1,000	1,000		38,300	38,800	0,500		41,500	42,000	0,500		44,700	45,000	0,300			
Sleevepkt opening		left side	-1,000	1,000		17,700	17,500	-0,200		18,700	19,000	0,300		19,700	20,000	0,300			

Displaying 23 - 24 of 24 results

Units: CM

Haglöfs	Solis Zip Off Jacket Women-608237	JSS comments	Draft 25.08.2025, 8:19 AM
Commented by: Matilda Date: 2025-08-14 Next sample: Shipment Sample JSS comments: Logo: * "Pack Me"-logo - keep 40mm. * Avoid puckering around the embroidery. Trims: * Zip offs updated to Left insert on Right Side and the opposite. Colours follow SMS. * Snap buttons should be matte * Make sure to follow colours in BOM Construction Quality / Workmanship * Webbing holding stopper at back hood should be attached in the cutline. Please confirm. * Keep seams and bartacks secured and as clean as possible. * Make sure to erase chalk marks on fabric. * Zip making is improved - but still slightly wavy at CF - improve. * Puller attachment - good! * Make sure to put "Exclusive of Trims" in the care label instruction Hood Packing / Presentation * When packing the hood, the cord should be rolled far from the neck. Make it face to the outside rather than the inside of collar (uncomfortable otherwise) * For bulk shipment; hood should be packed only showing the collar			

Puller attachment



Elastic cord end attachment

