

Properties

Season	SS26	Carryover Colors	
Code	608486	Responsible	Matilda Sandberg
Style	Kaja Proof II Jacket Women	Development	
Carry Over		Responsible Pattern	Jennie Salldal

Colorway Gallery



Chlorophyll Green

Colorway Code: 5YE

Active: ✓



True Black

Colorway Code: 2C5

Active: ✓

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Chlorophyll Green
							Colorway	Colorway
Fabric (3)								
Proof 2.5L	PRP510-RPE20CGWT-NFC	Pertex Shield Revolve, 2.5L, 50D ripstop, polyester membrane 100% POLYESTER-RECYCLED	F1	MN-Interfashion (Mitsui)	1,91	YD	True Black 295166R1-E	Chlorophyll Green 296874-A
Knits	RC-0426-60	Recycled polyester mesh, 60g 100% POLYESTER- RECYCLED	M1 at pkt bags.	Burltex (Tai Tung Interlining International Ltd.)	0,65	YD	Concrete RC-0426-60	Concrete RC-0426-60
Knits	RC-3617-130	Brushed tricot for chinguard, 130g 100% POLYESTER- RECYCLED	CG	Burltex (Tai Tung Interlining International Ltd.)	0,05	YD	Magnetite RC-3617-130	Magnetite RC-3617-130
Zip (2)								
Package	CZT8OR-56 DA7BLH	1-way Open End size #5 Aquaguard Coil shiny tape auto-lock slider in color C6 (Matte silver finish PFAS-free) or X6J (Black Oxides PFAS-free)	CF	YKK	1	PCS	X6J - True Black 580	C6 - Chlorophyll Green 562
Package	CFC-36 DA16BLHQ P12 KENSIN N-ANTI REVERSE TWIST4. CAN PASS CPSC	1-way Closed End size #3 Coil reverse auto-lock slider in color C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free), CAN PASS CPSC	At hand pkts.	YKK	2	PCS	X6J - True Black 580	C6 - Chlorophyll Green VN: VX988. LAO: VX988
Trim (16)								
Other	NF025D	LOCAL - Interlining should follow Haglöfs RSL	Where needed	5S Weaving and Coating Co, LTD.	0,2	M	None	None

Displaying 1 - 6 of 32 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Chlorophyll Green
							Colorway	Colorway
Seam Tape	S25908-B160 15mm 2L	PROOF 2L tape 15mm for PU and TPU membranes 100% Polyurethane	Allover & neck seam	TSGS Inc.	142	YD	Transparent S25908- CLR001B160 15mm 2L	Transparent S25908- CLR001B160 15mm 2L
Seam Tape	S25908-B160 20mm 2L	PROOF 2L tape 20mm for PU and TPU membranes 100% Polyurethane	Along CF zip	TSGS Inc.	3,96	YD	Transparent S25908- CLR001B160 20 mm 2L	Transparent S25908- CLR001B160 20 mm 2L
Puller	NF-0505	Knot puller (long) 100% Recycled polyester	At CF zip	Dragon Times	1	PCS	True Black	True Black
Puller	NF-0504	Knot puller (Short) 100% Recycled polyester	At hand pockets	Dragon Times	2	PCS	True Black	True Black
Elastic	59P601522-12mm	LOCAL - Elastic 12mm	12mm elastic, Elastic inside of hood edge and back of hood	Paiho	0,5	M	Black	Black
Elastic	59P601522-20mm	LOCAL - Elastic 20mm	20mm elastic, Elastic inside of bottom sleeves	Paiho	0,28	M	Black	Black
Elastic cord	2mm cord	2mm elastic cord	At bottom hem	Trim Service	1,59	YD	True Black 2mm cord	True Black 2mm cord
Cord Lock	TS 664	Cord Stopper TS664 BLUESIGN 100% POLYAMIDE	At bottom hem	Trim Service	2	PCS	Transparent	Transparent
Cord Lock	HPCSL-15	H P Cord Loop Stop	At bottom hem	Trim Service	2	PCS	Transparent	Transparent
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	Cord loop - To hold elastic cord inside of bottom hem	Trim Service	0,22	YD	True Black HTCW-14 5mm	True Black HTCW-14 5mm

Displaying 7 - 16 of 32 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Chlorophyll Green
							Colorway	Colorway
Eyelet	Matte silver/Matte black eyelet (S)		At inside bottom hem	Wasa Sweden AB	4	PCS	Matte Black EYHAGL804D.BLA (Eyelet mini 8,5x3,5mm "Haglöfs 1914" Dull Black)	Matte Silver EYHAGL804D.NFR (Eyelet mini 8,5x3,5mm "Haglöfs 1914" Dull N/free)
Webbing	DR-1726	Signature hangerloop (top dyed yarn) 100% RECYCLED POLYESTER	At center back of neck outside	Dragon Times	1	PCS	True Black DR-1726-1	Magnetite DR-1726-6
Webbing	DW-1031	Signature Explore Necklabel 10mm 100% POLYESTER	next to size label	Dragon Times	0,08	YD	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Other	web 200 10mm	LOCAL - Fusible interlining	CF zip	5S Weaving and Coating Co, LTD.	2,27	M	None	None
Seam Tape	3097	LOCAL - Adhesive	hem facing, hood facing and reinforcement	Sealon	0,02	M	None	None
Label (6)								
Logo Label	Reflective print	LOCAL - "H" symbol print SMALL 20mm x 25mm	At chest. Pls see placement on design sketch.		1	PCS	Magnetite	Dew Green
Logo Label	Reflective print	LOCAL - Reflective - "Haglöfs" wordmark print MEDIUM 11mm x 37mm	At hood. Pls see placement on design sketch.		1	PCS	Magnetite	Dew Green
Logo Label	Print	LOCAL - Pertex print 9mm x 35mm	At front bottom. Pls see placement on design sketch.	Shiyo	1	PCS	Dk Grey Logo	Dk Grey Logo
Woven label	HAG 1132 Big necklabel Haglöfs	Brandplatform 100% RECYCLED POLYESTER	at CB neck	Nilorn East Asia Ltd.	1	PCS	Black	Black

Displaying 17 - 25 of 32 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Chlorophyll Green
							Colorway	Colorway
Size Label	HAG 1133	SMALL sizelabel	below neck label	Nilorn East Asia Ltd.	1	PCS	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER	at left side seam	Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE
Packaging (5)								
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	at left hand pocket - Placement: 1	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd IF no special hangtag is being used	Placement: 2	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2012	Product specific Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: Always 3rd	Placement: 3	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2015	PROOF Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: always after product specific	Placement: 4	Nilorn East Asia Ltd.	1	PCS	None	None
Polybag		Polybag quality pls see our TOA			1	PCS	Transparent	Transparent
Displaying 26 - 32 of 32 results								

Haglöfs	Kaja Proof II Jacket Women-608486		608486J1 M-list 20250304		Draft-Sample 07.01.2026, 1:14 PM	
Size Chart	608486J1 M-list 20250304	Grading	Women's Uppers Size M	Fit	Standard	
Tolerance	Jackets(shell/softshell/insulation)	Pattern Number	608486J1	Comment	Follow pattern and m-list 608486J1.	
Size Range	XS-XL	Pattern Number	608486J1			
Sizes	XS-XL	(Revision)		Description		
Base Size	M	Construction Type	Revision	1		

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS	S	M	L	XL	Comment
Chest			-2,000	2,000		98,000	104,000	110,000	116,000	122,000	
Waist			-2,000	2,000		95,700	101,700	107,700	113,700	119,700	
Bottom			-2,000	2,000		103,000	109,000	115,000	121,000	127,000	
Back length, at cb			-1,000	1,000		68,500	69,500	70,500	71,500	72,500	
Back length to waistline, at cb			-1,000	1,000		39,800	40,400	41,000	41,600	42,200	
Armhole depth, at cb			-1,500	1,500		24,300	24,900	25,500	26,100	26,700	
Back width			-1,000	1,000		36,900	38,900	40,900	42,900	44,900	
Shoulder			-0,500	0,500		12,100	12,700	13,300	13,900	14,500	
Sleeve length fr. neck			-1,000	1,000		75,800	77,400	79,000	80,600	82,200	
Bicep			-1,000	1,000		44,400	46,200	48,000	49,800	51,600	
Elbow			-1,000	1,000		31,400	32,600	33,800	35,000	36,200	
Bottom sleeve		Extended	-1,000	1,000		26,400	27,200	28,000	28,800	29,600	
Bottom sleeve		Relaxed	-1,000	1,000		18,400	19,200	20,000	20,800	21,600	
Front length, at cf			-1,000	1,000		54,600	55,300	56,000	56,700	57,400	
Neckline, excl. zip		Along cutline	-1,000	1,000		52,300	53,800	55,300	56,800	58,300	
Hood width		Extended	-1,000	1,000		43,000	44,500	46,000	47,500	49,000	
Hood width		Relaxed	-1,000	1,000		40,000	41,500	43,000	44,500	46,000	
Hood height			-1,000	1,000		33,100	33,700	34,300	34,900	35,500	
Displaying 1 - 18 of 23 results						Units: CM Grading Display: Absolute					

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS	S	M	L	XL	Comment
Hood cf			-0,500	0,500		17,100	17,400	17,700	18,000	18,300	
Hood opening		Extended	-1,000	1,000		55,500	56,100	56,700	57,300	57,900	
Hood opening		Relaxed	-1,000	1,000		49,800	50,400	51,000	51,600	52,200	
Front zip			-1,000	1,000		71,500	72,500	73,500	74,500	75,500	
Sidepkt zip		x 2 pcs	-1,000	1,000		16,000	17,000	17,000	18,000	18,000	

Displaying 19 - 23 of 23 results

Units: CM Grading Display: Absolute

Points of Measure Gallery



Chest
Description:



Waist
Description:



Bottom
Description:



Back length to waistline, at cb
Description:



Armhole depth, at cb
Description:



Back width
Description:






Shoulder
Description:



Back length, at cb
Description:

Points of Measure Gallery

			
Sleeve length fr. neck Description:	Bicep Description:	Elbow Description:	Bottom sleeve Description:
			
Bottom sleeve Description:	Front length, at cf Description:	Neckline, excl. zip Description:	Hood width Description:
			
Hood width Description:	Hood height Description:	Hood cf Description:	Hood opening Description:

Points of Measure Gallery



Hood opening

Description:



Front zip

Description:



Sidepkt zip


Description:

Labeled Images

COLOR OVERVIEW	OUT	STYLE NAME: 608065	
  CHLOROPHYLL GREEN TRUE BLACK			
01. Color Overview			

Labeled Images

MAIN SKETCH	OUT	STYLE NO: 608065	 Haglöfs
-------------	-----	------------------	---



02. Overview Sketch

INSIDE SKETCH	OUT	STYLE NO: 608065	
---------------	-----	------------------	---

Technical diagram of a rain jacket showing construction details and assembly steps:

- Top Label:** All seams turned and taped on
- Labels on Jacket:**
 - F1:** Hood, cuffs, hem, and side seam.
 - CG:** Center front seam.
 - F1+M1:** Side pockets.
- Assembly Instructions:**
 - Open top so it works as innerpocket
 - Inseam tightening at side seam:
 - Cord stopper

g


Cord stopper TS664

HTCW-14 5mm-052594-Webbing 5mm

HTBCC-14-2 mm elastic cord

Eco eyelet S

- | |
|---------------------|
| FACE 1
F1 |
| MESH 1
M1 |
| CHIN
GUARD
CG |



Labeled Images

LOGOS & LABELS	OUT	STYLE NO: 608065	
----------------	-----	------------------	---

Print Medium Wordmark

Haglöfs

20mm

25mm

Print Small H logo



30mm

50mm

65mm from side seam

35mm


Pertex Print


9mm

PERTEX

SHIELD

35mm






05. Logo Instruction

Labeled Images

DETAIL SKETCH	OUT	STYLE NO: 608065	
---------------	-----	------------------	---



Labeled Images

FABRIC INSTRUCTION

OUT


STYLE NO: 608065



FACE 1
F1

MESH 1
M1


CHIN
GUARD
CG



Technical drawing of a hooded jacket, showing front and back views. The drawing includes fabric labels: F1 (Face 1), M1 (Mesh 1), and CG (Chin Guard). The front view shows a hooded jacket with a front zipper placket, side pockets, and a hem. The back view shows the jacket from the rear, including the hood and side panels. The labels F1, M1, and CG are placed on the corresponding parts of the jacket.


12. Fabric Instruction

Labeled Images



Labeled Images

STITCH & LAMINATION SKETCH	OUT	STYLE NO: 608065	
----------------------------	-----	------------------	---



Labeled Images

DETAIL SKETCH

OUT

STYLE NO: 608065

Haglöfs

FACE 1
F1

MESH 1
M1

CHIN
GUARD
CG

Hood

The sketch shows a side profile of a hood. It features a curved top edge, a vertical seam on the left side, and a horizontal seam near the bottom. The label 'F1' is placed on the upper left and lower left sections. The label 'M1' is placed on the right side, and the label 'CG' is placed on the bottom right side. A small rectangular detail is shown on the right side of the hood.

16. Hood Instruction

Haglöfs	Kaja Proof II Jacket Women-608486	1st Proto Comment	Draft 07.01.2026, 1:14 PM
Commented by: Jenny Yip Date: May 14, 2025 Next sample: shipment sample 1at proto Cmmts: 1. Poor embroidery execution 2. Puckering at CF 3. There is bubble/white mark on the seam tapes, especially at the thick points such as front placket, pocket, neck line and hood. Pls improve.			