

Properties

Season	SS26	Main technology platform	Proof
Code	607681		
Style	Breeze Proof Jacket Women	Main platform specification	Proof 2L
Working Name	Proof 2 layer jacket Womens		
Carry Over	✓	Responsible Development	Jenny Yip
Update		Responsible Pattern	Jennie Salldal
Product State	2nd Proto		
Carryover Colors	Carmine Red, Tarn Blue, True Black		

Active Colorways Images



Data Sheets

Data Sheet	Type	Subtype	Subtype	Revision
1	Style BOM	Clothing		1
1	Size Chart			1
1	Image Data Sheet			1
1	Style Review			1
Displaying 4 results				

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
607681J2 Dxf.zip	1	04.04.2024, 4:35 PM		607681J2 Dxf.zip			Breeze Proof Jacket Women-607681	Style
607681J2.zip	1	04.04.2024, 4:35 PM		607681J2.zip			Breeze Proof Jacket Women-607681	Style
Displaying 2 results								

Haglöfs	Breeze Proof Jacket Women-607681	607681 Breeze Proof Jacket Women	Draft-Sample 29.05.2025, 7:19 AM
---------	----------------------------------	----------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Carmine Red	Tarn Blue	True Black	Bright Red	Chalk Beige	Purple Fog
							Colorway	Colorway	Colorway	Colorway	Colorway	Colorway
Fabric (4)												
Proof 2L	GV-MS45-WR-RCY-L-GV 15K	Proof 2L Plain weave mechanical stretch 15K/ 15K Face: 100% POLYESTER-RECYCLED Membrane: 100% POLYURETHANE	F1	Grand and Great Textile	1,96	YD	Carmine Red P2305080-C	Tarn Blue P2305085-B	True Black P2305086-C	Bright Red P2408155-C	Chalk Beige P2408156-D	Purple Fog P2408153-A
Woven uncoated	Q140N-3011A000	Plain tafetta lining, 83g 100% POLYESTER RECYCLED	L1 & Draw cord channel.	Formosa	1,33	YD	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C
Knits	DSC01302	Recycled polyester mesh 70g 100% POLYESTER-RECYCLED	Mesh pkt bags	Duck San CO.,LTD	0,21	YD	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C
Knits	RC-3617-130	Brushed tricot for chinguard, 130g 100% POLYESTER-RECYCLED	Chin guard	Burltex (Tai Tung Interlining International Ltd.)	0,07	YD	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130
Zip (2)												
Displaying 1 - 4 of 34 results												

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Carmine Red	Tarn Blue	True Black	Bright Red	Chalk Beige	Purple Fog
							Colorway	Colorway	Colorway	Colorway	Colorway	Colorway
Package	CIFOR-56 DA8BLH P16 KENSIN N-ANTI REVERSE TO-IPOM. CAN PASS CPSC	1-way Open End Size #5 Coil reverse auto-lock slider in color C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free) CAN PASS CPSC	CF zip	YKK	1	PCS	C6 - Magnetite 156	C6 - True Black 580	C6 - True Black 580	C6 - Magnetite 156	X6J - Magnetite 156	X6J - Magnetite 156
Package	CIFC-51 DFBW P16 KENSIN N-ANTI REVERSE T-B-0	1-way Closed End size #5 coil revere non-lock slider C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free) CAN PASS CPSC	Hand pkts x 2	YKK	2	PCS	C6 - Magnetite 156	C6 - True Black 580	C6 - True Black 580	C6 - Magnetite 156	X6J - Magnetite 156	X6J - Magnetite 156
Trim (18)												
Other	NF025D	LOCAL - Interlining should follow Haglöfs RSL	Interlining. Where needed.	5S Weaving and Coating Co, LTD.	0,25	M	None	None	None	None	None	None
Seam Tape	3097	LOCAL - Adhesive	Adhesive glue 4mil . Where needed.	Sealon	0,016	M	None	None	None	None	None	None
Seam Tape	S25908-B160 60mm 2L	PROOF 2L tape 60mm 100% Polyurethane	Seamseal tape 60 mm. For EMB	TSGS Inc.	0,24	YD	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L
Displaying 5 - 9 of 34 results												

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Carmine Red	Tarn Blue	True Black	Bright Red	Chalk Beige	Purple Fog
							Colorway	Colorway	Colorway	Colorway	Colorway	Colorway
Seam Tape	S25908-B160 15mm 2L	PROOF 2L tape 15mm for PU and TPU membranes 100% Polyurethane	Seamseal tape 15mm.	TSGS Inc.	15,53	YD	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L
Seam Tape	S25908-B160 20mm 2L	PROOF 2L tape 20mm for PU and TPU membranes 100% Polyurethane	Seamseal tape 20 mm.	TSGS Inc.	3,12	YD	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L
Puller	HPPMT-16	H P Puller Medium Semi-transparent BLUESIGN 60% THERMOPLASTIC POLYURETHANE, 40% POLYESTER	Front zip x 1, Hand pkts x 2	Trim Service	3	PCS	Magnetite HPPMT-16	Magnetite HPPMT-16	True Black HPPMT-16	Magnetite HPPMT-16	Magnetite HPPMT-16	Magnetite HPPMT-16
Cord Lock	TS 664	Cord Stopper TS664 BLUESIGN 100% POLYAMIDE	At hood x 2 , Bottom hem x 2	Trim Service	4	PCS	Transparent	Transparent	Transparent	Magnetite TS 664	Magnetite TS 664	Magnetite TS 664
Eyelet	EYHAGL800	Round Eyelet Mini	At hood x 4 , Bottom hem x 4	Wasa Sweden AB	8	PCS	Magnetite 45969/EYHAGL800MAGNE	True Black 46809/EYHAGL800T.BLA	True Black 46809/EYHAGL800T.BLA	Magnetite 45969/EYHAGL800MAGNE	Magnetite 45969/EYHAGL800MAGNE	Magnetite 45969/EYHAGL800MAGNE
Logo Label	Sylko thread	LOCAL - Embroidery Eyelets	At inside of hood.	Nasa	2	PCS	Magnetite	True Black	True Black	Magnetite	Magnetite	Magnetite

Displaying 10 - 15 of 34 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Carmine Red	Tarn Blue	True Black	Bright Red	Chalk Beige	Purple Fog
							Colorway	Colorway	Colorway	Colorway	Colorway	Colorway
Button	Part A 15mm Plastic Cap:117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	UTX Snapbutton Lite Version 15mm 50% POM, 50% BRASS	Visible at front placket x 2 / Hidden under front placket x 4	UTX	6	PCS	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020
Webbing	HTCWHL-15-6mm	Two Color Webbing Hangloop 6mm BLUESIGN 100% POLYESTER	At back neck.	Trim Service	1	PCS	Magnetite/Granite HTCWHL-15-6mm	True black/Magnetite HTCWHL-15-6mm	Magnetite/Granite HTCWHL-15-6mm	Magnetite/Granite HTCWHL-15-6mm	Magnetite/Granite HTCWHL-15-6mm	Magnetite/Granite HTCWHL-15-6mm
Elastic cord	2mm cord	2mm elastic cord	At Hood and bottom hem.	Trim Service	2,99	YD	Magnetite 2mm cord	True Black 2mm cord	True Black 2mm cord	Magnetite 2mm cord	Magnetite 2mm cord	Magnetite 2mm cord
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	For cord adjustment at bottom hem.	Trim Service	0,26	YD	Magnetite HTCW-14 5mm	True Black HTCW-14 5mm	True Black HTCW-14 5mm	Magnetite HTCW-14 5mm	Magnetite HTCW-14 5mm	Magnetite HTCW-14 5mm
Cord Lock	HPCSL-15	H P Cord Loop Stop	For cord adjustment at bottom hem	Trim Service	2	PCS	Transparent	Transparent	Transparent	Magnetite HPCSL-15	Magnetite HPCSL-15	Magnetite HPCSL-15

Displaying 16 - 20 of 34 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Carmine Red	Tarn Blue	True Black	Bright Red	Chalk Beige	Purple Fog
							Colorway	Colorway	Colorway	Colorway	Colorway	Colorway
Cord End	HTCES-15	H P Cord End for SINGLE 2.5mm cord	Af front hood adjustment	Trim Service	2	PCS	Transparent	Transparent	Transparent	Magnetite HTCES-15	Magnetite HTCES-15	Magnetite HTCES-15
Webbing	DW-1031 signature explore	Used as necklabel together with sizelabel and HAG 1132, 40mm 100% RECYCLED POLYESTER	Beside size label	Dragon Times	1	PCS	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Webbing	HTCW-07-20mm	Webbing 20mm HTCW BLUESIGN 100% POLYESTER	As pull tab on bottom sleeve.	Trim Service	0,15	YD	Magnetite HTCW-07-20mm	True Black HTCW-07-20mm	True Black HTCW-07-20mm	Magnetite HTCW-07-20mm	Magnetite HTCW-07-20mm	Magnetite HTCW-07-20mm
Elastic	B28421 & A22381 20mm	LOCAL - Velcro	Velcro at bottom sl. Straps is in F1.	Paiho	0,42	M	Magnetite	True Black	True Black	Magnetite	Magnetite	Magnetite
Label (6)												
Logo Label	Sylko thread	LOCAL - "Haglofs" wordmark embroidered MEDIUM 11mm x 37mm	At Chest. Pls see sketch.	Nasa	1	PCS	Dk Carmine Red	Dk Tarn Blue	Magnetite	Carmine Red	Oak Brown	Purple Fog
Logo Label	Sylko thread	LOCAL - "H" symbol embroidered SMALL 20mm x 25mm	At left sleeve. Pls see sketch.	Nasa	1	PCS	Dk Carmine Red	Dk Tarn Blue	Magnetite	Carmine Red	Oak Brown	Purple Fog

Displaying 21 - 26 of 34 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Carmine Red	Tarn Blue	True Black	Bright Red	Chalk Beige	Purple Fog
							Colorway	Colorway	Colorway	Colorway	Colorway	Colorway
Logo Label	Sylko thread	LOCAL . Proof Embroidered logo 40mm width	At front lower. Pls check placement on design sketch.	Nasa	1	PCS	Dk Carmine Red	Dk Tarn Blue	Magnetite	Carmine Red	Oak Brown	Purple Fog
Woven label	HAG 1132 Big necklabel Haglöfs	Brandplatform 100% RECYCLED POLYESTER	Pls see placement on sketch	Nilorn East Asia Ltd.	1	PCS	Black	Black	Black	Black	Black	Black
Size Label	HAG 1133	SMALL sizelabel	Pls see placement on sketch. To be ordered after sizes of order.	Nilorn East Asia Ltd.	1	PCS	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER		Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE
Packaging (4)												
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	Placement 1	Nilorn East Asia Ltd.	1	PCS	None	None	None	None	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd	Placement 2	Nilorn East Asia Ltd.	1	PCS	None	None	None	None	None	None

Displaying 27 - 32 of 34 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Carmine Red	Tarn Blue	True Black	Bright Red	Chalk Beige	Purple Fog
							Colorway	Colorway	Colorway	Colorway	Colorway	Colorway
Hangtag	HAG 2015	PROOF Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: always after product specific	Placement 3	Nilorn East Asia Ltd.	1	PCS	None	None	None	None	None	None
Polybag		Polybag quality pls see our TOA			1		Transparent	Transparent	Transparent	Transparent	Transparent	Transparent

Displaying 33 - 34 of 34 results

Haglöfs		Breeze Proof Jacket Women-607681		607681J4 M-list 20240815		Draft-Sample 29.05.2025, 7:20 AM	
Size Chart	607681J4 M-list 20240815	Pattern Number	607681J4	Comment		20240815 JSS: - No changes Follow updated pattern 607681J4 for next sample.	
Tolerance	Jackets(shell/softshell/insulation)	Pattern Number					
Size Range	XS-XXL	(Revision)					
Sizes	XS-XXL	Construction Type	Pattern				
Base Size	M	Fit	Standard	Description			
Grading	Women's Uppers Size M			Revision	1		

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS	S	M	L	XL	XXL	Comment
Chest			-2,000	2,000		97,200	103,200	109,200	115,200	121,200	129,200	
Waist			-2,000	2,000		93,900	99,900	105,900	111,900	117,900	125,900	
Bottom			-2,000	2,000		101,000	107,000	113,000	119,000	125,000	133,000	
Back length, at cb			-1,000	1,000		68,600	69,600	70,600	71,600	72,600	73,600	
Back length to waistline, at cb			-1,000	1,000		40,800	41,400	42,000	42,600	43,200	43,800	
Armhole depth, at cb			-1,500	1,500		22,300	22,900	23,500	24,100	24,700	25,300	
Back width			-1,000	1,000		36,400	38,400	40,400	42,400	44,400	47,000	
Shoulder			-0,500	0,500		11,500	12,100	12,700	13,300	13,900	14,500	
Sleeve length fr. neck			-1,000	1,000		76,400	78,000	79,600	81,200	82,800	84,400	
Bicep			-1,000	1,000		45,800	47,600	49,400	51,200	53,000	54,800	
Elbow			-1,000	1,000		31,500	32,700	33,900	35,100	36,300	37,500	
Bottom sleeve			-1,000	1,000		28,400	29,200	30,000	30,800	31,600	32,400	
Front length, at cf			-1,000	1,000		56,100	56,800	57,500	58,200	58,900	59,600	
Neckline, excl. zip			-1,000	1,000		47,000	48,500	50,000	51,500	53,000	54,500	
Hood width			-1,000	1,000		47,000	48,500	50,000	51,500	53,000	54,500	
Hood height			-1,000	1,000		30,800	31,400	32,000	32,600	33,200	33,800	
Hood cf			-0,500	0,500		12,400	12,700	13,000	13,300	13,600	13,900	
Displaying 1 - 17 of 21 results												
Units: CM Grading Display: Absolute												

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS	S	M	L	XL	XXL	Comment
Hood opening			-1,000	1,000		54,000	54,600	55,200	55,800	56,400	57,000	
Front zip			-1,000	1,000		68,500	69,500	70,500	71,500	72,500	73,500	
Sidepkt zip			-1,000	1,000		16,000	17,000	17,000	18,000	18,000	19,000	
Front placket width			0,000	0,000		5,000	5,000	5,000	5,000	5,000	5,000	

Displaying 18 - 21 of 21 results

Units: CM Grading Display: Absolute

Points of Measure Gallery



Chest
Description:



Waist
Description:



Bottom
Description:



Back length, at cb
Description:



Back length to waistline, at cb
Description:



Armhole depth, at cb
Description:




Back width
Description:




Shoulder
Description:

Points of Measure Gallery

			
Sleeve length fr. neck Description:	Bicep Description:	Elbow Description:	Bottom sleeve Description:
			
Front length, at cf Description:	Neckline, excl. zip Description:	Hood width Description:	Hood height Description:
			
Hood cf Description:	Hood opening Description:	Front zip Description:	Sidepkt zip Description:


Points of Measure Gallery




Front placket width

Description:

Labeled Images

COLOR OVERVIEW	OUT	STYLE NAME: 607681			
					
CHALK BEIGE	PURPLE FOG	BRIGHT RED	CO CARMINE RED	CO TARN BLUE	CO TRUE BLACK
01. Color Overview					

Labeled Images

OVERVIEW SKETCH	OUT	STYLE NAME: 607681	
			
02. Overview Sketch			

Labeled Images


INSIDE SKETCH

OUT

STYLE NAME: 607681

Haglöfs

All seams turned and taped on inside.



FACE 1
F1

LINING 1
L1

MESH 1
M1

CHIN
GUARD
CG

04. Inside Sketch


Labeled Images

LOGO INSTRUCTION

OUT

STYLE NAME: 607681





120 mm

180 mm

40mm

10mm

Aligned with pocket edge

Embroidered Medium Wordmark

Haglöfs

Embroidered Small H



Embroidered proof logo



Labeled Images

FABRIC INSTRUCTION

OUT

STYLE NAME: 607681




FACE 1
F1

LINING 1
L1


MESH 1
M1

CHIN
GUARD
CG




M1 as pocket bags

Labeled Images



Labeled Images



Labeled Images

HOOD INSTRUCTION

OUT

STYLE NAME: 607681

Haglöfs

FACE 1
F1

LINING 1
L1

MESH 1
M1

CHIN
GUARD
CG

The image displays two technical drawings of a hood. The left drawing is an outer view showing the hood's profile with a small black detail on the lower left. The right drawing is an inner view showing the construction layers. It includes a 'Drawcord channel' at the top, a 'CHIN GUARD' (CG) at the bottom left, and a large 'LINING 1' (L1) area. A red dashed line indicates a seam or fold. A legend on the right identifies the materials: FACE 1 (F1), LINING 1 (L1), MESH 1 (M1), and CHIN GUARD (CG).

16. Hood Instruction

Haglöfs	Breeze Proof Jacket Women-607681	suter test cmmts	Draft 29.05.2025, 7:20 AM
Commented by: Jenny Yip Date: May 22,2025 Sweden PD team did the suter test and found leakage at the seam on the shoulder after washed, No picutre provided. pls improve in bulk.			