

Properties

Season	SS26	Main technology platform	None
Code	608156	Main platform specification	
Style	Solis Zip Off Pant Men	Responsible Development	Matilda Sandberg
Working Name	Zip Off Pants Men	Responsible Pattern	Jennie Salldal
Carry Over			
Update			
Product State	1st Proto		
Carryover Colors			

Active Colorways Images



Data Sheets

Data Sheet	Type	Subtype	Subtype	Revision
1	Style BOM	Clothing		1
9	Size Chart			9
1	Image Data Sheet			1
1	Size Chart Review			1
1	Style Review			1
Displaying 5 results				

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
608156P4 Dxf.zip	1	17.04.2025, 1:45 PM		608156P4 Dxf.zip			Solis Zip Off Pant Men-608156	Style
Displaying 1 - 1 of 2 results								

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
608156P4.zip	1	17.04.2025, 1:45 PM		608156P4.zip			Solis Zip Off Pant Men-608156	Style
Displaying 2 - 2 of 2 results								

Haglöfs	Solis Zip Off Pant Men-608156	Solis Zip Off Pant Men-608156	Draft-Sample 25.08.2025, 8:19 AM
---------	-------------------------------	-------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Chlorophyll Green	Maroon Trail
							Colorway	Colorway
Fabric (2)								
Woven uncoated	DT-3999-R	SH zip off pant and jacket fabric 100% POLYAMIDE- RECYCLED	F1	Dry-Tex	2,85	YD	Chlorophyll Green C24090394-03F	Maroon Trail C24090394-05A
Knits	YS 135 RE	Big hole mesh 100% POLYESTER- RECYCLED	F2 - mesh pkt	Yoosung	0,27	YD	Grey Stock color from supplier	True Black BK3205-C
Zip (4)								
Package	CIFC-59 DS5VYG PBL12 GREEN-F KENSIN N-ANTI REVERSE TO-IPOM	Coil close end size #5 with light weight tape, semi-autolook, slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight zipper. Fly zip	YKK	1	PCS	C6 - Chlorophyll Green VN: VX988. LAO: VX988	X6J - True Black 580
Package	VSC-31 DFW P12L KENSIN N-ANTI NEWKOB4	Vislon closed end size #3 with light weight tape, nonlock, slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight zipper. Hand pkts	YKK	2	PCS	C6 - Chlorophyll Green VN: VX988. LAO: VX988	X6J - True Black 580
Package	CSOR-39 DS5VYG PUW2D KENSIN N-ANTI REVERSE TO-IPOM	Coil reversed size #3 with soflex tape, right insert slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight (SOFLEX) zipper. Right insert, zip off at left leg	YKK	2	PCS	C6 - Stone Grey 337	X6J - True Black 580
Displaying 1 - 5 of 35 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Chlorophyll Green	Maroon Trail
							Colorway	Colorway
Package	CSOL-39 DS5VYG PUW2D KENSIN N-ANTI REVERSE TO-IPOM	Coil reversed size #3 with soflex tape, left insert, slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight (SOFLEX) zipper. Left insert, zip off at right leg	YKK	2	PCS	C6 - Magnetite 384	X6J - Tech Red 053
Trim (18)								
Other	NF025D	LOCAL - Interlining should follow Haglöfs RSL	Hand pkts	5S Weaving and Coating Co, LTD.	0,71	M	None	None
Puller	NF-0508	Signature puller (short) 100% Recycled polyester	Hand pkts	Dragon Times	2	PCS	True Black	True Black
Elastic cord	2mm cord	2mm elastic cord	Adjustments at bottom leg & thigh	Trim Service	3,24	YD	Chlorophyll Green	Maroon Trail
Cord Lock	NO-1643	S-Cordadjuster 2mm cord	Adjustments at bottom leg & thigh	Dragon Times	4	PCS	Smokey NO-1643-002	Black
Cord Lock	HPCSL-15	H P Cord Loop Stop	Adjustments at bottom leg & thigh	Trim Service	4	PCS	Transparent	True Black HPCSL-15
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	Adjustments at bottom leg & thigh	Trim Service	0,38	YD	Magnetite HTCW-14 5mm	True Black HTCW-14 5mm
Thread	Sylko thread tex 27	LOCAL - Embroidery Eyelets	Adjustments at bottom leg & thigh	Coats Phong Phu	8	PCS	Chlorophyll Green	Maroon Trail
Displaying 6 - 13 of 35 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Chlorophyll Green	Maroon Trail
							Colorway	Colorway
Elastic cord	NW-1224	Tricolored Elastic Cord 1,5mm	For hook attachment loop (1 loop in back side seam)	Dragon Times	0,14	YD	True Black	True Black
Elastic cord	NW-1225	Tricolored Elastic Cord 2,0mm	To loop in wind jacket or cap (2 loops at waist), see sketch	Dragon Times	0,24	YD	True Black	True Black
Webbing	NW-1221	tricolored static lace 5mm 100% Recycled polyester	Belt loop	Dragon Times	0,14	YD	True Black NW-1221-002	True Black NW-1221-002
Static cord	NW-1241	Tricolored Cord 1,5mm 100% Recycled polyester	Static Cord to attach in small hole in metal buckle hook at waist closure	Dragon Times	1	YD	True Black	True Black
Button	Fullset 6s 15mm Small “H”	Pressbutton Matte silver/Matte black	CF top of fly	Wasa Sweden AB	1	PCS	Matte Silver PBHAGL10019 (Cap 6s 15mm Small “H” Flat Dull/free) + PBWASA17251 (Spring 6S N/Free) + PBWASA17252 (Stud 6S N/Free) + PBWASA10746 (Rivet 6S Capped N/free)	Matte Black PBHAGL10023 (Cap 6S 15mm Small "H" Flat Black Structure) PBWASA15290 (Spring 6S Anti-Copper) PBWASA13204 (Stud 6S Anti-Copper) PBWASA10744 (Rivet 6S Capped Anti-Copper)
Webbing	HTPW-20mm	Webbing 20mm HTPW used for beltloops BLUESIGN 100% POLYESTER	Webbing belt at waist	Trim Service	1,48	YD	Dew Green	True Black HTPW-20mm
Displaying 14 - 19 of 35 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Chlorophyll Green	Maroon Trail
							Colorway	Colorway
Buckle	BKHAGL10003/BKHAGL10004	(G-Hook 33,6x31,5mm inner 20,25mm "H" Aluminium Alloy) DO NOT USE FOR CHILDRENS CLOTHING 100% ALUMINIUM	Metal buckle at waist	Wasa Sweden AB	1	PCS	Matte Silver BKHAGL10003	Matte Black BKHAGL10004
Hook	NO-1286	100% R-PES injected hook , non logo 100% POLYESTER- RECYCLED	Hook - follow sketch for correct placement	Dragon Times	2	PCS	Black NO-1286	Black NO-1286
Webbing	HTCW-07	Webbing 10mm HTCW-07 BLUESIGN 100% POLYESTER	Hook attachment packbag - follow sketch for correct placement	Trim Service	0,17	YD	True Black HTCW-07 10	True Black HTCW-07 10
Button	1010 matt	Plastic press button 10mm whole set MATT FINSH 100% POM	At side ventilations	UTX	8	PCS	Magnetite 1010 matt finish color S22493	True Black 1010 matt finish color black. S327
Webbing	DW-1031	Used as necklabel together with sizelabel and HAG 1132, (Width: 10mm) 100% POLYESTER	Beside size label acc to sketch	Dragon Times	1	YD	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Label (6)								
Logo Label	Sylko thread	LOCAL - "Haglofs" wordmark embroidered MEDIUM 11mm x 37mm	Follow sketch for correct placement	Nasa	1	PCS	Dew Green	True Black

Displaying 20 - 25 of 35 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Chlorophyll Green	Maroon Trail
							Colorway	Colorway
Logo Label	6mm	LOCAL - "H Pack Me" embroidery 5.5mm X 40mm	Follow sketch for correct placement		1	PCS	Dew Green	True Black
Woven label	HAG 1163	Midfold label 100% RECYCLED POLYESTER	Follow sketch for correct placement	Nilorn East Asia Ltd.	1	PCS	None	None
Woven label	HAG 1137-1136	Flaglabel SMALL 100% RECYCLED POLYESTER	Follow sketch for correct placement	Nilorn East Asia Ltd.	1	PCS	Black HAG 1137	Black HAG 1137
Size Label	HAG 1134, HAG 1135, HAG 1166, HAG 1165 numeric sizelabel (34-58) Brandplatform	BLUESIGN. Order length and size according to PO	Follow sketch for correct placement	Nilorn East Asia Ltd.	1	PCS	Light Grey HAG 1134 + size	Light Grey HAG 1134 + size
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER	Attached in side seam	Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE
Packaging (5)								
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	at right side belt loop Placement: 1	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd	Placement: 2	Nilorn East Asia Ltd.	1	PCS	None	None
Displaying 26 - 32 of 35 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Chlorophyll Green	Maroon Trail
							Colorway	Colorway
Hangtag	HAG 2012	Product specific Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: Always 3rd	Placement: 3	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2007	Waisttag, order length and size according to PO, Used: All non-shell pants	at right side back of waistband	Nilorn East Asia Ltd.	1	PCS	None HAG 2007 + size + gender + length	None HAG 2007 + size + gender + length
Polybag		Polybag quality pls see our TOA			1	PCS	Transparent	Transparent
Displaying 33 - 35 of 35 results								

Haglöfs		Solis Zip Off Pant Men-608156		608156P4 M-list 20250814		Draft-Sample 25.08.2025, 8:20 AM	
Size Chart	608156P4 M-list 20250814	Fit	Relaxed	Description			
Tolerance	Pants/bibs/Skirts	Comment	20250814 JSS:	Revision	9		
Size Range	46-58		- No changes made.				
Sizes	46, 48, 50, 52, 54, 56, 58						
Base Size	52		Follow updated pattrn Base 608156P4 for next sample.				
Grading	Men's Lowers Size 52 Short/Long						
Pattern Number	608156P4		This pattern is a pattern base, pls trace out pieces and follow design sketch for fabric information and details.				
Pattern Number (Revision)							
Construction Type	Pattern Base						

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	46	48	50	52	54	56	58	Comment
Cordstring length		Belt length	-2,000	2,000		113,000	117,000	121,000	125,000	129,000	133,000	137,000	
Top of waistband			-1,500	1,500		85,700	89,700	93,700	97,700	101,700	105,700	109,700	
Seat 2/3 of front rise			-1,500	1,500		106,000	110,000	114,000	118,000	122,000	126,000	130,000	
Thigh			-1,000	1,000		70,100	72,400	74,700	77,000	79,300	81,600	83,900	
Knee		½ inseam	-0,750	0,750		55,600	56,800	58,000	59,200	60,400	61,600	62,800	
Bottom leg			-0,750	0,750		42,600	43,400	44,200	45,000	45,800	46,600	47,400	
Front rise excl. waistband, incl. ½ crotch insert			-0,500	0,500		28,300	28,800	29,300	29,800	30,300	30,800	31,300	
Back rise excl. waistband, incl. ½ crotch insert			-0,500	0,500		36,900	37,700	38,500	39,300	40,100	40,900	41,700	
Crotch insert			-0,500	0,500		8,000	8,000	8,000	8,000	8,000	8,000	8,000	
Inseam			-1,000	1,000		78,000	78,500	79,000	79,500	80,000	80,500	81,000	
Inseam, knee pant			-1,000	1,000		18,250	18,500	18,750	19,000	19,250	19,500	19,750	
Waistband height			-0,500	0,500		5,000	5,000	5,000	5,000	5,000	5,000	5,000	
Displaying 1 - 12 of 18 results										Units: CM Grading Display: Absolute			

Haglöfs	Solis Zip Off Pant Men-608156	608156P4 M-list 20250814	Draft-Sample 25.08.2025, 8:20 AM
---------	-------------------------------	--------------------------	----------------------------------

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	46	48	50	52	54	56	58	Comment
Frontfly zip			-1,000	1,000		14,500	15,500	16,500	16,500	16,500	17,500	18,500	
Frontpkt zip		excl zip end	-1,000	1,000		22,500	23,500	23,500	23,500	23,500	23,500	24,500	
Leg zip-off-zip		at thigh	-0,750	0,750		63,900	65,100	66,300	67,500	68,700	69,900	71,100	
Leg zip-off-zip		at knee	-0,750	0,750		50,400	51,600	52,800	54,000	55,200	56,400	57,600	
Legpkt opening		left side over knee	-1,000	1,000		11,900	12,900	12,900	12,900	12,900	12,900	13,900	
Legpkt opening		left side under knee	-1,000	1,000		11,000	12,000	12,000	12,000	12,000	12,000	13,000	
Displaying 13 - 18 of 18 results										Units: CM Grading Display: Absolute			

Points of Measure Gallery

Cordstring length Description:	 Top of waistband Description:	 Seat 2/3 of front rise Description:	 Thigh Description:
---	--	--	---

Points of Measure Gallery



Knee
Description:



Bottom leg
Description:



Front rise excl. waistband, incl. ½ crotch insert
Description:



Back rise excl. waistband, incl. ½ crotch insert
Description:



Crotch insert
Description:



Inseam
Description:



Inseam, knee pant
Description:



Waistband height
Description:



Frontfly zip
Description:



Frontpkt zip
Description:



Leg zip-off-zip
Description:





Leg zip-off-zip
Description:


Points of Measure Gallery

		
Legpkt opening Description:		
		
Legpkt opening Description:		

Labeled Images

COLOR OVERVIEW	OUT	STYLE NAME: 608156	 Haglöfs
 CHLOROPHYLL GREEN  MAROON TRAIL			
01. Color Overview			

Labeled Images

OVERVIEW SKETCH	OUT	STYLE NAME: 608156	 Haglöfs
			
02. Overview Sketch			

Labeled Images


LOGO INSTRUCTION

OUT

STYLE NAME: 608156

 Haglöfs

Application of explore webbing to size label




Haglöfs wordmark
Embroidery size M



EDGE LABELS
Haglöfs Edge Folded Label
(Back & Front)
Woven





Haglöfs Flag Label



Please make sure "H" is visible


Embroidery



20mm

20mm

7mm from edge




05. Logo Instruction

Page 15 of 25


Labeled Images

DETAIL SKETCH	OUT	STYLE NAME: 608156	 Haglöfs
---------------	-----	--------------------	---




BACK WAISTBAND



Cord Stopper



Labeled Images

DETAIL SKETCH	OUT	STYLE NAME: 608156	 Haglöfs
CORD AT BUCKLE Make cord end like this but with double cord DOUBLE OVER HAND KNOT  How to knot  Finnished Static cord through hole on buckle making  Burn at end to seal 			

Labeled Images

FABRIC INSTRUCTION

OUT

STYLE NAME: 608156




FACE 1
F1

FACE 2
F2

F1

F1 as pocket bags



12. Fabric Instruction

Labeled Images

TRIM & ACC INSTRUCTION	OUT	STYLE NAME: 608156	
------------------------	-----	--------------------	---

Beltlook
Haglöfs Signature static webbing 5mm
attached in seam

Webbing belt with
Haglöfs Metal Buckle
and Tricolored cord
1.5mm

4,5mm coil zip
with snap lock puller

hand pocket
#3 vision zip +
Signature Puller Short

Bar tack
and open seams
for venilation

Stitching through all
fabric layers, end of
pocket bag

Elastic cord
Cord stopper (S-Shape)
Webbing 5mm (attached in side seam)
Stitched eyelet
see sep. detail instruction

2 cm

H folded size label
& explore webbing

H press button 15mm

5 cm
Elastic starts
5 cm from side seam

Tricolored elastic cord
attached in seam
to loop in wind jacket or cap
when not in use - please use
bar tack through all layers
for good stability

Webbing belt to go all
the way around waist

Tricolored Elastic Loop


Mesh pocket

Zip off construction under fabric flap,
different colors on different legs,
#3 reversed coil with snap puller;
3 needle stitch on fabric flap under zip to
avoid fabric getting stuck in zip




Press buttons to remove pants
when zipped off and hiking boots are on

Doublesided hook attached
with 10mm wide webbing in side seam.



Stash pocket to stash things
and to pack the leg
when not in use

Labeled Images



Haglöfs				Solis Zip Off Pant Men-608156		JSS		Approved 14.08.2025, 3:09 PM			
Size Chart Review		JSS		Size Chart		608156P4 M-list 20250814		Base Size		52	
Description				Size Range		46-58		Grading		Men's Lowers Size 52 Short/Long	
Pattern Number		608156P4		Sizes		46, 48, 50, 52, 54, 56, 58					
Construction Type		Pattern Base		Tolerance		Pants/bibs/Skirts					

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	46 JSS				58 JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Cordstring length		Belt length	-2,000	2,000		113,000	112,700	-0,300		137,000	136,500	-0,500			
Top of waistband			-1,500	1,500		85,700	86,000	0,300		109,700	109,000	-0,700			
Seat 2/3 of front rise			-1,500	1,500		106,000	107,000	1,000		130,000	130,000	0,000			
Thigh			-1,000	1,000		70,100	69,800	-0,300		83,900	83,000	-0,900			
Knee		½ inseam	-0,750	0,750		55,600	56,000	0,400		62,800	62,800	0,000			
Bottom leg			-0,750	0,750		42,600	42,400	-0,200		47,400	47,600	0,200			
Front rise excl. waistband, incl. ½ crotch insert			-0,500	0,500		28,300	28,700	0,400		31,300	31,000	-0,300			
Back rise excl. waistband, incl. ½ crotch insert			-0,500	0,500		36,900	40,400	3,500	36,700	41,700	42,000	0,300			
Crotch insert			-0,500	0,500		8,000	7,600	-0,400		8,000	7,800	-0,200			
Inseam			-1,000	1,000		78,000	77,000	-1,000		81,000	80,000	-1,000			
Inseam, knee pant			-1,000	1,000		18,250	17,600	-0,650		19,750	19,250	-0,500			
Waistband height			-0,500	0,500		5,000	5,000	0,000		5,000	5,000	0,000			
Frontfly zip			-1,000	1,000		14,500	14,500	0,000		18,500	18,500	0,000			
Frontpkt zip		excl zip end	-1,000	1,000		22,500	22,200	-0,300		24,500	24,500	0,000			
Leg zip-off-zip		at thigh	-0,750	0,750		63,900	62,600	-1,300		71,100	72,000	0,900			
Displaying 1 - 15 of 18 results															Units: CM

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	46 JSS				58 JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Leg zip-off-zip		at knee	-0,750	0,750		50,400	51,400	1,000		57,600	56,800	-0,800			
Legpkt opening		left side over knee	-1,000	1,000		11,900	12,400	0,500		13,900	14,200	0,300			
Legpkt opening		left side under knee	-1,000	1,000		11,000	11,000	0,000		13,000	12,800	-0,200			
Displaying 16 - 18 of 18 results															Units: CM

Haglöfs	Solis Zip Off Pant Men-608156	JSS comments	Draft 25.08.2025, 8:20 AM
Commented by: Matilda Date: 2025-08-14 Next sample: Shipment Sample JSS comments: Logo: * "Pack Me"-logo - keep 40mm. * Avoid puckering around the embroidery. Trims: * Zip offs updated to Left insert on Right Side and the opposite. Colours follow SMS. * Snap buttons should be matte. * Make sure to follow colours in BOM Construction Quality / Workmanship * Improve making of bartacks at elastic cord at back waistband. * Missing bartacks at webbing attachment at adjustments. Where the webbing is attached in cutline there should be a bartack to secure it. * Keep seams and bartacks secured and as clean as possible. * Make sure to erase chalk marks on fabric. * Puller attachment - good! * Make sure to put "Exclusive of Trims" in the care label instruction * Make sure to trim all loose threads.			

Puller attachment



Elastic cord end attachment

