

Properties

Season	SS26	Carryover Colors	
Code	608396	Responsible	Saitip Ribbring
Style	Aska Proof Jacket Women	Development	
Carry Over		Responsible Pattern	Jennie Salldal


Colorway Gallery



Chlorophyll Green
Colorway Code: 5YE
Active: ✓



Purple Fog
Colorway Code: 5YK
Active: ✓



True Black
Colorway Code: 2C5
Active: ✓

Haglöfs	Aska Proof Jacket Women-608396	Aska Proof Jacket Women-608396	Draft-Sample 02.12.2025, 6:03 AM
---------	--------------------------------	--------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Purple Fog	Chlorophyll Green
							Colorway	Colorway	Colorway
Fabric (4)									
Proof 2L	GV-MS45-WR-RCY-L-GV 15K	Proof 2L Plain weave mechanical stretch 15K/ 15K Face: 100% POLYESTER-RECYCLED Membrane: 100% POLYURETHANE	F1	Grand and Great Textile	1,96	YD	True Black P2305086-C	Purple Fog P2408153-A	Chlorophyll Green P2409040-A
Woven uncoated	Q140N-3011A000	Plain tafetta lining, 83g 100% POLYESTER RECYCLED	L1 , Draw cord channel	Formosa	1,33	YD	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C
Knits	DSC01302	Recycled polyester mesh 70g 100% POLYESTER-RECYCLED	Mesh pkt bags	Duck San CO.,LTD	0,21	YD	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C
Knits	RC-3617-130	Brushed tricot for chinguard, 130g 100% POLYESTER-RECYCLED	Chin Guard	Burltex (Tai Tung Interlining International Ltd.)	0,07	YD	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130
Zip (2)									
Package	CIFOR-56 DA8BLH P16 KENSIN N-ANTI REVERSE TO-IPOM. CAN PASS CPSC	1-way Open End Size #5 Coil reverse auto-lock slider in color C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free) CAN PASS CPSC	CF zip	YKK	1	PCS	C6 - True Black 580	X6J - Magnetite 156	X6J - Magnetite 156
Displaying 1 - 5 of 35 results									

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Purple Fog	Chlorophyll Green
							Colorway	Colorway	Colorway
Package	CIFC-51 DFBW P16 KENSIN N-ANTI REVERSE T-B-0	1-way Closed End size #5 coil revere non-lock slider C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free) CAN PASS CPSC	Hand pkts x 2	YKK	2	PCS	C6 - True Black 580	X6J - Magnetite 156	X6J - Magnetite 156
Trim (18)									
Other	NF025D	LOCAL - Interlining should follow Haglöfs RSL	Interlining. Where needed.	5S Weaving and Coating Co, LTD.	0,25	M	None	None	None
Seam Tape	3097	LOCAL - Adhesive	Adhesive glue 4mil . Where needed.	Sealon	0,016	M	None	None	None
Seam Tape	S25908-B160 60mm 2L	PROOF 2L tape 60mm for PU and TPU membranes 100% Polyurethane	Seamseal tape 60 mm. For EMB	TSGS Inc.	0,24	YD	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L
Seam Tape	S25908-B160 15mm 2L	PROOF 2L tape 15mm for PU and TPU membranes 100% Polyurethane	Seamseal tape 15mm.	TSGS Inc.	15,53	YD	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L
Seam Tape	S25908-B160 20mm 2L	PROOF 2L tape 20mm for PU and TPU membranes 100% Polyurethane	Seamseal tape 20 mm.	TSGS Inc.	3,12	YD	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L
Puller	HPPMT-16	H P Puller Medium Semi-transparent BLUESIGN 60% THERMOPLASTIC POLYURETHANE, 40% POLYESTER	Front zip x 1 ,Hand pkts x 2	Trim Service	3	PCS	True Black HPPMT-16	Magnetite HPPMT-16	Magnetite HPPMT-16

Displaying 6 - 12 of 35 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Purple Fog	Chlorophyll Green
							Colorway	Colorway	Colorway
Cord Lock	TS 664	Cord Stopper TS664 BLUESIGN 100% POLYAMIDE	At hood x 2,Bottom hem x 2	Trim Service	4	PCS	Transparent	Transparent	Magnetite TS 664
Eyelet	EYHAGL800	Round Eyelet Mini	At hood x 4, Bottom hem x 4	Wasa Sweden AB	8	PCS	True Black 46809/ EYHAGL800T.BLA	Magnetite 45969/ EYHAGL800MAGNE	Magnetite 45969/ EYHAGL800MAGNE
Logo Label	Sylko thread	LOCAL - Embroidery Eyelets	At inside of hood.	Nasa	2	PCS	True Black	Magnetite	Magnetite
Button	Part A 15mm Plastic Cap:117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	UTX Snapbutton Lite Version 15mm 50% POM, 50% BRASS	Visible at front placket x 2 /Hidden under front placket x 4	UTX	6	PCS	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020
Webbing	HTCWHL-15-6mm	Two Color Webbing Hangloop 6mm BLUESIGN 100% POLYESTER	At back neck	Trim Service	1	PCS	Magnetite/Granite HTCWHL-15-6mm	Magnetite/Granite HTCWHL-15-6mm	Magnetite/Granite HTCWHL-15-6mm
Elastic cord	2mm cord	2mm elastic cord	At Hood and bottom hem.	Trim Service	2,99	YD	True Black 2mm cord	Magnetite 2mm cord	Magnetite 2mm cord
Cord Lock	HPCSL-15	H P Cord Loop Stop	For cord adjustment at bottomhem	Trim Service	2	PCS	Transparent	Magnetite HPCSL-15	Magnetite HPCSL-15
Cord End	HTCES-15	H P Cord End for SINGLE 2.5mm cord	At front hood adjustment	Trim Service	2	PCS	Transparent	Magnetite HTCES-15	Transparent

Displaying 13 - 20 of 35 results

Haglöfs	Aska Proof Jacket Women-608396	Aska Proof Jacket Women-608396	Draft-Sample 02.12.2025, 6:03 AM
---------	--------------------------------	--------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Purple Fog	Chlorophyll Green
							Colorway	Colorway	Colorway
Webbing	DW-1031	Signature Explore Necklabel 10mm 100% POLYESTER	Beside size label	Dragon Times	1	YD	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Webbing	HTCW-07-20mm	Webbing 20mm HTCW BLUESIGN 100% POLYESTER	As pull tab on bottom sleeve.	Trim Service	0,15	YD	True Black HTCW-07-20mm	Magnetite HTCW-07-20mm	Magnetite HTCW-07-20mm
Elastic	B28421 & A22381	LOCAL - Velcro	Velcro at bottom sl. Straps is in F1.	Paiho	0,42	M	True Black	Magnetite	Chlorophyll Green
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	For cord adjustment at bottom hem	Trim Service	0,26	YD	True Black HTCW-14 5mm	Magnetite HTCW-14 5mm	Magnetite HTCW-14 5mm
Label (6)									
Logo Label	Sylko thread	LOCAL - "Haglofs" wordmark embroidered MEDIUM 11mm x 37mm	At Chest. Pls see sketch.	Nasa	1	PCS	Magnetite	Purple Fog	Dew Green
Logo Label	Sylko thread	LOCAL - "H" symbol embroidered SMALL 20mm x 25mm	At left sleeve. Pls see sketch.	Nasa	1	PCS	Magnetite	Purple Fog	Dew Green
Logo Label	Sylko thread	LOCAL . Proof Embroidered logo 40mm width	At front lower. Pls check placement on design sketch	Nasa	1	PCS	Magnetite	Purple Fog	Dew Green

Displaying 21 - 27 of 35 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Purple Fog	Chlorophyll Green
							Colorway	Colorway	Colorway
Woven label	HAG 1132 Big necklabel Haglöfs	Brandplatform 100% RECYCLED POLYESTER	Pls see placement on sketch	Nilorn East Asia Ltd.	1	PCS	Black	Black	Black
Size Label	HAG 1133	SMALL sizelabel	Pls see placement on sketch. To be ordered after sizes of order.	Nilorn East Asia Ltd.	1	PCS	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER		Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE
Packaging (5)									
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	Placement 1	Nilorn East Asia Ltd.	1	PCS	None	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd IF no special hangtag is being used	Placement 2	Nilorn East Asia Ltd.	1	PCS	None	None	None
Hangtag	HAG 2012	Product specific Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: Always 3rd	Placement 3	Nilorn East Asia Ltd.	1	PCS	None	None	None

Displaying 28 - 33 of 35 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Purple Fog	Chlorophyll Green
							Colorway	Colorway	Colorway
Hangtag	HAG 2015	PROOF Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: always after product specific	Placement 4	Nilorn East Asia Ltd.	1	PCS	None	None	None
Polybag		Polybag quality pls see our TOA			1	PCS	Transparent	Transparent	Transparent
Displaying 34 - 35 of 35 results									

Haglöfs		Askas Proof Jacket Women-608396		608396J4 m-list 20250609		Draft-Sample 02.12.2025, 6:03 AM	
Size Chart	608396J4 m-list 20250609	Construction Type	Pattern	Description	Copy from Breeze 607681 Ss25		
Tolerance	Jackets(shell/softshell/insulation)	Fit	Slim	Revision	5		
Size Range	XS-XXL	Comment	20250609: - Updated fit and design. This is a Base Pattern, pls trace out pieces from our base pattern(608396J4) and make details and fabric choice according to design sketch.				
Sizes	XS-XXL						
Base Size	M						
Grading	Women's Uppers Size M						
Pattern Number	608396J4						
Pattern Number (Revision)	608396J4						

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS	S	M	L	XL	XXL	Comment
Chest			-2,000	2,000		97,200	103,200	109,200	115,200	121,200	129,200	New mmt 20250609
Waist			-2,000	2,000		93,900	99,900	105,900	111,900	117,900	125,900	New mmt 20250609
Bottom			-2,000	2,000		101,000	107,000	113,000	119,000	125,000	133,000	New mmt 20250609
Back length, at cb			-1,000	1,000		68,600	69,600	70,600	71,600	72,600	73,600	New mmt 20250609
Back length to waistline, at cb			-1,000	1,000		40,800	41,400	42,000	42,600	43,200	43,800	
Armhole depth, at cb			-1,500	1,500		22,300	22,900	23,500	24,100	24,700	25,300	New mmt 20250609
Back width, at ½ armhole depth			-1,000	1,000		36,400	38,400	40,400	42,400	44,400	47,000	New mmt 20250609
Shoulder			-0,500	0,500		11,500	12,100	12,700	13,300	13,900	14,500	New mmt 20250609
Sleeve length fr. neck			-1,000	1,000		76,400	78,000	79,600	81,200	82,800	84,400	New mmt 20250609
Bicep			-1,000	1,000		45,800	47,600	49,400	51,200	53,000	54,800	New mmt 20250609
Elbow			-1,000	1,000		31,500	32,700	33,900	35,100	36,300	37,500	New mmt 20250609
Bottom sleeve			-1,000	1,000		28,400	29,200	30,000	30,800	31,600	32,400	
Front length, at cf			-1,000	1,000		56,100	56,800	57,500	58,200	58,900	59,600	New mmt 20250609
Neckline, excl. zip			-1,000	1,000		47,000	48,500	50,000	51,500	53,000	54,500	New mmt 20250609
Displaying 1 - 14 of 21 results												
Units: CM Grading Display: Absolute												

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS	S	M	L	XL	XXL	Comment
Hood width			-1,000	1,000		47,000	48,500	50,000	51,500	53,000	54,500	New mmt 20250609
Hood height			-1,000	1,000		30,800	31,400	32,000	32,600	33,200	33,800	New mmt 20250609
Hood cf			-0,500	0,500		12,400	12,700	13,000	13,300	13,600	13,900	
Hood opening			-1,000	1,000		54,000	54,600	55,200	55,800	56,400	57,000	New mmt 20250609
Front zip			-1,000	1,000		68,500	69,500	70,500	71,500	72,500	73,500	New mmt 20250609
Sidepkt zip			-1,000	1,000		16,000	17,000	17,000	18,000	18,000	19,000	
Front placket width			0,000	0,000		5,000	5,000	5,000	5,000	5,000	5,000	New mmt 20250609
Displaying 15 - 21 of 21 results										Units: CM Grading Display: Absolute		

Points of Measure Gallery



Chest
Description:



Waist
Description:





Bottom
Description:




Back length, at cb
Description:

Points of Measure Gallery


			
Back length to waistline, at cb Description:	Armhole depth, at cb Description:	Back width, at ½ armhole depth Description:	Shoulder Description:
			
Sleeve length fr. neck Description:	Bicep Description:	Elbow Description:	Bottom sleeve Description:
			
Front length, at cf Description:	Neckline, excl. zip Description:	Hood width Description:	Hood height Description:

Points of Measure Gallery



Hood cf

Description:



Hood opening

Description:




Front zip

Description:



Sidepkt zip

Description:




Front placket width

Description:


Labeled Images

OVERVIEW COLORSKETCH	OUT	
   CHLOROPHYLL GREEN PURPLE FOG TRUE BLACK		
01. Color Overview		

Labeled Images

OVERVIEW SKETCH	OUT	
		
02. Overview Sketch		

Labeled Images





Labeled Images

INSIDE SKETCH

OUT

Haglöfs

All seams turned and taped on inside.



FACE 1
F1

LINING 1
L1

CHIN
GUARD
CG


04. Inside Sketch

Labeled Images

LOGO INSTRUCTION

OUT





Embroidered Medium Wordmark

Haglöfs

Embroidered Small H

Embroidered proof logo

PROOF™

40mm

10mm

120 mm

180 mm

40mm

Aligned with pocket edge

9mm

2mm

LARGE

Haglöfs
Designed in
Sweden
Since 1914

stitch/tear

QP cm
folded loop

Exposure webbing

Labeled Images

FABRIC INSTRUCTION

OUT

Haglöfs


FACE 1
F1

LINING 1
L1

CHIN
GUARD
CG

11. Detail Sketch 1

Labeled Images



12. Detail Sketch 2

Labeled Images

HOOD INSTRUCTION


OUT



FACE 1
F1

LINING 1
L1

CHIN
GUARD
CG



13. Detail Sketch 3

Haglöfs		Aska Proof Jacket Women-608396		SMS		Approved 11.04.2025, 9:06 AM					
Size Chart Review		SMS		Size Chart		608396J4 m-list 20250609		Base Size		M	
Description				Size Range		XS-XXL		Grading		Women's Uppers Size M	
Pattern Number		608396J4		Sizes		XS-XXL					
Construction Type		Pattern		Tolerance		Jackets(shell/softshell/insulation)					

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	M SMS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual		
Chest			-2,000	2,000		109,000	109,000	0,000			
Waist			-2,000	2,000		107,000	107,000	0,000			
Bottom			-2,000	2,000		113,000	113,000	0,000			
Back length, at cb			-1,000	1,000		70,600	69,600	-1,000			
Back length to waistline, at cb			-1,000	1,000		42,000	42,000	0,000			
Armhole depth, at cb			-1,500	1,500		23,400	23,400	0,000			
Back width, at seam			-1,000	1,000		40,400	40,900	0,500			
Shoulder			-0,500	0,500		12,700	12,700	0,000			
Sleeve length fr. neck			-1,000	1,000		79,600	79,600	0,000			
Bicep			-1,000	1,000		49,600	50,100	0,500			
Elbow			-1,000	1,000		34,200	34,700	0,500			
Bottom sleeve			-1,000	1,000		30,000	30,000	0,000			
Front length, at cf			-1,000	1,000		56,000	56,000	0,000			
Neckline, excl. zip			-1,000	1,000		57,200	56,200	-1,000			
Hood width			-1,000	1,000		50,500	50,000	-0,500			
Hood height			-1,000	1,000		32,000	32,500	0,500			
Hood cf			-0,500	0,500		14,700	14,200	-0,500			

Displaying 1 - 17 of 20 results

Units: CM

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	M SMS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual		
Hood opening			-1,000	1,000		53,600	52,600	-1,000			
Front zip			-1,000	1,000		70,700	70,700	0,000			
Sidepkt zip			-1,000	1,000		17,000	17,000	0,000			
Displaying 18 - 20 of 20 results										Units: CM	

Haglöfs	Aska Proof Jacket Women-608396	shipments sample	Draft 02.12.2025, 6:04 AM
Commented by: April Lok Date:02 Dec 2025 Color:Chlorophyll Green Comments : sample is ok			