

Properties

Season	SS26	Main technology platform	None
Code	608236	Main platform specification	
Style	Solis Zip Off Jacket Men	Responsible Development	Matilda Sandberg
Working Name	SH Jacket Men	Responsible Pattern	Jennie Salldal
Carry Over			
Update			
Product State	1st Proto		
Carryover Colors			

Active Colorways Images



Data Sheets

Data Sheet	Type	Subtype	Subtype	Revision
1	Style BOM	Clothing		1
11	Size Chart			11
1	Image Data Sheet			1
1	Size Chart Review			1
1	Style Review			1
Displaying 5 results				

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
608236J4 Dxf.zip	1	20.05.2025, 8:20 AM		608236J4 Dxf.zip			Solis Zip Off Jacket Men-608236	Style
Displaying 1 - 1 of 2 results								

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
608236J4.zip	1	20.05.2025, 8:20 AM		608236J4.zip			Solis Zip Off Jacket Men-608236	Style
Displaying 2 - 2 of 2 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Dew Green	Maroon Trail
							Colorway	Colorway
Fabric (3)								
Woven uncoated	DT-3999-R	SH zip off pant and jacket fabric 100% POLYAMIDE- RECYCLED	F1	Dry-Tex	2,95	YD	Dew Green C24090394-02L	Maroon Trail C24090394-05A
Knits	YS 135 RE	Big hole mesh 100% POLYESTER- RECYCLED	F2 - mesh pkts + packbag	Yoosung	0,52	YD	Grey Stock color from supplier	True Black BK3205-C
Knits	DSC01302	Recycled polyester mesh 70g 100% POLYESTER- RECYCLED	F3 - mesh back yoke	Duck San CO.,LTD	0,221	YD	Magnetite 31-10-2023 #C	True Black 26-10-2023 #B
Zip (4)								
Package	VSOR-36 DALH5 H3 P12L KENSIN N-ANTI NEWKOB4	Vislon size #3 with light weight tape, autolook, slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight zipper. CF zip	YKK	1	PCS	C6 - Chlorophyll Green VN: VX988. LAO: VX988	X6J - True Black 580
Package	VSC-31 DFW P12L KENSIN N-ANTI NEWKOB4	Vislon closed end size #3 with light weight tape, nonlock, slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight zipper. Hand pkts	YKK	2	PCS	C6 - Chlorophyll Green VN: VX988. LAO: VX988	X6J - True Black 580
Package	CSOR-39 DS5VYG PUW2D KENSIN N-ANTI REVERSE TO-IPOM	Coil reversed size #3 with soflex tape, right insert slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight (SOFLEX) zipper. Right insert, zip off at left sleeve.	YKK	1	PCS	C6 - Stone Grey 337	X6J - True Black 580
Package	CSOL-39 DS5VYG PUW2D KENSIN N-ANTI REVERSE TO-IPOM	Coil reversed size #3 with soflex tape, left insert, slider finish C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free)	NEW lightweight (SOFLEX) zipper. Left insert, zip off at right sleeve	YKK	1	PCS	C6 - Magnetite 384	X6J - Tech Red 053
Displaying 1 - 7 of 31 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Dew Green	Maroon Trail
							Colorway	Colorway
Trim (15)								
Other	NF025D	LOCAL - Interlining should follow Haglöfs RSL	Where needed	5S Weaving and Coating Co, LTD.	0,34	M	None	None
Puller	NF-0508	Signature puller (short) 100% Recycled polyester	Puller at CF x 1 / Hand pkts x 2	Dragon Times	3	PCS	True Black	True Black
Elastic cord	2mm cord	2mm elastic cord	Adjustments at hood, btm hem & sleeve hem & sleeve zip off	Trim Service	5,15	YD	Dew Green	Maroon Trail
Cord Lock	NO-1643	S-Cordadjuster 2mm cord	Adjustments at hood, btm hem & sleeve hem & sleeve zip off	Dragon Times	8	PCS	Smokey NO-1643-002	Black
Cord Lock	HPCSL-15	H P Cord Loop Stop	Adjustments at hood, btm hem & sleeve hem & sleeve zip off	Trim Service	7	PCS	Transparent	True Black HPCSL-15
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	Adjustments at hood, btm hem & sleeve hem & sleeve zip off	Trim Service	0,48	YD	Magnetite HTCW-14 5mm	True Black HTCW-14 5mm
Thread	Sylko thread tex 27	LOCAL - Embroidery Eyelets	Adjustments at hood, btm hem & sleeve hem & sleeve zip off	Coats Phong Phu	14	PCS	Dew Green	Maroon Trail
Webbing	HTCW-07	Webbing 10mm HTCW-07 BLUESIGN 100% POLYESTER	For hook attachment when packed sleeves	Trim Service	0,13	YD	Magnetite HTCW-07 10	True Black HTCW-07 10
Elastic	59210S-5	LOCAL - Elastic 5mm	5mm Elastic at hood opening	Premier	0,59	M	White	Black
Elastic cord	NW-1224	Tricolored Elastic Cord 1,5mm	For hook attachment	Dragon Times	0,13	YD	True Black	True Black
Displaying 8 - 17 of 31 results								

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Dew Green	Maroon Trail
							Colorway	Colorway
Static cord	NW-1242	Tricolored Cord 2,0mm 100% Recycled polyester	String for bag when sleeves are packed	Dragon Times	1	YD	True Black	True Black
Webbing	DR-1726	Signature hangerloop (top dyed yarn) 100% RECYCLED POLYESTER	At back neck	Dragon Times	1	PCS	Magnetite DR-1726-6	True Black DR-1726-1
Webbing	DW-1031	Used as necklabel together with sizelabel and HAG 1132, (Width: 10mm) 100% POLYESTER	Beside size label acc to sketch	Dragon Times	1	YD	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Button	1010 matt	Plastic press button 10mm whole set MATT FINSIH 100% POM	For attachment of hood when rolled into collar	UTX	1	PCS	Magnetite 1010 matt finish color S22493	True Black 1010 matt finish color black. S327
Hook	NO-1286	100% R-PES injected hook , non logo 100% POLYESTER- RECYCLED		Dragon Times	1	PCS	Black NO-1286	Black NO-1286
Label (5)								
Embroidery	new brandflatom 11mm x 37mm	LOCAL - "Haglofs" wordmark embroidered MEDIUM 11mm x 37mm	Follow sketch for correct placement		1	PCS	Chlorophyll Green	True Black
Logo Label	6mm	LOCAL - "H Pack Me" embroidery 5.5mm X 40mm	Follow sketch for correct placement		1	PCS	Chlorophyll Green	True Black
Woven label	HAG 1137-1136	Flaglabel SMALL 100% RECYCLED POLYESTER	Follow sketch for correct placement	Nilorn East Asia Ltd.	1	PCS	Black HAG 1137	Black HAG 1137

Displaying 18 - 25 of 31 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Dew Green	Maroon Trail
							Colorway	Colorway
Size Label	HAG 1134, HAG 1135, HAG 1166, HAG 1165 Brandplatform	BLUESIGN. Order size according to PO	Follow sketch for correct placement	Nilorn East Asia Ltd.	1	PCS	Light Grey HAG 1134 + size	Black HAG 1135 + size HAG 1166 + size (short) HAG 1165 + size (long)
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER	Attached in side seam	Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE
Packaging (4)								
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	Placement: 1	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd	Placement: 2	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2012	Product specific Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: Always 3rd	Placement: 3	Nilorn East Asia Ltd.	1	PCS	None	None
Polybag		Polybag quality pls see our TOA			1	PCS	Transparent	Transparent
Displaying 26 - 31 of 31 results								

Haglöfs		Solis Zip Off Jacket Men-608236		608236J4 M-list 20250815		Draft-Sample 25.08.2025, 8:19 AM	
Size Chart	608236J4 M-list 20250815		Pattern Number	608236J4		Comment	20250815 JSS: - No changes made. Follow updated pattern 608236J4 for next sample.
Tolerance	Jackets(shell/softshell/insulation)		Pattern Number				
Size Range	S-XXL		(Revision)				
Sizes	S-XXL		Construction Type	Pattern			
Base Size	L		Fit	Relaxed		Description	
Grading	Men's Uppers Size L					Revision	11

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	Comment
Chest			-2,000	2,000		118,200	124,200	130,200	136,200	142,200	
Waist			-2,000	2,000		109,200	115,200	121,200	127,200	133,200	
Bottom			-2,000	2,000		110,800	116,800	122,800	128,800	134,800	
Back length, at cb			-1,000	1,000		76,000	77,000	78,000	79,000	80,000	
Back length to waistline, at cb			-1,000	1,000		48,400	49,200	50,000	50,800	51,600	
Armhole depth, at cb			-1,500	1,500		27,400	28,200	29,000	29,800	30,600	
Back width		opening between bar tack	-1,000	1,000		40,400	42,400	44,400	46,400	48,400	
Sleeve length fr. neck			-1,000	1,000		83,800	85,400	87,000	88,600	90,200	
Bicep			-1,000	1,000		54,300	56,300	58,300	60,300	62,300	
Elbow			-1,000	1,000		37,200	38,600	40,000	41,400	42,800	
Bottom sleeve			-1,000	1,000		29,400	30,200	31,000	31,800	32,600	
Front length, at cf			-1,000	1,000		51,900	52,600	53,300	54,000	54,700	
Neckline, excl. zip			-1,000	1,000		51,400	52,900	54,400	55,900	57,400	
Collar stand cf		at panel	-0,500	0,500		8,000	8,000	8,000	8,000	8,000	
Collar cb			-0,500	0,500		6,400	6,700	7,000	7,300	7,600	
Top of collar, excl. zip			-1,000	1,000		45,400	46,900	48,400	49,900	51,400	
Hood width, at narrowest place		At seam	-1,000	1,000		48,900	50,400	51,900	53,400	54,900	
Displaying 1 - 17 of 24 results						Units: CM Grading Display: Absolute					

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	Comment
Hood height			-1,000	1,000		34,400	35,000	35,600	36,200	36,800	
Hood opening		Relaxed	-1,000	1,000		66,300	66,900	67,500	68,100	68,700	
Hood opening		Extended	-1,000	1,000		70,300	70,900	71,500	72,100	72,700	
Front zip			-1,000	1,000		70,000	71,000	72,000	73,000	74,000	
Sidepkt zip			-1,000	1,000		19,000	20,000	20,000	21,000	21,000	
Sleeve Zip		zip-off	-1,000	1,000		43,800	45,400	47,000	48,600	50,200	
Sleevepkt opening		left side	-1,000	1,000		19,600	20,600	20,600	21,600	21,600	

Displaying 18 - 24 of 24 results

Units: CM Grading Display: Absolute

Points of Measure Gallery



Chest
Description:



Waist
Description:




Bottom
Description:









Back length, at cb
Description:



Points of Measure Gallery

			
Back length to waistline, at cb Description:	Armhole depth, at cb Description:	Back width Description:	Sleeve length fr. neck Description:
			
Bicep Description:	Elbow Description:	Bottom sleeve Description:	Front length, at cf Description:
			
Neckline, excl. zip Description:	Collar stand cf Description:	Collar cb Description:	Top of collar, excl. zip Description:



Points of Measure Gallery

			
Hood width, at narrowest place Description:	Hood height Description:	Hood opening Description:	Hood opening Description:
			
Front zip Description:	Sidepkt zip Description:	Sleeve Zip Description:	Sleevepkt opening Description:



Labeled Images

COLOR OVERVIEW	OUT	STYLE NAME: 608236	 Haglöfs
 DEW GREEN  MAROON TRAIL			
01. Color Overview			



Labeled Images

OVERVIEW SKETCH	OUT	STYLE NAME: 608236	 Haglöfs
 			
02. Overview Sketch			

Labeled Images

LOGO INSTRUCTION	OUT	STYLE NAME: 608236	 Haglöfs
Application of explore webbing to size label  Haglöfs wordmark Embroidery size M	 Flag label aligned with seam "H" visible Wordmark 2 cm from both seams	Haglöfs Flag Label  Please make sure "H" is visible Embroidery 	

Labeled Images

DETAIL SKETCH	OUT	STYLE NAME: 608236	 Haglöfs
Under arm ventilation hole fabric edge covered with main fabric piping - front view 	Under arm ventilation hole + CB opening with mesh under - back view 		
05. Logo Instruction			

Labeled Images

DETAIL SKETCH

OUT

STYLE NAME: 608236

Haglöfs

Cord Stopper

Detail Sketch:
lower packable sleeve pocket

The image contains two technical drawings. The left drawing shows a cord stopper assembly on a sleeve, with labels pointing to various components: Puller, Shock cord, Webbing, Bartack, S - shape cord lock, Hidden shockcord, and Embroidered Eyelet. The right drawing is a detail sketch of a lower packable sleeve pocket, showing the cord stopper assembly and the cord with a cord stopper. Labels point to the S - shape cord lock, Knot, Doublesided hook attached with 10mm wide webbing in side seam, and the cord with cord stopper. A note indicates the cord should be as short as possible. A dimension of 20mm from edge is also shown.

Tricolored Cord Static
2mm
length of cord: 140cm
(70 cm double)

Puller

Shock cord

Webbing

Bartack

S - shape cord lock

S - shape cord lock

Knot

Doublesided hook attached
with 10mm wide webbing in side seam.

Hidden shockcord

Embroidered Eyelet

S - shape cord lock

cord with
cord stopper
please make cord
as short as possible

20mm from edge

11. Detail Sketch 1

Labeled Images

TRIM & ACC INSTRUCTIONOUTSTYLE NAME: 608236Haglöfs

Double layer F1 in hood peak, interlining between layers

Packable hood see sep. instruction

Cord channel with elastic cord inside for hood adjustemnt

CF zip #3 vislon zip + Signature Puller Short

Elastic cord Cord stopper Webbing 5mm (attached in side seam) Stitched eyelet visible on outside

Zipper garage in F1

hand pocket #3 vislon zip + Signature Puller Short

Mesh pocket

Elastic cord Cord stopper Webbing 5mm (attached in side seam) Stitched eyelet visible on outside see detail sketch

Flat elastic sewn in under tension with single stitch (stretch)

Rollover chin guard and full CF placket

Under arm ventilation see sep. instruction

Tricolored elastic cord 2mm to hook something on, secured with bar tacks

stitched through all layers to avoid the packing bag to be too big

Stash pocket in sleeve to pack sleeves when not in use.

Haglöfs Signature Hangerloop

Elastic cord Cord stopper Webbing 5mm (attached in side seam) Stitched eyelet visible on outside

Fabric overlap mesh under flap for ventilation

Zip off construction under fabric flap, different colors on different arms #3 reversed coil with snap puller


Open side

Open side




Open vent seam with bar tack

Doublesided hook attached with 10mm wide webbing in side seam.

Labeled Images

STITCH & LAMINATION INSTRUCTION	OUT	STYLE NAME: 608236	
Single stitch Bartacks Bar Tack Single stitch Bartacks Bartacks 2 needle stitch 2 needle stitch no visibile stitching Single stitch Bar tack Single stitch Bar tack Stitched eyelets 			

Labeled Images

DETAIL SKETCH	OUT	STYLE NAME: 608236	 Haglöfs
Collar front when hood is stored away  Back tack Collar back when hood is stored away  Hood stored away when delivered snap button to close collar when hood is packed Hood rolls up and opening is in neckline Hood when rolled out 			

Haglöfs		Solis Zip Off Jacket Men-608236		JSS		Approved 15.08.2025, 10:00 AM	
Size Chart Review	JSS	Size Chart	608236J4 M-list 20250815	Base Size	L		
Description		Size Range	S-XXL	Grading	Men's Uppers Size L		
Pattern Number	608236J4	Sizes	S-XXL				
Construction Type	Pattern	Tolerance	Jackets(shell/softshell/insulation)				

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S JSS				L JSS				XXL JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Chest			-2,000	2,000		118,200	118,600	0,400		130,200	130,600	0,400		142,200	143,000	0,800			
Waist			-2,000	2,000		109,200	110,000	0,800		121,200	122,000	0,800		133,200	134,000	0,800			
Bottom			-2,000	2,000		110,800	110,000	-0,800		122,800	122,000	-0,800		134,800	135,000	0,200			
Back length, at cb			-1,000	1,000		76,000	76,000	0,000		78,000	78,500	0,500		80,000	80,500	0,500			
Back length to waistline, at cb			-1,000	1,000		48,400	48,400	0,000		50,000	50,000	0,000		51,600	51,600	0,000			
Armhole depth, at cb			-1,500	1,500		27,400	27,000	-0,400		29,000	29,000	0,000		30,600	30,600	0,000			
Back width		opening between bar tack	-1,000	1,000		40,400	40,800	0,400		44,400	44,400	0,000		48,400	48,800	0,400			
Sleeve length fr. neck			-1,000	1,000		83,800	84,200	0,400		87,000	88,000	1,000		90,200	91,000	0,800			
Bicep			-1,000	1,000		54,300	54,600	0,300		58,300	59,000	0,700		62,300	62,000	-0,300			
Elbow			-1,000	1,000		37,200	37,500	0,300		40,000	40,500	0,500		42,800	42,500	-0,300			

Haglöfs	Solis Zip Off Jacket Men-608236	JSS	Approved 15.08.2025, 10:00 AM
---------	---------------------------------	-----	-------------------------------

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S JSS				L JSS				XXL JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Bottom sleeve			-1,000	1,000		29,400	29,400	0,000		31,000	31,000	0,000		32,600	32,400	-0,200			
Front length, at cf			-1,000	1,000		51,900	52,200	0,300		53,300	54,000	0,700		54,700	55,200	0,500			
Neckline, excl. zip			-1,000	1,000		51,400	51,000	-0,400		54,400	54,000	-0,400		57,400	57,800	0,400			
Collar stand cf		at panel	-0,500	0,500		8,000	7,600	-0,400		8,000	8,000	0,000		8,000	8,200	0,200			
Collar cb			-0,500	0,500		6,400	6,500	0,100		7,000	7,000	0,000		7,600	7,600	0,000			
Top of collar, excl. zip			-1,000	1,000		45,400	46,400	1,000		48,400	48,600	0,200		51,400	52,400	1,000			
Hood width, at narrowest place		At seam	-1,000	1,000		48,900	48,900	0,000		51,900	51,900	0,000		54,900	55,400	0,500			
Hood height			-1,000	1,000		34,400	34,200	-0,200		35,600	36,000	0,400		36,800	36,600	-0,200			
Hood opening		Relaxed	-1,000	1,000		66,300	67,000	0,700		67,500	67,800	0,300		68,700	69,000	0,300			
Hood opening		Extended	-1,000	1,000		70,300	70,000	-0,300		71,500	71,500	0,000		72,700	72,700	0,000			
Front zip			-1,000	1,000		70,000	69,500	-0,500		72,000	71,600	-0,400		74,000	73,600	-0,400			
Sidepkt zip			-1,000	1,000		19,000	18,700	-0,300		20,000	19,800	-0,200		21,000	21,000	0,000			
Displaying 11 - 22 of 24 results																			Units: CM

Haglöfs	Solis Zip Off Jacket Men-608236	JSS	Approved 15.08.2025, 10:00 AM
---------	---------------------------------	-----	-------------------------------

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S JSS				L JSS				XXL JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Sleeve Zip		zip-off	-1,000	1,000		43,800	43,500	-0,300		47,000	46,800	-0,200		50,200	49,800	-0,400			
Sleevepkt opening		left side	-1,000	1,000		19,600	19,600	0,000		20,600	20,200	-0,400		21,600	21,600	0,000			
Displaying 23 - 24 of 24 results																			Units: CM

Haglöfs	Solis Zip Off Jacket Men-608236	JSS comments	Draft 25.08.2025, 8:19 AM
Commented by: Matilda Date: 2025-08-14 Next sample: Shipment Sample JSS comments: Logo: * "Pack Me"-logo - keep 40mm. * Avoid puckering around the embroidery. Trims: * Zip offs updated to Left insert on Right Side and the opposite. Colours follow SMS. * Snap buttons should be matte * Make sure to follow colours in BOM Construction Quality / Workmanship * Webbing holding stopper at back hood should be attached in the cutline. Please confirm. * Keep seams and bartacks secured and as clean as possible. * Make sure to erase chalk marks on fabric. * Zip making is improved - but still slightly wavy at CF - improve. * Puller attachment - good! * Make sure to put "Exclusive of Trims" in the care label instruction * Make sure to trim all loose threads. Hood Packing / Presentation * When packing the hood, the cord should be rolled far from the neck. Make it face to the outside rather than the inside of collar (uncomfortable otherwise) * For bulk shipment; hood should be packed only showing the collar			

Puller attachment



Elastic cord end attachment

