

Properties

Season	SS26	Main technology platform	Proof
Code	607680	Main platform specification	Proof 2L
Style	Breeze Proof Jacket Men	Responsible Development	Jenny Yip
Working Name	Proof 2 Layer Jacket Men	Responsible Pattern	Jennie Salldal
Carry Over	✓		
Update			
Product State	2nd Proto		
Carryover Colors	Seaweed Green, Tarn Blue, True Black		

Active Colorways Images



Data Sheets

Data Sheet	Type	Subtype	Subtype	Revision
1	Style BOM	Clothing		1
1	Size Chart			1
1	Image Data Sheet			1
1	Style Review			1
Displaying 4 results				

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
607680J2 Dxf.zip	1	04.04.2024, 4:31 PM		607680J2 Dxf.zip			Breeze Proof Jacket Men-607680	Style
607680J2.zip	1	04.04.2024, 4:31 PM		607680J2.zip			Breeze Proof Jacket Men-607680	Style
Displaying 2 results								

Haglöfs	Breeze Proof Jacket Men-607680	607680 Breeze Proof Jacket Men	Draft-Sample 29.05.2025, 7:19 AM
---------	--------------------------------	--------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Seaweed Green	Tarn Blue	True Black	Chalk Beige	Dew Green
							Colorway	Colorway	Colorway	Colorway	Colorway
Fabric (4)											
Proof 2L	GV-MS45-WR-RCY-L-GV 15K	Proof 2L Plain weave mechanical stretch 15K/ 15K Face: 100% POLYESTER-RECYCLED Membrane: 100% POLYURETHANE	F1	Grand and Great Textile	2,3	YD	Seaweed Green P2309142-B	Tarn Blue P2305085-B	True Black P2305086-C	Chalk Beige P2408156-D	Dew Green P2408154-I
Woven uncoated	Q140N-3011A000	Plain tafetta lining, 83g 100% POLYESTER RECYCLED	L1 & Draw cord channel.	Formosa	1,63	YD	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C
Knits	DSC01302	Recycled polyester mesh 70g 100% POLYESTER-RECYCLED	Mesh pkt bags	Duck San CO.,LTD	0,24	YD	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C
Knits	RC-3617-130	Brushed tricot for chinguard, 130g 100% POLYESTER-RECYCLED	Chin guard	Burltex (Tai Tung Interlining International Ltd.)	0,07	YD	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130
Zip (2)											
Displaying 1 - 4 of 34 results											

Haglöfs	Breeze Proof Jacket Men-607680	607680 Breeze Proof Jacket Men	Draft-Sample 29.05.2025, 7:19 AM
---------	--------------------------------	--------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Seaweed Green	Tarn Blue	True Black	Chalk Beige	Dew Green
							Colorway	Colorway	Colorway	Colorway	Colorway
Package	CIFOR-56 DA8BLH P16 KENSIN N- ANTI REVERSE TO-IPOM. CAN PASS CPSC	1-way Open End Size #5 Coil reverse auto-lock slider in color C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free) CAN PASS CPSC	CF zip	YKK	1	PCS	C6 - True Black 580	C6 - True Black 580	C6 - True Black 580	X6J - Magnetite 156	C6 - Magnetite 156
Package	CIFC-51 DFBW P16 KENSIN N- ANTI REVERSE T- B-0	1-way Closed End size #5 coil reve non-lock slider C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free) CAN PASS CPSC	Hand pkts x 2	YKK	2	PCS	C6 - True Black 580	C6 - True Black 580	C6 - True Black 580	X6J - Magnetite 156	C6 - Magnetite 156
Trim (18)											
Other	NF025D	LOCAL - Interlining should follow Haglöfs RSL	Interlining. Where needed.	5S Weaving and Coating Co, LTD.	0,7	M	None	None	None	None	None
Seam Tape	3097	LOCAL - Adhesive	Adhesive glue 4mil . Where needed.	Sealon	0,016	M	None	None	None	None	None

Displaying 5 - 8 of 34 results

Haglöfs	Breeze Proof Jacket Men-607680	607680 Breeze Proof Jacket Men	Draft-Sample 29.05.2025, 7:19 AM
---------	--------------------------------	--------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Seaweed Green	Tarn Blue	True Black	Chalk Beige	Dew Green
							Colorway	Colorway	Colorway	Colorway	Colorway
Seam Tape	S25908-B160 60mm 2L	PROOF 2L tape 60mm 100% Polyurethane	Seamseal tape 60 mm. For EMB	TSGS Inc.	0,15	YD	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L
Seam Tape	S25908-B160 15mm 2L	PROOF 2L tape 15mm for PU and TPU membranes 100% Polyurethane	Seamseal tape 15mm.	TSGS Inc.	16,73	YD	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L
Seam Tape	S25908-B160 20mm 2L	PROOF 2L tape 20mm for PU and TPU membranes 100% Polyurethane	Seamseal tape 20 mm.	TSGS Inc.	2,7	YD	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L
Puller	HPPMT-16	H P Puller Medium Semi-transparent BLUESIGN 60% THERMOPLASTIC POLYURETHANE, 40% POLYESTER	Front zip x 1, Hand pkts x 2	Trim Service	3	PCS	Magnetite HPPMT-16	Magnetite HPPMT-16	True Black HPPMT-16	Magnetite HPPMT-16	Magnetite HPPMT-16
Cord Lock	TS 664	Cord Stopper TS664 BLUESIGN 100% POLYAMIDE	At hood x 2 , Bottom hem x 2	Trim Service	4	PCS	Transparent	Transparent	Transparent	Magnetite TS 664	Magnetite TS 664
Eyelet	EYHAGL800	Round Eyelet Mini	At hood x 4 , Bottom hem x 4	Wasa Sweden AB	8	PCS	True Black 46809/EYHAGL800T.BLA	True Black 46809/EYHAGL800T.BLA	True Black 46809/EYHAGL800T.BLA	Magnetite 45969/EYHAGL800MAGNE	Magnetite 45969/EYHAGL800MAGNE
Displaying 9 - 14 of 34 results											

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Seaweed Green	Tarn Blue	True Black	Chalk Beige	Dew Green
							Colorway	Colorway	Colorway	Colorway	Colorway
Logo Label	Sylko thread	LOCAL - Embroidery Eyelets	At inside of hood.	Nasa	2	PCS	True Black	True Black	True Black	Magnetite	Magnetite
Button	Part A 15mm Plastic Cap:117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	UTX Snapbutton Lite Version 15mm 50% POM, 50% BRASS	Visible at front placket x 2 / Hidden under front placket x 4	UTX	6	PCS	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020	True Black Part A 15mm Plastic Cap: 117-49001-000000 Part B 13mm: 117-61132-000000 Part C 10mm: 117-61133-000000 Part D (Stud): 313-35201-209020
Webbing	HTCWHL-15-6mm	Two Color Webbing Hangloop 6mm BLUESIGN 100% POLYESTER	At back neck.	Trim Service	1	PCS	True black/Magnetite HTCWHL-15-6mm	True black/Magnetite HTCWHL-15-6mm	Magnetite/Granite HTCWHL-15-6mm	Magnetite/Granite HTCWHL-15-6mm	Magnetite/Granite HTCWHL-15-6mm
Elastic cord	2mm cord	2mm elastic cord	At hood and bottom hem	Trim Service	3,11	YD	True Black 2mm cord	True Black 2mm cord	True Black 2mm cord	Magnetite 2mm cord	Magnetite 2mm cord

Displaying 15 - 18 of 34 results

Haglöfs	Breeze Proof Jacket Men-607680	607680 Breeze Proof Jacket Men	Draft-Sample 29.05.2025, 7:19 AM
---------	--------------------------------	--------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Seaweed Green	Tarn Blue	True Black	Chalk Beige	Dew Green
							Colorway	Colorway	Colorway	Colorway	Colorway
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	For cord adjustment at bottom hem.	Trim Service	0,31	YD	True Black HTCW-14 5mm	True Black HTCW-14 5mm	True Black HTCW-14 5mm	Magnetite HTCW-14 5mm	Magnetite HTCW-14 5mm
Cord Lock	HPCSL-15	H P Cord Loop Stop	For cord adjustment at bottom hem	Trim Service	2	PCS	Transparent	Transparent	Transparent	Magnetite HPCSL-15	Magnetite HPCSL-15
Cord End	HTCES-15	H P Cord End for SINGLE 2.5mm cord	At front hood adjustment	Trim Service	2	PCS	Transparent	Transparent	Transparent	Magnetite HTCES-15	Magnetite HTCES-15
Webbing	DW-1031 signature explore	Used as necklabel together with sizelabel and HAG 1132, 40mm 100% RECYCLED POLYESTER	See placement on design sketches.	Dragon Times	1	PCS	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Webbing	HTCW-07-20mm	Webbing 20mm HTCW BLUESIGN 100% POLYESTER	As pull tab on bottom sleeve.	Trim Service	0,15	YD	True Black HTCW-07-20mm	True Black HTCW-07-20mm	True Black HTCW-07-20mm	Magnetite HTCW-07-20mm	Magnetite HTCW-07-20mm
Elastic	B28421 & A22381 20MM	LOCAL - Velcro	Velcro at bottom sl. Straps is in F1.	Paiho	0,42	M	True Black	True Black	True Black	Magnetite	Magnetite

Label (6)
Displaying 19 - 24 of 34 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Seaweed Green	Tarn Blue	True Black	Chalk Beige	Dew Green
							Colorway	Colorway	Colorway	Colorway	Colorway
Logo Label	Sylko thread	LOCAL - "Haglöfs" wordmark embroidered MEDIUM 11mm x 37mm	At chest. Pls see sketch.	Nasa	1	PCS	Olive Green	Dk Tarn Blue	Magnetite	Oak Brown	Chlorophyll Green
Logo Label	Sylko thread	LOCAL - "H" symbol embroidered SMALL 20mm x 25mm	At left sleeve. Pls see sketch.	Nasa	1	PCS	Olive Green	Dk Tarn Blue	Magnetite	Oak Brown	Chlorophyll Green
Logo Label	Sylko thread	LOCAL . Proof Embroidered logo 40mm width	At front lower. Pls check placement on design sketch.	Nasa	1	PCS	Olive Green	Dk Tarn Blue	Magnetite	Oak Brown	Chlorophyll Green
Woven label	HAG 1132 Big necklabel Haglöfs	Brandplatform 100% RECYCLED POLYESTER	Pls see placement on sketch	Nilorn East Asia Ltd.	1	PCS	Black	Black	Black	Black	Black
Size Label	HAG 1133	SMALL sizelabel	Pls see placement on sketch. To be ordered after sizes of order.	Nilorn East Asia Ltd.	1	PCS	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size
Displaying 25 - 29 of 34 results											

Haglöfs	Breeze Proof Jacket Men-607680	607680 Breeze Proof Jacket Men	Draft-Sample 29.05.2025, 7:19 AM
---------	--------------------------------	--------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Seaweed Green	Tarn Blue	True Black	Chalk Beige	Dew Green
							Colorway	Colorway	Colorway	Colorway	Colorway
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER		Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE
Packaging (4)											
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	Placement 1	Nilorn East Asia Ltd.	1	PCS	None	None	None	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd	Placement 2	Nilorn East Asia Ltd.	1	PCS	None	None	None	None	None
Hangtag	HAG 2015	PROOF Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: always after product specific	Placement 3	Nilorn East Asia Ltd.	1	PCS	None	None	None	None	None
Polybag		Polybag quality pls see our TOA			1		Transparent	Transparent	Transparent	Transparent	Transparent

Displaying 30 - 34 of 34 results

Haglöfs	Breeze Proof Jacket Men-607680		607680J4 M-list 20240617		Draft-Sample 29.05.2025, 7:19 AM	
Size Chart	607680J4 M-list 20240617	Fit	Standard	Description		
Tolerance	Jackets(shell/softshell/insulation)	Comment	20240617 SMS:	Revision	1	
Size Range	S-XXXL		- Increased hood height and adjustment made in neckline and angle of hood.			
Sizes	S-XXXL		- Updated front pocket zip mmt as sample.			
Base Size	L		- Deeper pocket bags.			
Grading	Men's Uppers Size L		- One more button added in CF.			
Pattern Number	607680J4		Follow updated pattern 607680J4 for next sample.			
Pattern Number (Revision)						
Construction Type	Pattern					

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	XXXL	Comment
Chest			-2,000	2,000		115,300	121,300	127,300	133,300	139,300	147,300	
Waist			-2,000	2,000		109,600	115,600	121,600	127,600	133,600	141,600	
Bottom			-2,000	2,000		110,900	116,900	122,900	128,900	134,900	142,900	
Back length, at cb			-1,000	1,000		78,000	79,000	80,000	81,000	82,000	83,000	
Back length to waistline, at cb			-1,000	1,000		48,400	49,200	50,000	50,800	51,600	52,400	
Armhole depth, at cb			-1,500	1,500		25,400	26,200	27,000	27,800	28,600	29,400	
Back width			-1,000	1,000		46,000	48,000	50,000	52,000	54,000	56,600	
Shoulder			-0,500	0,500		14,800	15,400	16,000	16,600	17,200	17,800	
Sleeve length fr. neck			-1,000	1,000		84,800	86,400	88,000	89,600	91,200	92,800	
Bicep			-1,000	1,000		51,200	53,200	55,200	57,200	59,200	61,200	
Elbow			-1,000	1,000		35,400	36,800	38,200	39,600	41,000	42,400	
Bottom sleeve			-1,000	1,000		30,400	31,200	32,000	32,800	33,600	34,400	
Front length, at cf			-1,000	1,000		62,000	62,700	63,400	64,100	64,800	65,500	
Displaying 1 - 13 of 21 results						Units: CM Grading Display: Absolute						

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	XXXL	Comment
Neckline, excl. zip			-1,000	1,000		52,000	53,500	55,000	56,500	58,000	59,500	
Hood width, at narrowest place			-1,000	1,000		47,000	48,500	50,000	51,500	53,000	54,500	
Hood height			-1,000	1,000		32,800	33,400	34,000	34,600	35,200	35,800	New mmt 20240617
Hood cf			-0,500	0,500		13,200	13,500	13,800	14,100	14,400	14,700	
Hood opening			-1,000	1,000		54,500	55,100	55,700	56,300	56,900	57,500	New mmt 20240617
Front zip			-1,000	1,000		75,000	76,000	77,000	78,000	79,000	80,000	
Sidepkt zip			-1,000	1,000		18,000	19,000	19,000	20,000	20,000	21,000	New mmt 20240617
Front placket width			0,000	0,000		5,500	5,500	5,500	5,500	5,500	5,500	

Displaying 14 - 21 of 21 results

Units: CM Grading Display: Absolute

Points of Measure Gallery



Chest
Description:



Waist
Description:





Bottom
Description:




Back length, at cb
Description:


Points of Measure Gallery

			
Back length to waistline, at cb Description:	Armhole depth, at cb Description:	Back width Description:	Shoulder Description:
			
Sleeve length fr. neck Description:	Bicep Description:	Elbow Description:	Bottom sleeve Description:
			
Front length, at cf Description:	Neckline, excl. zip Description:	Hood width, at narrowest place Description:	Hood height Description:

Points of Measure Gallery



Hood cf
Description:




Hood opening
Description:



Front zip
Description:



Sidepkt zip
Description:




Front placket width
Description:

Labeled Images

COLOR OVERVIEW	OUT	STYLE NAME: 607680		
				
DEW GREEN CHALK BEIGE CO SEAWEED GREEN CO TARN BLUE CO TRUE BLACK				
01. Color Overview				

Labeled Images

OVERVIEW SKETCH	OUT	STYLE NAME: 607680	
			
02. Overview Sketch			

Labeled Images


INSIDE SKETCH


OUT

STYLE NAME: 607680



All seams turned and taped on inside.





FACE 1
F1

LINING 1
L1

MESH 1
M1

CHIN
GUARD
CG

04. Inside Sketch


Labeled Images

LOGO INSTRUCTION

OUT

STYLE NAME: 607680





Embroidered Medium Wordmark

Haglöfs

Embroidered Small H



Embroidered proof logo



Labeled Images



Labeled Images

TRIM & ACC INSTRUCTION

OUT

STYLE NAME: 607680



Elastic cord 2mm
Cord stopper TS664
Webbing 5mm
Mini eyelet

#5 reversed coil zip
+ HP Puller Transparent M

Angled corners at
inside of pocket making

Embroidered Proof logo

Snap button 15mm

Embroidered Haglöfs + H logo

Haglöfs

Hidden snap button
under palcket

#5 reversed coil zip
+ HP Puller Transparent M

Elastic cord 2mm, Cord stopper TS664
Webbing 5mm (attached in side seam), Mini eyelet

Velcro 20mm +
Webbing tape pull tab

4mm webbing
hangloop

10mm

9mm

2mm

LARGE

stitch/seam

0.9 cm
folded loop

Explore webbing

Haglöfs
Designed in
Sweden
Since 1914

Labeled Images



Labeled Images

HOOD INSTRUCTION

OUT

STYLE NAME: 607680




FACE 1
F1

LINING 1
L1

MESH 1
M1

CHIN
GUARD
CG



Drawcord channel

L1

CG

16. Hood Instruction

Haglöfs	Breeze Proof Jacket Men-607680	suter test cmmts	Draft 29.05.2025, 7:19 AM
Commented by: Jenny Yip Date: May 22,2025 Sweden PD team did the suter test and found leakage at the seam on the shoulder after washed, No picutre provided. pls improve in bulk.			