


Properties

Season	SS26	Carryover Colors	
Code	608487	Responsible	Matilda Sandberg
Style	Kaja Proof II Jacket Men	Development	
Carry Over		Responsible Pattern	Jennie Salldal

Colorway Gallery



Chlorophyll Green
Colorway Code: 5YE
Active: ✓



Tarn Blue
Colorway Code: 3N5
Active: ✓



True Black
Colorway Code: 2C5
Active: ✓

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Tarn Blue	True Black	Chlorophyll Green
							Colorway	Colorway	Colorway
Fabric (3)									
Proof 2.5L	PRP510-RPE20CGWT-NFC	Pertex Shield Revolve, 2.5L, 50D ripstop, polyester membrane 100% POLYESTER-RECYCLED	F1	MN-Interfashion (Mitsui)	2,26	YD	Tarn Blue 295166R1-D	True Black 295166R1-E	Chlorophyll Green 296874-A
Knits	RC-0426-60	Recycled polyester mesh, 60g 100% POLYESTER- RECYCLED	M1 at pkt bags.	Burltex (Tai Tung Interlining International Ltd.)	0,75	YD	Concrete RC-0426-60	Concrete RC-0426-60	Concrete RC-0426-60
Knits	RC-3617-130	Brushed tricot for chinguard, 130g 100% POLYESTER- RECYCLED	CG	Burltex (Tai Tung Interlining International Ltd.)	0,05	YD	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130
Zip (2)									
Package	CZT8OR-56 DA7BLH	1-way Open End size #5 Aquaguard Coil shiny tape auto-lock slider in color C6 (Matte silver finish PFAS-free) or X6J (Black Oxides PFAS-free)	CF	YKK	1	PCS	X6J - Tarn Blue 960	X6J - True Black 580	X6J - Chlorophyll Green 562
Package	CFC-36 DA16BLHQ P12 KENSIN N-ANTI REVERSE TWIST4. CAN PASS CPSC	1-way Closed End size #3 Coil reverse auto-lock slider in color C6 NO-P-CM (Matte Silver PFAS-free) or X6J (Black Oxides PFAS-free), CAN PASS CPSC	At hand pkts.	YKK	2	PCS	X6J - Tarn Blue 196	X6J - True Black 580	X6J - Chlorophyll Green VN: VX988. LAO: VX988
Trim (16)									
Other	NF025D	LOCAL - Interlining should follow Haglöfs RSL	Where needed.	5S Weaving and Coating Co, LTD.	0,15	M	None	None	None
Displaying 1 - 6 of 32 results									

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Tarn Blue	True Black	Chlorophyll Green
							Colorway	Colorway	Colorway
Seam Tape	S25908-B160 15mm 2L	PROOF 2L tape 15mm for PU and TPU membranes 100% Polyurethane	Allover. & neck seam	TSGS Inc.	15,3	YD	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L
Seam Tape	S25908-B160 20mm 2L	PROOF 2L tape 20mm for PU and TPU membranes 100% Polyurethane	Along CF zip	TSGS Inc.	3,3	YD	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L
Puller	NF-0505	Knot puller (long) 100% Recycled polyester	At CF zip	Dragon Times	1	PCS	True Black	True Black	Magnetite
Puller	NF-0504	Knot puller (Short) 100% Recycled polyester	At hand pockets	Dragon Times	2	PCS	True Black	True Black	Magnetite
Elastic	59P601522-12mm	LOCAL - Elastic 12mm	12mm elastic, Elastic inside of hood edge and back of hood	Paiho	0,56	M	Black	Black	Black
Elastic	59P601522-20mm	LOCAL - Elastic 20mm	20mm elastic, Elastic inside of bottom sleeves	Paiho	0,3	M	Black	Black	Black
Elastic cord	2mm cord	2mm elastic cord	At bottom hem	Trim Service	1,71	YD	True Black 2mm cord	True Black 2mm cord	Magnetite 2mm cord
Cord Lock	TS 664	Cord Stopper TS664 BLUESIGN 100% POLYAMIDE	At bottom hem	Trim Service	2	PCS	Transparent	Transparent	Transparent
Cord Lock	HPCSL-15	H P Cord Loop Stop	At bottom hem	Trim Service	2	PCS	Transparent	Transparent	Transparent

Displaying 7 - 15 of 32 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Tarn Blue	True Black	Chlorophyll Green
							Colorway	Colorway	Colorway
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	Cord loop - To hold elastic cord inside of bottom hem	Trim Service	0,22	YD	True Black HTCW-14 5mm	True Black HTCW-14 5mm	Chlorophyll Green
Eyelet	Matte silver/Matte black eyelet (S)		At inside bottom hem	Wasa Sweden AB	4	PCS	Matte Black EYHAGL804D.BLA (Eyelet mini 8,5x3,5mm "Haglöfs 1914" Dull Black)	Matte Black EYHAGL804D.BLA (Eyelet mini 8,5x3,5mm "Haglöfs 1914" Dull Black)	Matte Black EYHAGL804D.BLA (Eyelet mini 8,5x3,5mm "Haglöfs 1914" Dull Black)
Webbing	DR-1726	Signature hangerloop (top dyed yarn) 100% RECYCLED POLYESTER	At center back of neck outside	Dragon Times	1	PCS	True Black DR-1726-1	True Black DR-1726-1	True Black DR-1726-1
Webbing	DW-1031	Signature Explore Necklabel 10mm 100% POLYESTER	next to size label	Dragon Times	1	YD	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Other	web 200 10mm	LOCAL - Fusible interlining	CF zip	5S Weaving and Coating Co, LTD.	2,27	M	None	None	None
Seam Tape	3097	LOCAL - Adhesive	hem facing, hood facing and reinforcement	Sealon	0,02	M	None	None	None
Label (6)									
Logo Label	Reflective print	LOCAL - "H" symbol print SMALL 20mm x 25mm	At chest. Pls see placement on design sketch.		1	PCS	True Black	Magnetite	Dew Green
Logo Label	Reflective print	LOCAL - Reflective - "Haglöfs" wordmark print MEDIUM 11mm x 37mm	At hood. Pls see placement on design sketch.		1	PCS	True Black	Magnetite	Dew Green
Displaying 16 - 23 of 32 results									

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Tarn Blue	True Black	Chlorophyll Green
							Colorway	Colorway	Colorway
Logo Label	Print	LOCAL - Pertex print 9mm x 35mm	At front bottom. Pls see placement on design sketch.	Shiyo	1	PCS	Dk Grey Logo	Dk Grey Logo	Dk Grey Logo
Woven label	HAG 1132 Big necklabel Haglöfs	Brandplatform 100% RECYCLED POLYESTER	at CB neck	Nilorn East Asia Ltd.	1	PCS	Black	Black	Black
Size Label	HAG 1133	SMALL sizelabel	below neck label	Nilorn East Asia Ltd.	1	PCS	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size	Light Grey HAG 1133 + size
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER	at left side seam	Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE
Packaging (5)									
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	at left hand pocket - Placement: 1	Nilorn East Asia Ltd.	1	PCS	None	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd IF no special hangtag is being used	Placemetn: 2	Nilorn East Asia Ltd.	1	PCS	None	None	None
Hangtag	HAG 2012	Product specific Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: Always 3rd	Placement: 3	Nilorn East Asia Ltd.	1	PCS	None	None	None
Hangtag	HAG 2015	PROOF Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: always after product specific	Placement: 4	Nilorn East Asia Ltd.	1	PCS	None	None	None

Displaying 24 - 31 of 32 results

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Tarn Blue	True Black	Chlorophyll Green
							Colorway	Colorway	Colorway
Polybag		Polybag quality pls see our TOA			1	PCS	Transparent	Transparent	Transparent
Displaying 32 - 32 of 32 results									

Haglöfs	Kaja Proof II Jacket Men-608487	608487J1 M-list 20250304		Draft-Sample 07.01.2026, 1:14 PM	
Size Chart	608487J1 M-list 20250304	Pattern Number	608487J1	Comment Follow pattern and m-list 608487J1 for next sample.	
Tolerance	Jackets(shell/softshell/insulation)	Pattern Number (Revision)	608487J1		
Size Range	S-XXL	Construction Type		Description	Copy fr 608064J3
Sizes	S-XXL	FitStandard		Revision	1
Base Size	L				
Grading	Men's Uppers Size L				

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	Comment
Chest			-2,000	2,000		112,800	118,800	124,800	130,800	136,800	
Waist			-2,000	2,000		107,500	113,500	119,500	125,500	131,500	
Bottom			-2,000	2,000		111,000	117,000	123,000	129,000	135,000	
Back length, at cb			-1,000	1,000		76,600	77,600	78,600	79,600	80,600	
Back length to waistline, at cb			-1,000	1,000		48,400	49,200	50,000	50,800	51,600	
Armhole depth, at cb			-1,500	1,500		26,400	27,200	28,000	28,800	29,600	
Back width			-1,000	1,000		42,800	44,800	46,800	48,800	50,800	
Shoulder			-0,500	0,500		14,500	15,100	15,700	16,300	16,900	
Sleeve length fr. neck			-1,000	1,000		84,800	86,400	88,000	89,600	91,200	
Bicep			-1,000	1,000		52,300	54,300	56,300	58,300	60,300	
Elbow			-1,000	1,000		35,200	36,600	38,000	39,400	40,800	
Bottom sleeve		Extended	-1,000	1,000		27,800	28,600	29,400	30,200	31,000	
Bottom sleeve		Relaxed	-1,000	1,000		20,400	21,200	22,000	22,800	23,600	
Front length, at cf			-1,000	1,000		59,300	60,000	60,700	61,400	62,100	
Neckline, excl. zip		At cutline	-1,000	1,000		55,800	57,300	58,800	60,300	61,800	
Hood width, at narrowest place		Extended	-1,000	1,000		44,800	46,300	47,800	49,300	50,800	
Hood width, at narrowest place		Relaxed	-1,000	1,000		41,000	42,500	44,000	45,500	47,000	

Displaying 1 - 17 of 23 results

Units: CM Grading Display: Absolute

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	Comment
Hood height			-1,000	1,000		34,300	34,900	35,500	36,100	36,700	
Hood cf			-0,500	0,500		18,800	19,100	19,400	19,700	20,000	
Hood opening		Extended	-1,000	1,000		55,800	56,400	57,000	57,600	58,200	
Hood opening		Relaxed	-1,000	1,000		49,800	50,400	51,000	51,600	52,200	
Front zip			-1,000	1,000		77,500	78,500	79,500	80,500	81,500	
Sidepkt zip		x 2 pcs	-1,000	1,000		18,000	19,000	19,000	20,000	20,000	

Displaying 18 - 23 of 23 results

Units: CM Grading Display: Absolute

Points of Measure Gallery



Chest
Description:



Waist
Description:



Bottom
Description:



Back length, at cb
Description:



Back length to waistline, at cb
Description:



Armhole depth, at cb
Description:





Back width
Description:



Shoulder
Description:

Points of Measure Gallery

			
Sleeve length fr. neck Description:	Bicep Description:	Elbow Description:	Bottom sleeve Description:
			
Bottom sleeve Description:	Front length, at cf Description:	Neckline, excl. zip Description:	Hood width, at narrowest place Description:
			
Hood width, at narrowest place Description:	Hood height Description:	Hood cf Description:	Hood opening Description:

Points of Measure Gallery



Hood opening
Description:



Front zip
Description:




Sidepkt zip
Description:

Labeled Images

COLOR OVERVIEW	OUT	STYLE NAME: 608487	
  TARN BLUETRUE BLACK			
01. Color Overview			

Labeled Images

MAIN SKETCH	OUT	STYLE NO: 608487	 Haglöfs
-------------	-----	------------------	---



02. Overview Sketch

Labeled Images


INSIDE SKETCH

OUT


STYLE NO: 608487



All seams turned and taped on inside.



All seams turned and taped on inside.



FACE 1
F1


MESH 1
M1

CHIN
GUARD
CG


04. Inside Sketch

Page 13 of 20


LOGOS & LABELS	OUT	STYLE NO: 608487	
----------------	-----	------------------	---



Labeled Images


DETAIL SKETCH	OUT	STYLE NO: 608487	
Necklabel workmansip: -labels stitched to the F1 badge & badge laminated to the lining -F1 badge: 70mm x 90mm -Necklabel + Signature Explore webbing + Sizelabel 			
12. Detail Sketch 2			

Labeled Images




Labeled Images

TRIMS SKETCH	OUT	STYLE NO: 608487	
--------------	-----	------------------	---



Labeled Images



Labeled Images

DETAIL SKETCH

OUT

STYLE NO: 608487


Haglöfs

FACE 1
F1

MESH 1
M1

CHIN
GUARD
CG

Hood



The sketch shows a side profile of a hood. It features a curved top edge, a vertical seam on the left side, and a horizontal seam near the bottom. The label 'F1' is placed on the upper left and lower left sections. The label 'M1' is placed on the right side, indicating a mesh area. The label 'CG' is placed on the bottom right, indicating a chin guard. The label 'Hood' is centered above the sketch.

16. Hood Instruction

Haglöfs	Kaja Proof II Jacket Men-608487	1st proto cmmts	Draft 07.01.2026, 1:15 PM
Commented by: Jenny Yip Date: May 14,2025 Next sample: shipment sample 1at proto cmmts: 1. Poor embroidery execution. 2. There is bubble/white mark on the seam tapes, especially at the thick points such as front placket, neck line and hood. Pls improve.			