

Properties

Season	SS26	Main technology platform	None
Code	608325	Main platform specification	
Style	Salo Dress Women	Responsible Development	Saitip Ribring
Working Name	Salo Dress Women	Responsible Pattern	Ulrika Moberg
Carry Over			
Update			
Product State	SMS		
Carryover Colors			

Colorway Gallery



OAK BROWN

Oak Brown
Colorway Code: 5SA
Active: ✓



True Black
Colorway Code: 2C5
Active: ✓

Data Sheets

Data Sheet	Type	Subtype	Subtype	Revision
1	Style BOM	Clothing		1
9	Size Chart			9
1	Size Chart Review			1
1	Image Data Sheet			1
1	Style Review			1
Displaying 5 results				

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
608325S5 DXF.zip	1	19.08.2025, 2:13 PM		608325S5 DXF.zip			Salo Dress Women-608325	Style
608325S5.zip	1	19.08.2025, 2:13 PM		608325S5.zip			Salo Dress Women-608325	Style
Displaying 2 results								

Haglöfs	Salo Dress Women-608325	608325 Salo Dress Women	Draft-Sample 08.09.2025, 11:35 AM
---------	-------------------------	-------------------------	-----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Oak Brown	True Black
							Colorway	Colorway
Fabric (2)								
Woven uncoated	C3D20017-Q	Climatic Lite, 102g 93% POLYAMIDE- RECYCLED, 7% ELASTANE	F1	VIETNAM DE LICACY INDUSTRIAL CO., LTD	2,13	YD	Oak Brown V241027-1C	True Black C3D20017-Q
Knits	DSC01302	Recycled polyester mesh 70g 100% POLYESTER- RECYCLED	M for pocket bags only on backhand side.	Duck San CO.,LTD	0,22	YD	Concrete 31-10-2023 #B	Magnetite 31-10-2023 #C
Zip (2)								
Package	CHC-31 DFY599 P12 KENSIN N-ANTI P-TOP	1-way Closed End size #3 Coil concealed, singel slider to pocket, non-lock with slider color C5 (Silver) or V3 (Black Silver). See separate line for rubber col.	At security pkt.	YKK	1	PCS	C5 - Oak Brown VN: V7B18 CH: LAO: V7B18	V3 - True Black 580
Separate slider	Rubber colour for YKK zip slider Y599		For security pkt.	YKK	1	PCS	Warm Grey YKK Rubber col ref: XP	True Black YKK Rubber col ref: Rubber col ref: A
Trim (9)								
Other	LF450	LOCAL - Interlining should follow Haglöfs RSL	Where needed	5S Weaving and Coating Co, LTD.	0,65	M	None	None
Button	1010 matt	Plastic press button 10mm whole set MATT FINSIH 100% POM	Hidden press button at front placket.	UTX	4	PCS	True Black 1010 matt finish color black. S327	True Black 1010 matt finish color black. S327
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	At side seam for holding elastic cord.	Trim Service	0,16	YD	Oak Brown	True Black HTCW-14 5mm
Displaying 1 - 7 of 21 results								

Haglöfs	Salo Dress Women-608325	608325 Salo Dress Women	Draft-Sample 08.09.2025, 11:35 AM
---------	-------------------------	-------------------------	-----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Oak Brown	True Black
							Colorway	Colorway
Cord Lock	NO-1643	S-Cordadjuster 2mm cord	WB adjustment	Dragon Times	2	PCS	Black	Black
Cord Lock	HPCSL-15	H P Cord Loop Stop	WB adjustment	Trim Service	2	PCS	True Black HPCSL-15	True Black HPCSL-15
Thread	Sylko thread tex 27	LOCAL - Embroidery Eyelets	At WB adjustment	Coats Phong Phu	4	PCS	Oak Brown	True Black
Elastic cord	NW-1225	Tricolored Elastic Cord 2,0mm	WB adjustment	Dragon Times	0,93	YD	Warm Grey	True Black
Webbing	DR-1726	Signature hangerloop (top dyed yarn) 100% RECYCLED POLYESTER	At outside cb neck	Dragon Times	1	PCS	Warm Grey DR-1726-4	True Black DR-1726-1
Webbing	DW-1031	Signature Explore Necklabel 10mm 100% POLYESTER	Beside size label acc to sketch	Dragon Times	1	YD	Tech Yellow/Electric Blue	Tech Yellow/Electric Blue
Label (4)								
Logo Label	8mm x 27mm	LOCAL - "Haglofs" wordmark embroidered SMALL 8mm x 27mm	At back yoke. CB. Pls see sketch.		1	PCS	Teak Brown	True Black
Size Label	HAG 1134, HAG 1135, HAG 1166, HAG 1165 Brandplatform	BLUESIGN. Order size according to PO	At cb neck	Nilorn East Asia Ltd.	1	PCS	Light Grey HAG 1134 + size	Black HAG 1135 + size HAG 1166 + size (short) HAG 1165 + size (long)
Woven label	HAG 1137-1136	Flaglabel SMALL 100% RECYCLED POLYESTER	At side, pls see sketch.	Nilorn East Asia Ltd.	1	PCS	Black HAG 1137	Black HAG 1137
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER		Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE

Displaying 8 - 17 of 21 results

Haglöfs	Salo Dress Women-608325	608325 Salo Dress Women	Draft-Sample 08.09.2025, 11:35 AM
---------	-------------------------	-------------------------	-----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	Oak Brown	True Black
							Colorway	Colorway
Packaging (4)								
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	Placemetn: 1	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd	Placement: 2	Nilorn East Asia Ltd.	1	PCS	None	None
Hangtag	HAG 2012	Product specific Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: Always 3rd	Placement: 3	Nilorn East Asia Ltd.	1	PCS	None	None
Polybag		Polybag quality pls see our TOA			1	PCS	Transparent	Transparent
Displaying 18 - 21 of 21 results								

Haglöfs		Salo Dress Women-608325		608325S5 M-list 2025-08-19		Draft-Sample 08.09.2025, 11:35 AM	
Size Chart	608325S5 M-list 2025-08-19	Fit	Standard		Description		
Tolerance	Midlayers/Baselayers(incl. Vest)	Comment	JSS comments 2025-08-19:		Revision	9	
Size Range	XS-XL						
Sizes	XS-XL						
Base Size	M						
Grading	Women's Uppers Size M						
Pattern Number	608325S5						
Pattern Number (Revision)	608325S5						
Construction Type	Pattern Base						

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS	S	M	L	XL	Comment
Chest			-1,500	1,500		113,900	119,900	125,900	131,900	137,900	
Waist			-1,500	1,500		110,000	116,000	122,000	128,000	134,000	
Bottom			-1,500	1,500		118,000	124,000	130,000	136,000	142,000	
Back length, at cb			-1,000	1,000		98,300	99,300	100,300	101,300	102,300	
Back length to waistline, at cb			-1,000	1,000		39,300	39,900	40,500	41,100	41,700	
Armhole depth, at cb			-1,000	1,500		22,900	23,500	24,100	24,700	25,300	
Back width		at seam	-1,000	1,000		38,200	40,200	42,200	44,200	46,200	
Shoulder			-0,500	0,500		13,400	14,000	14,600	15,200	15,800	
Sleeve length fr. neck, incl. cuff			-1,000	1,000		34,800	36,400	38,000	39,600	41,200	
Bicep			-1,000	1,000		39,800	41,600	43,400	45,200	47,000	
Bottom sleeve, short sleeve			-1,000	1,000		34,400	35,700	37,000	38,300	39,600	
Front length, at cf			-1,000	1,000		88,900	89,600	90,300	91,000	91,700	
Top of collar			-1,000	1,000		40,500	42,000	43,500	45,000	46,500	
Collar cb			-0,500	0,500		4,400	4,700	5,000	5,300	5,600	

Displaying 1 - 14 of 20 results

Units: CM Grading Display: Absolute

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS	S	M	L	XL	Comment
Collar point			-0,500	0,500		5,200	5,350	5,500	5,650	5,800	
Collar, closed			-1,000	1,000		38,400	39,900	41,400	42,900	44,400	
Collar stand cb			-0,500	0,500		2,400	2,400	2,400	2,400	2,400	
Chestpkt opening			-1,000	1,000		11,000	12,000	12,000	13,000	13,000	
Pocket height			-0,500	0,500		12,000	13,000	13,000	14,000	14,000	
Innerpkt zip			-1,000	1,000		9,000	10,000	10,000	11,000	11,000	

Displaying 15 - 20 of 20 results

Units: CM Grading Display: Absolute

Points of Measure Gallery



Chest
Description:



Waist
Description:



Bottom
Description:



Back length, at cb
Description:



Back length to waistline, at cb
Description:



Armhole depth, at cb
Description:




Back width
Description:



Shoulder
Description:


Points of Measure Gallery



Sleeve length fr. neck, incl. cuff
Description:



Bicep
Description:



Bottom sleeve, short sleeve
Description:



Front length, at cf
Description:



Top of collar
Description:



Collar cb
Description:




Collar point
Description:




Collar, closed
Description:



Collar stand cb
Description:



Chestpkt opening
Description:



Pocket height
Description:



Innerpkt zip
Description:

Haglöfs		Salo Dress Women-608325		JSS		Approved 19.08.2025, 11:55 AM	
Size Chart Review	JSS	Size Chart	608325S5 M-list 2025-08-19	Base Size	M		
Description		Size Range	XS-XL	Grading	Women's Uppers Size M		
Pattern Number	608325S5	Sizes	XS-XL				
Construction Type	Pattern Base	Tolerance	Midlayers/Baselayers(incl. Vest)				

Evaluation

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS JSS				M JSS				XL JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Chest			-1,500	1,500		113,900	113,000	-0,900		125,900	125,000	-0,900		137,900	137,000	-0,900			
Waist			-1,500	1,500		110,000	110,000	0,000		122,000	122,000	0,000		134,000	133,500	-0,500			
Bottom			-1,500	1,500		118,000	117,500	-0,500		130,000	129,000	-1,000		142,000	141,000	-1,000			
Back length, at cb			-1,000	1,000		98,300	98,000	-0,300		100,300	99,300	-1,000		102,300	102,000	-0,300			
Back length to waistline, at cb			-1,000	1,000		39,300	39,300	0,000		40,500	40,500	0,000		41,700	41,700	0,000			
Armhole depth, at cb			-1,000	1,500		22,900	22,000	-0,900		24,100	23,000	-1,100		25,300	24,500	-0,800			
Back width		at seam	-1,000	1,000		38,200	38,500	0,300		42,200	42,000	-0,200		46,200	46,000	-0,200			
Shoulder			-0,500	0,500		13,400	13,000	-0,400		14,600	15,000	0,400		15,800	16,000	0,200			
Sleeve length fr. neck, incl. cuff			-1,000	1,000		34,800	34,000	-0,800		38,000	38,000	0,000		41,200	40,500	-0,700			
Bicep			-1,000	1,000		39,800	39,000	-0,800		43,400	43,000	-0,400		47,000	46,500	-0,500			
Displaying 1 - 10 of 20 results																			Units: CM

Haglöfs	Salo Dress Women-608325	JSS	Approved 19.08.2025, 11:55 AM
---------	-------------------------	-----	-------------------------------

Evaluation



Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	XS JSS				M JSS				XL JSS				Review Comment	Factory Comment
						Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual	Target	Actual	Actual Delta	Sample Actual		
Bottom sleeve, short sleeve			-1,000	1,000		34,400	34,500	0,100		37,000	36,500	-0,500		39,600	39,000	-0,600			
Front length, at cf			-1,000	1,000		88,900	88,500	-0,400		90,300	90,000	-0,300		91,700	91,500	-0,200			
Top of collar			-1,000	1,000		40,500	40,000	-0,500		43,500	43,000	-0,500		46,500	46,000	-0,500			
Collar cb			-0,500	0,500		4,400	4,500	0,100		5,000	5,000	0,000		5,600	5,500	-0,100			
Collar point			-0,500	0,500		5,200	5,300	0,100		5,500	5,500	0,000		5,800	5,700	-0,100			
Collar, closed			-1,000	1,000		38,400	39,000	0,600		41,400	41,000	-0,400		44,400	44,000	-0,400			
Collar stand cb			-0,500	0,500		2,400	2,500	0,100		2,400	2,500	0,100		2,400	2,500	0,100			
Chestpkt opening			-1,000	1,000		11,000	10,500	-0,500		12,000	12,000	0,000		13,000	12,700	-0,300			
Pocket height			-0,500	0,500		12,000	12,000	0,000		13,000	13,000	0,000		14,000	13,500	-0,500			
Innerpkt zip			-1,000	1,000		9,000	9,300	0,300		10,000	10,000	0,000		11,000	11,000	0,000			
Displaying 11 - 20 of 20 results																			Units: CM

Labeled Images

OVERVIEW COLOR SKETCH	OUT	STYLE NAME: 608325	 Haglöfs
 OAK BROWN  TRUE BLACK			
01. Color Overview			


Labeled Images

MAIN SKETCH	OUT	
-------------	-----	---




02. Overview Sketch

Labeled Images



Page 14 of 20

Labeled Images




Labeled Images

FABRIC INSTRUCTION

OUT



FACE 1
F1



12. Fabric Instruction

Labeled Images

TRIMS SKETCH

OUT

Haglöfs



Hidden pressbuttons 10mm
053606X4

Collar with collar stand

Tricolred Elastic cord
059527
2 mm attach under webbing.
HTSW-13-12mm-052247

35mm


Chest pkt, Try to make pocket without stitchings. French seam or piping around pocket inside.

Seweed eyelets x2 one of each side of sideseam.
S-cord adjuster + HP cord loop stop.

Elastic cord 2mm
+ webbing 5mm

Haglöfs flag label

Haglöfs Signature Hangloop - 059525



Labeled Images

STITCH & CUTTING INSTRUCTION

OUT



Single stitch 2mm

No seam

Prefolded

Bartac

French seam

Curved bottom hem

Bottom hem making

200mm

Outside

Webbing 5mm

Pocket opening in sideseam.

Inside chanel

Sideseam

Boxpleat

Bartac hangerloop at collarstand

French Seam
2 needle, 7mm in width

Single stitch 7mm

Stitching info:

Single stitch 2mm

Single stitch 7mm

Single stitch 10mm

Double stitch 5mm

Double stitch 7mm

Single stitch 2mm

Single stitch 7mm

Single stitch 10mm

Double stitch 5mm

Double stitch 7mm

French Seam
2 needle, 7mm in width

14. Stitch & Lamination Instruction

Page 18 of 20

Haglöfs	Salo Dress Women-608325	Sizeset comments	Draft 08.09.2025, 11:35 AM
Commented by: Saitip Date: 2025-08-20 Next sample: Shipment sample. Comments & Workmanship: * At front placket. Pls keep it as on JSS. No seam. * Regarding the bottom of front placket is fraying. Pls keep the interlining under as you have done on JSS. Thank you. * Collar stand. Pls follow the form as on men's style. Pattern has updated. Pls check on updated pattern. * To avoid the thickness, pls move the care label placement approximately 2 cm. above flag label See pic #1. * Puckering in general. Pls improve. * Pls ensure to correct all the trims & materials in bulk production. Updated comments 20250908 : * Adding seam at front placket.			

PIC # 1

