

Properties

Season	SS26	Main technology platform	Proof
Code	607958	Main platform specification	Proof 2L
Style	Korp Proof Jacket Men	Responsible Development	Jenny Yip
Working Name	Korp Proof Jacket Men	Responsible Pattern	Jennie Salldal
Carry Over	✓		
Update			
Product State			
Carryover Colors	True Black, Olive Green, Tarn Blue		

Active Colorways Images



Data Sheets

Data Sheet	Type	Subtype	Subtype	Revision
1	Style BOM			1
1	Size Chart			1
1	Image Data Sheet			1
Displaying 3 results				

Documents

Document	Latest Revision	Revision Created	Revision Description	File	Image	3D View	Parent	Parent Type
607958J1 DXF.zip	1	04.04.2024, 4:08 PM		607958J1 DXF.zip			Korp Proof Jacket Men-607958	Style
607958J1.zip	1	04.04.2024, 4:08 PM		607958J1.zip			Korp Proof Jacket Men-607958	Style
Displaying 2 results								

Haglöfs	Korp Proof Jacket Men-607958	607958 Korp Proof Jacket Men	Draft-Sample 29.05.2025, 7:21 AM
---------	------------------------------	------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Olive Green	Tarn Blue
							Colorway	Colorway	Colorway
Fabric (5)									
Proof 2L	GV-PL87-WR-RCY-L	Proof 2L 120g 10K/10K FACE: 100% POLYESTER- RECYCLED MEMBRANE: 100% POLYURETHANE	F1, col 1	Grand and Great Textile	1,44	YD	True Black P2305067-B	Olive Green P2305061-C	Tarn Blue P2305065-A
Proof 2L	GV-PL87-WR-RCY-L	Proof 2L 120g 10K/10K FACE: 100% POLYESTER- RECYCLED MEMBRANE: 100% POLYURETHANE	F2, col 2	Grand and Great Textile	0,92	YD	True Black P2305067-B	Olive Green P2305061-C	Tarn Blue P2305065-A
Woven uncoated	Q140N-3011A000	Plain tafetta lining, 83g 100% POLYESTER RECYCLED	L1	Formosa	1,16	YD	Magnetite VHT8I02-C	Magnetite VHT8I02-C	Magnetite VHT8I02-C
Knits	DSC01302	Recycled polyester mesh 70g 100% POLYESTER- RECYCLED	M1	Duck San CO.,LTD	0,75	YD	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C	Magnetite 31-10-2023 #C
Knits	RC-3617-130	Brushed tricot for chinguard, 130g 100% POLYESTER- RECYCLED	CG	Burltex (Tai Tung Interlining International Ltd.)	0,08	YD	Magnetite RC-3617-130	Magnetite RC-3617-130	Magnetite RC-3617-130
Zip (3)									
Package	VSOR-56 DA8LHD EJ P14 KENSIN N-ANTI WATER-J	1-way Open End Size #5 Vislon auto-lock slider in color EJ (Shiny Enamel PFAS-free) , with Water-J treatment (CO)	CF zip	YKK	1	PCS	True Black 580	Olive Green 566	Tarn Blue 196
Running meter	03 CF CHAIN PBR*	Running meter chain size #3 coil	Hand pockets	YKK	0,5	M	True Black 580	Olive Green 566	Tarn Blue 196
Separate slider	03 C DALH5 EJ PARTS KENSIN N-ANTI	Slider for size #3 coil NON REVERSE auto-lock slider in color EJ (Shiny enamel PFAS-free)	Hand pockets	YKK	2	PCS	True Black slider colour matched to zippertape	Olive Green slider colour matched to zippertape	Tarn Blue slider colour matched to zippertape
Trim (12)									
Displaying 1 - 8 of 29 results									

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Olive Green	Tarn Blue
							Colorway	Colorway	Colorway
Seam Tape	3097	LOCAL - Adhesive	Adhesive	Sealon	0,4	M	None	None	None
Seam Tape	S25908-B160 15mm 2L	PROOF 2L tape 15mm for PU and TPU membranes 100% Polyurethane	Allover	TSGS Inc.	13,277	YD	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L	Transparent S25908-CLR001B160 15mm 2L
Seam Tape	S25908-B160 20mm 2L	PROOF 2L tape 20mm for PU and TPU membranes 100% Polyurethane	Along CF zip and neck seam	TSGS Inc.	2,275	YD	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L	Transparent S25908-CLR001B160 20 mm 2L
Seam Tape	S25908-B160 60mm 2L	PROOF 2L tape 60mm 100% Polyurethane	For patches inside garment	TSGS Inc.	0,24	YD	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L	Transparent S25908-CLR001B160 60mm 2L
Puller	HPPL-15	H P Puller Large BLUESIGN 75% THERMOPLASTIC POLYURETHANE, 25% POLYESTER	At CF zip	Trim Service	1	PCS	True Black HPPL-15	Olive Green HPPL-15	Tarn Blue HPPL-15 (19-4009 TCX)
Puller	HPPM-15	H P Puller Medium BLUESIGN 80% THERMOPLASTIC POLYURETHANE, 20% POLYESTER	At hand pockets	Trim Service	2	PCS	True Black HPPM-15	Olive Green HPPM-15	Tarn Blue HPPM-15 (19-4009 TCX)
Elastic	59P601522-12mm	LOCAL - Elastic 12mm	12mm elastic, Elastic inside of hood edge and back of hood	Paiho	0,5	M	Black	White	Black
Elastic	59P601522-20mm	LOCAL - Elastic 20mm	20mm elastic, Elastic inside of bottom sleeves	Paiho	0,3	M	Black	White	Black
Elastic cord	2.5 cord	2.5mm elastic cord	At bottom hem	Trim Service	1,59	YD	True Black 2.5mm cord	Olive Green 2.5mm cord	Tarn Blue 2.5mm cord (19-4009 TCX)

Displaying 9 - 17 of 29 results

Haglöfs	Korp Proof Jacket Men-607958	607958 Korp Proof Jacket Men	Draft-Sample 29.05.2025, 7:21 AM
---------	------------------------------	------------------------------	----------------------------------

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Olive Green	Tarn Blue
							Colorway	Colorway	Colorway
Webbing	HTCW-14 5mm	Webbing 5mm BLUESIGN 100% POLYESTER	Cord loop inside of bottom hem	Trim Service	0,21	YD	True Black HTCW-14 5mm	Olive Green HTCW-14 5mm	Tarn Blue HTCW-14 5mm (19-4009 TCX)
Eyelet	EYHAGL800	Round Eyelet Mini	At inside bottom hem	Wasa Sweden AB	2	PCS	True Black 46809/ EYHAGL800T.BLA	Olive Green EYHAGL800OLGRE	Tarn Blue EYHAGL800TABLU
Webbing	DW-0979	13MM width woven webbing , non elastic (Explore Patterned Webbing) 100% POLYESTER	At side of size label. Follow sketch for correct placement	Dragon Times	0,05	PCS	Signal Yellow	Signal Yellow	Signal Yellow
Label (5)									
Logo Label	Sylko thread	LOCAL - Haglöfs lock up embroidery - Big, 40mm x 36mm	At chest, follow sketch for correct placement and artwork	Nasa	1	PCS	White	White	White
Logo Label	Sylko thread	LOCAL - H logo embroidery 26,5mm x 21mm	At bottom back, follow sketch for correct placement and artwork	Nasa	1	PCS	White	White	White
Logo Label	Sylko thread	LOCAL - Proof embroidery - 9,7mm x 37,4mm	At bottom front, follow sketch for correct placement and artwork	Nasa	1	PCS	White	White	White
Size Label	HAG 122	Haglöfs Loop Label with size MEN 100% POLYESTER	At back of neck	Nilorn East Asia Ltd.	1	PCS	Magnetite	Magnetite	Magnetite
Care Label	HAG 604	Main new care label 100% RECYCLED POLYESTER		Nilorn East Asia Ltd.	1	PCS	White HAG 604 CARE	White HAG 604 CARE	White HAG 604 CARE
Packaging (4)									
Displaying 18 - 25 of 29 results									

Placements

Material Sub Type	Code	Description / Composition	Placement	Default Supplier	Qty	Unit of Measure	True Black	Olive Green	Tarn Blue
							Colorway	Colorway	Colorway
Hangtag	HAG 2801 + HAG 310	New brandhangtag + string, Placement: Always 1st	Placement 1	Nilorn East Asia Ltd.	1	PCS	None	None	None
Hangtag	HAG 2011	Story hangtag, "For the greatest playground.." 55x132mm, Placement: Always 2nd	Placement 2	Nilorn East Asia Ltd.	1	PCS	None	None	None
Hangtag	HAG 2015	PROOF Hangtag, 55x132mm Pls note: Hangtag should NOT be used on SMS. ONLY BULK, Placement: always after product specific	Placement 4	Nilorn East Asia Ltd.	1	PCS	None	None	None
Polybag		Polybag quality pls see our TOA			1		Transparent	Transparent	Transparent

Displaying 26 - 29 of 29 results

Haglöfs	Korp Proof Jacket Men-607958		607958J1 m-list 20231113		Draft-Sample 29.05.2025, 7:21 AM	
Size Chart	607958J1 m-list 20231113		Grading	Men's Uppers Size L	Fit	Standard
Tolerance	Jackets(shell/softshell/insulation)		Pattern Number	607958J1	Comment	
Size Range	S-XXL		Pattern Number		Description	Copied from 606132J3 m-list 20220322
Sizes	S-XXL		(Revision)			
Base Size	L		Construction Type	Pattern	Revision	1

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	Comment
Chest			-2,000	2,000		112,000	118,000	124,000	130,000	136,000	
Waist			-2,000	2,000		104,600	110,600	116,600	122,600	128,600	
Bottom			-2,000	2,000		108,000	114,000	120,000	126,000	132,000	
Back length, at cb			-1,000	1,000		76,600	77,600	78,600	79,600	80,600	
Back length to waistline, at cb			-1,000	1,000		48,400	49,200	50,000	50,800	51,600	
Armhole depth, at cb			-1,500	1,500		24,900	25,700	26,500	27,300	28,100	
Back width			-1,000	1,000		42,800	44,800	46,800	48,800	50,800	
Shoulder			-0,500	0,500		14,500	15,100	15,700	16,300	16,900	
Sleeve length fr. neck			-1,000	1,000		84,800	86,400	88,000	89,600	91,200	
Bicep			-1,000	1,000		52,000	54,000	56,000	58,000	60,000	
Elbow			-1,000	1,000		35,700	37,100	38,500	39,900	41,300	
Bottom sleeve		Extended	-1,000	1,000		27,800	28,600	29,400	30,200	31,000	
Bottom sleeve		Relaxed	-1,000	1,000		20,400	21,200	22,000	22,800	23,600	
Front length, at cf			-1,000	1,000		59,300	60,000	60,700	61,400	62,100	
Neckline, excl. zip		At cutline	-1,000	1,000		55,800	57,300	58,800	60,300	61,800	
Hood width, at narrowest place		Extended	-1,000	1,000		44,800	46,300	47,800	49,300	50,800	
Hood width, at narrowest place		Relaxed	-1,000	1,000		41,000	42,500	44,000	45,500	47,000	
Hood height			-1,000	1,000		34,300	34,900	35,500	36,100	36,700	
Displaying 1 - 18 of 23 results						Units: CM Grading Display: Absolute					

Points of Measures

Dim	Linked To Shape	Description	Tol (-)	Tol (+)	Hide	S	M	L	XL	XXL	Comment
Hood cf			-0,500	0,500		18,800	19,100	19,400	19,700	20,000	
Hood opening		Extended	-1,000	1,000		57,400	58,000	58,600	59,200	59,800	
Hood opening		Relaxed	-1,000	1,000		51,800	52,400	53,000	53,600	54,200	
Front zip			-1,000	1,000		77,500	78,500	79,500	80,500	81,500	
Sidepkt zip		x 2 pcs	-1,000	1,000		17,000	18,000	18,000	19,000	19,000	

Displaying 19 - 23 of 23 results

Units: CM Grading Display: Absolute

Points of Measure Gallery



Chest
Description:



Waist
Description:



Bottom
Description:



Back length, at cb
Description:



Back length to waistline, at cb
Description:



Armhole depth, at cb
Description:







Back width
Description:



Shoulder
Description:

Points of Measure Gallery

			
Sleeve length fr. neck Description:	Bicep Description:	Elbow Description:	Bottom sleeve Description:
			
Bottom sleeve Description:	Front length, at cf Description:	Neckline, excl. zip Description:	Hood width, at narrowest place Description:
			
Hood width, at narrowest place Description:	Hood height Description:	Hood cf Description:	Hood opening Description:

Points of Measure Gallery



Hood opening

Description:



Front zip


Description:





Sidepkt zip

Description:


Labeled Images

COLOR OVERVIEW	OUT	STYLE NAME: 607958	
 TARN BLUE CO OLIVE GREEN CO TRUE BLACK			
01. Color Overview			

Labeled Images


MAIN SKETCH	OUT	STYLE NO: 607958	
 			
02. Overview Sketch			

Labeled Images




04. Inside Sketch


Labeled Images




Labeled Images

DETAIL SKETCH	OUT	STYLE NO: 607958	
Application of explore webbing to size label 			
11. Detail Sketch 1			


Labeled Images



Labeled Images



Labeled Images



14. Stitch & Lamination Instruction

Labeled Images

DETAIL SKETCH

OUT

STYLE NO: 607958



FACE 1
F1
col 1

FACE 1
F1
col 2



LINING 1
L1

MESH 1
M1

CHIN
GUARD
CG

hood without lining

hood with lining



16. Hood Instruction