GMAT Test 3

37 questions – 75 minutes

1. An investment yields an interest payment of \$68 each week. If the simple annual interest rate is 7.5%, what is the amount of the investment assuming there only 48

(d) 64 (e) 96

5. Is the integer X even?

- (1) X is divisible by 7.
- (2) X is divisible by 11.
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.

6. Is the product XY divisible by 22?

- (1) X is divisible by 4.
- (2) Y is divisible by 11.
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.

7. A seven-digit combination lock on a safe has zero exactly three times, does not have the digit 1 at all. What is the probability that exactly 3 of its digits are odd?

- (a) 1/2
- (b) 1/3
- (c) 1/6
- (d) 4/16
- (e) 9/16

8. Pipe A fills a swimming pool in 4 hours. Pipe B empties the pool in 6 hours. If pipe A was opened at 8:00 am and Pipe B at 9:00 am, at what time will the pool be full?

- (a) 15:00
- (b) 17:00
- (c) 18:00
- (d) 19:00
- (e) 20:00

9. What is the value of (a+b)?

- (1) $a^2-b^2=133$.
- (2) a-b=7.
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.

10. What is the value of X+Z?

- (1) X+Y=11
- (2) Z+Y=13
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.

11. What was the total amount John earned on his two investments?

- (1) John received an annual interest of 5% on one investment and 13% on the other.
- (2) John invested a total of \$15,000 on both investments.
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.

12. What is the sum of the two smallest integers in a set of different positive integers?

(1) There are 4 integers in the set.

1	2)	The	average	Λf	the	integers	in	the	Set	ic	3
1	(11116	average	UΙ	шс	micgers		uic	SCI	12	J.

- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.
- 13. In a school with 5 classes, each class has 2 students less then the previous class. How many students are there in the largest class if the total number of students at school is 95?
- (a) 17
- (b) 19
- (c) 21
- (d) 23
- (e) 25
- 14. A cylindrical ice cream container is half filled with ice cream. A second ice cream container, half the size of the first one is filled to three quarters of its volume with ice cream. What fraction of the total volume of the two containers is filled with ice cream?
- (a) 9/12
- (b) 7/12
- (c) 2/3
- (d) 5/6
- (e) 15/24
- 15. A 48 gallon solution of salt and water is 10% salt. How many gallons of water must be added to the solution in order to decrease the salt to 8% of the volume?
- (a) 8
- (b) 12
- (c) 13
- (d) 14
- (e) 16
- 16. Five years ago, the average age of the X students in the class was n. What is their average age now, if Y more students whose average age was also n five years ago, joined the class?

- (a) n + 5
- (b) n 5
- (c) (x + y)/2 + 5
- (d) (x + y)/2 5
- (e) None of the above
- 17. The "Racing magic" takes 120 seconds to circle the racing track once. The "Charging bull" makes 40 rounds of the track in an hour. If they left the starting point together, how many minutes will it take for them to meet at the starting point for the second time?
- (a) 3
- (b) 6
- (c) 9
- (d) 12
- (e) 15
- 18. If cookies are put in a jar and the jars of cookies are packed in a carton box, how many cookies does one carton box contain?
- (1) Every carton box is filed to half its volume.
- (2) Twenty cookies are put in each jar, and 12 jars are put in each carton box.
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.
- 19. If X and Y are integers, what is the value of X?
- (1) 6X = 4 9Y
- (2) 4/3 3Y = 2X
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.

- 20. A restaurant spends one quarter of its monthly budget for rent and half of the rest for food and beverages. What percentage of the budget does the restaurant spend for food and beverages?
- (a) 23.5%
- (b) 32.5%
- (c) 35%
- (d) 37.5%
- (e) 75%
- 21. If x oranges cost as much as y peaches do, and peaches cost 24 cents each, how many dollars does each orange cost?
- (a) 2400 / (xy)
- (b) 24y/x
- (c) 100y / 24x
- (d) 24y / 100x
- (e) y / 24x
- 22. The sum of the volumes of three spheres, each with radius r, equals to the volume of a single sphere with radius R. What is the ratio between r and R?
- (a) 1: $\sqrt[3]{3}$
- (b) 1: $\sqrt{3}$
- (c) 1:2
- (d) 1: $\sqrt[3]{2}$
- (e) 1:3
- 23. If x and y are primes, and x@y=(1/x + 1/y), is x@y < 1?
- (1) x=y
- (2) x+y=4
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.
- 24. A ball with a diameter of 10 cm is inscribed inside a rectangular box so that it touches all internal faces of the box. What is the volume trapped between the box and the ball?
- (1) The box is a cube

(2) The surface area of the box is 600 cm².

- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.

25. A rectangular box is inscribed inside a cylinder. Both the width and length of the box is 2 cm. What is the volume of the cylinder?

- (1) The volume of the box is 20 cm³.
- (2) The radius of the cylinder is $\sqrt{2}$.
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.

26. A car travels a distance of 160 miles in 2 hours and 40 minutes, what is the speed of the car in miles per hour?

- (a) 54
- (b) 60
- (c) 84
- (d) 116
- (e) 120

27. If $16^{X+7} = 2^{6X+18}$, what is x?

- (a) 9
- (b) 8
- (c) 7
- (d) 6
- (e) 5

28. In the following sequence: [x, y, z, 5, 7, 16, 28] each number is equal to the sum of the three numbers preceding it. What is x+y?

(a) -5 (b) -1 (c) 1 (d) 5 (e) 6
29. John has \$1,600 at the beginning of his trip, after spending money, he still has exactly \$800 less than he spent on the trip. How much money does John still have?
(a) \$200 (b) \$400 (c) \$600 (d) \$800 (e) \$1,200
30. The odds of winning first prize at the casino are 1 to 200. The odds of winning second prize are 1 to 100 and of winning third prize are 1 to 50. If no one person can win more than one of the prizes, what is the probability of not winning the first second or third prize?
(a) 14/200 (b) 47/50 (c) 193/200 (d) 7/200 (e) 97/200
31. A cube has three of its faces painted half red, half white. The other three faces are completely painted white. What is the ratio between the total red painted and the total white painted areas of the cube?
(a) 1:6 (b) 3:6 (c) 1:2 (d) 1:4.5 (e) 1:3
 32. There are X watermelons of 10 Kg each, and Y Watermelons of R Kg each. The average weight of a watermelon is 12 Kg. What is the value of R? (1) There are five heavier watermelons more than lighter watermelons. (2) The weight of the heavier watermelons in Kg is equal to their number.

(a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by

(b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by

itself is not.

itself is not.

- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.
- 33. The average height of a group of children is 125 cm. If one of the children leaves, the average height drops by 2 cm. how many kids were there originally?
- (1) The height of the child who left is twice greater than the height of the shortest child.
- (2) The height of the child who left is 130 cm.
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.
- 34. P is the standard deviation of the heights of NBA basketball players. R is the standard deviation of the heights of 8 weight lifters. Is the average height of the NBA players greater than the average height of the weight lifters?
- (1) R>P
- (2) There are 5 basketball players that are taller than the tallest weight lifter, and 2 players that are shorter than the shortest weight lifter.
- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.
- 35. The average monthly income of 14 younger workers is X, Together with 60 older workers, the average monthly income of the workers rose to Y. what is the average monthly income of the older workers?
- (1) The factory's monthly budget for all salaries is 300,000\$, which is 10 times the salary budget for the younger workers.
- (2) The monthly income of all the workers is 10 times the younger workers income.

- (a) Statement (1) BY ITSELF is sufficient to answer the question, but statement (2) by itself is not.
- (b) Statement (2) BY ITSELF is sufficient to answer the question, but statement (1) by itself is not.
- (c) Statements (1) and (2) TAKEN TOGETHER are sufficient to answer the question, even though NEITHER statement BY ITSELF is sufficient.
- (d) Either statement BY ITSELF is sufficient to answer the question.
- (e) Statements (1) and (2) TAKEN TOGETHER are NOT sufficient to answer the question, requiring more data pertaining to the problem.
- 36. One out of every 500 light bulbs are defected. If 2 out of every 10 defected light bulbs have a broken glass and there are 20 broken glass light bulbs in the shipment, how many light bulbs total are there in the shipment?
- (a) 2,000
- (b) 5,000
- (c) 10,000
- (d) 50,000
- (e) 52,000
- 37. If a is an even integer and b is an odd integer, what must the expression $\frac{a^3b^3}{8}$

be?

- (a) Always even
- (b) Always odd
- (c) Always a fraction
- (d) Could be a fraction
- (e) Always an integer