Rajalakshmi Engineering College

Name: THANIKAIVEL'S

Email: 240701562@rajalakshmi.edu.in

Roll no: 240701562 Phone: 9791347183

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 5_MCQ

Attempt : 1 Total Mark : 20

Marks Obtained: 20

Section 1: MCQ

1. What is the output of the following code?

a={"a":1,"b":2,"c":3}

b=dict(zip(a.values(),a.keys()))

print(b)

Answer

{1: 'a', 2: 'b', 3: 'c'}

Status: Correct Marks: 1/1

2. What is the result of print(type({}) is set)?

Answer

False

3. Which of the following is a Python tuple?

Answer Marks: 1/1

(1, 2, 3)

Status: Correct Marks: 1/1

4. Which of the following statements is used to create an empty tuple?

Answer

Status: Correct

5. If 'a' is a dictionary with some key-value pairs, what does a.popitem() do?

Answer

Removes an arbitrary element

Status: Correct Marks: 1/1

6. What will be the output of the following program?

 $set1 = \{1, 2, 3\}$ set2 = set1.copy() set2.add(4) print(set1)

Answer

{1, 2, 3}

Marks : 1/1 Status: Correct

7. What is the output of the following?

set1 = {10, 20, 30, 40, 50} set2 = {60, 70, 10, 30, 40, 80, 20, 50} print(set1.issubset(set2)) print(set2.issuperset(set1))

Answer

TrueTrue

Status: Correct Marks: 1/1

8. Suppose t = (1, 2, 4, 3), which of the following is incorrect?

Answer

t[3] = 45

Status: Correct Marks: 1/1

9. What is the output of the following code?

a=(1,2,(4,5)) b=(1,2,(3,4)) print(a<b)

Answer

False

Status: Correct Marks: 1/1

10. Which of the statements about dictionary values is false?

Answer

Values of a dictionary must be unique

Status: Correct Marks: 1/1

Predict the output of the following Python program

```
init_tuple_a = 1, 2, 8
   init_{tuple_b} = (1, 2, 7)
set1=set(init_tuple_b)
   set2=set(init_tuple_a)
   print (set1 | set2)
   print (init_tuple_a | init_tuple_b)
```

Answer

{1, 2, 7, 8}TypeError: unsupported operand type

Status: Correct Marks: 1/1

12. What is the output of the below Python code? list1 = [1, 2, 3]

list1 = [1, 2, 3] list2 = [5, 6, 7]list3 = [10, 11, 12]

set1 = set(list2)

set2 = set(list1)

set1.update(set2) set1.update(list3)

print(set1)

Answer

{1, 2, 3, 5, 6, 7, 10, 11, 12}

Status : Correct

13. What will be the output for the following code?

$$t1 = (1, 2, 4, 3)$$

 $t2 = (1, 2, 3, 4)$

print(t1 < t2)

Answer

False

Status: Correct

14. What will be the output?

a={'B':5,'A':9,'C':7} print(sorted(a))

Answer

['A', 'B', 'C'].

Status: Correct Marks: 1/1

15. Which of the following isn't true about dictionary keys?

Answer

Keys must be integers

Status: Correct Marks: 1/1

16. Set s1 = {1, 2, 4, 3} and s2 = {1, 5, 4, 6}, find s1 & amp; s2, s1 - s2, s1 | s2 and s1 ^ s2.

Answer

$$s1\&s2 = \{1, 4\}s1-s2 = \{2, 3\}s1^s2 = \{2, 3, 5, 6\}s1|s2 = \{1, 2, 3, 4, 5, 6\}$$

Status: Correct Marks: 1/1

17. What is the output of the following code?

a={1:"A",2:"B",3:"C"} b=a.copy() b[2]="D" print(a)

Answer

{1: 'A', 2: 'B', 3: 'C'}

Status: Correct Marks: 1/1

18. What will be the output for the following code?

```
a=(1,2,3)
   c=zip(a,b)
   print(c)
   print(tuple(c))
    Answer
   ((1, 'A'), (2, 'B'), (3, 'C'))
    Status: Correct
                                                                         Marks: 1/1
   19. Fill in the code in order to get the following output.
Output:
   Tuple: (1, 3, 4)
   Max value: 4
   t=(1,)
   print("Tuple:" ,t)
   print("Max value:",____
   Answer
   1) t=t+(3,4)2) max(t)
   Status: Correct
                                                                         Marks: 1/1
   20. What will be the output of the following code?
   a=(1,2,3,4)
   print(sum(a,3))
    Answer
                                                                         Marks : 1/1/567
   Status: Correct
```