Sclera Cloud AI

Deployment Documentation

Infrastructure, container inventory & reverse-proxy configuration
QA · UAT · Staging · Production

AWS Account 652894588881

Overview

This document records the deployed state of the Sclera Cloud AI platform across four environments. Each environment follows the same two-tier topology: a public **proxy server** running an NGINX reverse proxy that terminates TLS and routes traffic to the AI microservices, and a private **master server** in a private subnet that runs the application containers. All instances enforce IMDSv2 and are not publicly managed. The sections that follow capture each environment by server, including AWS console screenshots, running container inventory, and the full NGINX configuration.

Environment summary

Environment	Domain	Region	Master (type / private IP)	Proxy (type / public IP)	Master services
QA	qa-ai.sclera.com	ap-south-1	t2.medium / 12.0.2.209	t2.medium / 13.233.224.149	7
UAT	uat-ai.sclera.com	us-east-1	t3.large / 12.0.2.27	t3a.small / 54.80.8.253	3
Staging	staging-ai.sclera.com	us-east-1	t2.large / 15.0.2.43	t3a.medium / 3.88.17.122	7
Production	ai.sclera.com	us-east-1	m8a.xlarge / 12.0.2.169	t3a.small / 34.238.63.42 (EIP)	6

Note: Production uses the bare domain **ai.sclera.com**, a dedicated Elastic IP, and the **sclera77/** image registry namespace, whereas the non-production environments use **scleradev/**. QA is the only environment in **ap-south-1**; the rest run in **us-east-1**.

QA Environment

Domain qa-ai.sclera.com · Region ap-south-1 · vpc-0d9f9e904e765ff75 (sclera-cloud-qa-vpc)

Master Server — sclera-cloud-qa-ai-master-server

Instance ID	i-0251573ee5e717cb6	**Instance type**	t2.medium
State	Running	**Region**	ap-south-1
Private IPv4	12.0.2.209	**Public IPv4**	—
Hostname	ip-12-0-2-209.ap-south-1.compute.internal	**IMDSv2**	Required
VPC	vpc-0d9f9e904e765ff75 (sclera-cloud-qa-vpc)	**Subnet**	subnet-050975420e7e4ad77 (…subnet-1a-private)
IAM role	sclera-cloud-qa-ai-instance-role-ec2	**ARN**	arn:aws:ec2:ap-south-1:652894588881:instance/i-0251573ee5e717cb6

Instance summary (AWS console)




Figure: QA master EC2 instance summary.

Running containers (docker ps)

Container ID	Image	Ver	Status	Port(s)	Name
8ed0546a27c7	scleradev/qa_sclera_mcp_chat_agent	1.0.64	Up 3 weeks (healthy)	8000/tcp	sclera-mcp-chat-agent-server
5b8c358f5c3a	scleradev/qa_document_chatbot	1.0.7	Up 6 weeks	8004/tcp	sclera-document-chatbot-server
f641e47e2b13	scleradev/sclera_itam_call_agent_ai_server	1.0.2	Up 7 weeks	8005/tcp	sclera-itam-call-agent-ai-server
98fa178c3cc2	scleradev/sclera_itam_call_agent_ai_server	1.0.1	Up 7 weeks	8005/tcp	sclera-itam-call-agent-ai-server
4416e8b954a4	scleradev/qa_sclera_adc_ai_validation_server	1.0.0	Up 2 months	2001/tcp	sclera-adc-ai-validation-server
c66ebc51c2f8	scleradev/qa_sclera_itam_skill_profile_ai_server	1.0.0	Up 2 months	8003/tcp	sclera-itam-skill-profile-ai-server
b6a7464cd122	scleradev/qa_sclera_adc_ai_server	1.0.1	Up 2 months	8002/tcp	sclera-adc-ai-server



Figure: QA master docker ps output.

Proxy Server — sclera-cloud-qa-ai-proxy-server

Instance ID	i-0c23a2506e19d94af	**Instance type**	t2.medium
State	Running	**IMDSv2**	Required
Public IPv4	13.233.224.149	**Private IPv4**	12.0.1.9
Public DNS	ec2-13-233-224-149.ap-south-1.compute.amazonaws.com	**Elastic IP**	—
Hostname	ip-12-0-1-9.ap-south-1.compute.internal	**VPC**	vpc-0d9f9e904e765ff75 (sclera-cloud-qa-vpc)
Subnet	subnet-014f1713b64afb854 (…subnet-1a-public)	**IAM role**	sclera-cloud-qa-ai-instance-role-ec2
ARN	arn:aws:ec2:ap-south-1:652894588881:instance/i-0c23a2506e19d94af		

Instance summary (AWS console)




Figure: QA proxy EC2 instance summary.

Running containers (docker ps)

Container ID	Image	Ver	Status	Port(s)	Name
58744d21280d	scleradev/qa_sclera_ai_proxy	1.0.4	Up 7 weeks	80->80, 443->443	sclera-qa-ai-proxy




Figure: QA proxy docker ps output.

Reverse-Proxy Configuration (NGINX)

Domain qa-ai.sclera.com on HTTPS:443 (chained cert) with an HTTP:80 → HTTPS 301 redirect. Security hardening blocks TRACK/TRACE/CONNECT (405) and denies hidden dotfiles.

Route map

Location	Upstream (proxy_pass)	Notes
/asset-data-collection-ai/validation/	sclera-adc-ai-validation-server:2001	
/asset-data-collection-ai/	sclera-adc-ai-server:8002	
/sclera-mcp-chat-agent-server/	sclera-mcp-chat-agent-server:8000	
/call-agent/	sclera-itam-call-agent-ai-server:8005	SSE streaming, buffering off, 3600s
/wscall-agent/	sclera-itam-call-agent-ai-server:8005	WebSocket upgrade
/skill-profile/	sclera-itam-skill-profile-ai-server:8003	
/document-chatbot/api/query	sclera-document-chatbot-server:8004	Streaming, no-cache
/document-chatbot/	sclera-document-chatbot-server:8004	WS upgrade, cache 1800s
/status	stub_status	health

Full configuration — default.conf

```
server {
    listen 443 ssl;
    server_name qa-ai.sclera.com;
    ssl_certificate /home/bundle_chained.crt;
    ssl_certificate_key /home/private.key;
    index index.html index.htm index.nginx-debian.html;
    access_log off;
    error_log /var/log/nginx/reverse-error.log;
    # Security: disable insecure HTTP methods
    if ($request_method ~* ^(TRACK|TRACE|CONNECT)$) {
        return 405;
    }
    # Security: block hidden files
    location ~ /\. {
        access_log off;
        log_not_found off;
        deny all;
    }
    # NGINX stub status
    location /status {
```

```
        stub_status on;
    }
    # ------------------------------
    # VALIDATION SERVICE
    # ------------------------------
    location /asset-data-collection-ai/validation/ {
        rewrite ^/asset-data-collection-ai/validation/(.*)$ /$1 break;
        proxy_pass http://sclera-adc-ai-validation-server:2001;
    }
    # ------------------------------
    # ADC AI SERVICE
    # ------------------------------
    location /asset-data-collection-ai/ {
        rewrite ^/asset-data-collection-ai/(.*)$ /$1 break;
        proxy_pass http://sclera-adc-ai-server:8002;
    }
    # ------------------------------
    # CHAT AGENT SERVICE
    # ------------------------------
    location /sclera-mcp-chat-agent-server/ {
        rewrite ^/sclera-mcp-chat-agent-server/(.*)$ /$1 break;
        proxy_pass http://sclera-mcp-chat-agent-server:8000;
    }
    #------------------------------
    # AI CALL AGENT SERVICE
    # ------------------------------
    location /call-agent/ {
        proxy_pass http://sclera-itam-call-agent-ai-server:8005/;
        proxy_http_version 1.1;
        proxy_set_header Host $host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
        proxy_set_header X-Forwarded-Proto $scheme;
        # SSE streaming
        proxy_buffering off;
        proxy_cache off;
        proxy_set_header Connection '';
        chunked_transfer_encoding on;
        proxy_read_timeout 3600s;
        proxy_send_timeout 3600s;
        add_header Cache-Control "no-cache";
    }
    location /wscall-agent/ {
        proxy_pass http://sclera-itam-call-agent-ai-server:8005/;
        proxy_http_version 1.1;
        proxy_set_header Upgrade $http_upgrade;
        proxy_set_header Connection "upgrade";
        proxy_read_timeout 3600;
    }
```

```
    # -------------------------------
    # SKILL PROFILE SERVICE
    # -------------------------------
    location /skill-profile/ {
        rewrite ^/skill-profile/(.*)$ /$1 break;
        proxy_pass http://sclera-itam-skill-profile-ai-server:8003;
    }
        # Streaming endpoint ONLY
        location /document-chatbot/api/query {
                proxy_pass http://sclera-document-chatbot-server:8004/api/query;
                proxy_http_version 1.1;
                proxy_buffering off;
                proxy_cache off;
                chunked_transfer_encoding on;
                proxy_set_header Connection '';
                proxy_set_header Host $host;
                proxy_read_timeout 3600s;
                proxy_send_timeout 3600s;
                add_header Cache-Control "no-cache";
        }
        # Normal APIs (default behavior)
        location /document-chatbot/ {
                proxy_pass http://sclera-document-chatbot-server:8004/;
                proxy_http_version 1.1;
                proxy_set_header Upgrade $http_upgrade;
                proxy_set_header Connection "upgrade";
                add_header Cache-Control "max-age=1800,public";
        }
}
server {
    listen 80;
    server_name qa-ai.sclera.com;
    return 301 https://$host$request_uri;
}
```

UAT Environment

Domain uat-ai.sclera.com · Region us-east-1 · vpc-02881f7659e5734ac (sclera-cloud-uat-vpc)

Master Server — sclera-cloud-uat-ai-master-server

Instance ID	i-0704f8dcd28fdb0d6	**Instance type**	t3.large
State	Running	**Region**	us-east-1
Private IPv4	12.0.2.27	**Public IPv4**	—
Hostname	ip-12-0-2-27.ec2.internal	**IMDSv2**	Required
VPC	vpc-02881f7659e5734ac (sclera-cloud-uat-vpc)	**Subnet**	subnet-0eb21f07313462a29 (…subnet-1a-private)
IAM role	sclera-cloud-uat-ai-instance-role-ec2	**ARN**	arn:aws:ec2:us-east-1:652894588881:instance/i-0704f8dcd28fdb0d6

Instance summary (AWS console)




Figure: UAT master EC2 instance summary.

Running containers (docker ps)

Container ID	Image	Ver	Status	Port(s)	Name
8bce8d6e860c	scleradev/uat_sclera_mcp_chat_agent	1.0.15	Up 6 weeks (healthy)	8000/tcp	sclera-mcp-chat-agent-server
53d350f22834	scleradev/sclera-adc-ai-server	1.0.0	Up 2 months	8000/tcp	sclera-adc-ai-server
3fef918daa41	scleradev/uat_sclera_adc_ai_node_server	1.0.2	Up 2 months	2001/tcp	sclera-adc-ai-node-server




Figure: UAT master docker ps output.

Proxy Server — sclera-cloud-uat-ai-proxy-server

Instance ID	i-0bd3fd912665b5318	**Instance type**	t3a.small
State	Running	**IMDSv2**	Required
Public IPv4	54.80.8.253	**Private IPv4**	12.0.1.64
Public DNS	ec2-54-80-8-253.compute-1.amazonaws.com	**Elastic IP**	—
Hostname	ip-12-0-1-64.ec2.internal	**VPC**	vpc-02881f7659e5734ac (sclera-cloud-uat-vpc)
Subnet	subnet-0f6ebddf947d2e70b (…subnet-1a-public)	**IAM role**	sclera-cloud-uat-ai-instance-role-ec2
ARN	arn:aws:ec2:us-east-1:652894588881:instance/i-0bd3fd912665b5318		

Instance summary (AWS console)




Figure: UAT proxy EC2 instance summary.

Running containers (docker ps)

Container ID	Image	Ver	Status	Port(s)	Name
0279ee8ca9e	scleradev/uat_sclera_ai_proxy	1.0.1	Up 2 months	80->80, 443->443	sclera_ai_proxy




Figure: UAT proxy docker ps output.

Reverse-Proxy Configuration (NGINX)

Domain uat-ai.sclera.com on HTTPS:443 with an HTTP:80 → HTTPS 301 redirect. The UAT proxy exposes only the MCP chat-agent route; same TRACK/TRACE and dotfile hardening as QA.

Route map

Location	Upstream (proxy_pass)	Notes
/sclera-mcp-chat-agent-server/	sclera-mcp-chat-agent-server:8000	
/status	stub_status	health

Full configuration — default.conf

```
server {
    listen 443 ssl;
    server_name uat-ai.sclera.com;
    ssl_certificate /home/bundle_chained.crt;
    ssl_certificate_key /home/private.key;
    index index.html index.htm index.nginx-debian.html;
    access_log off;
    error_log /var/log/nginx/reverse-error.log;
    # Security: disable insecure HTTP methods
    if ($request_method ~* ^(TRACK|TRACE|CONNECT)$) {
        return 405;
    }
    # Security: block hidden files
    location ~ /\. {
        access_log off;
        log_not_found off;
        deny all;
    }
    # NGINX stub status
    location /status {
        stub_status on;
    }
    # ------------------------------
    # CHAT AGENT SERVICE
    # ------------------------------
    location /sclera-mcp-chat-agent-server/ {
        rewrite ^/sclera-mcp-chat-agent-server/(.*)$ /$1 break;
        proxy_pass http://sclera-mcp-chat-agent-server:8000;
    }
}
server {
    listen 80;
```

```
    server_name uat-ai.sclera.com;
    return 301 https://$host$request_uri;
}
```

Staging Environment

Domain staging-ai.sclera.com · Region us-east-1 · vpc-0b46a5a12fc5c4c29 (sclera-cloud-staging-vpc)

Master Server — sclera-cloud-staging-ai-master-server

Instance ID	i-080af62b45e554c0d	**Instance type**	t2.large
State	Running	**Region**	us-east-1
Private IPv4	15.0.2.43	**Public IPv4**	—
Hostname	ip-15-0-2-43.ec2.internal	**IMDSv2**	Required
VPC	vpc-0b46a5a12fc5c4c29 (sclera-cloud-staging-vpc)	**Subnet**	subnet-0e520727430dd54ef (…subnet-1a-private)
IAM role	sclera-cloud-staging-instance-role-ec2	**ARN**	arn:aws:ec2:us-east-1:652894588881:instance/i-080af62b45e554c0d

Instance summary (AWS console)




Figure: Staging master EC2 instance summary.

Running containers (docker ps)

Container ID	Image	Ver	Status	Port(s)	Name
caff22e1c88d	scleradev/staging_sclera_mcp_chat_agent	1.0.6	Up 7 weeks (healthy)	8000/tcp	sclera-mcp-chat-agent-server
71e3e4938eb7	scleradev/staging_sclera_mcp_chat_agent	1.0.6	Up 2 months (healthy)	8000/tcp	sclera-mcp-chat-agent-server
b6d1d67e8b9e	scleradev/staging_sclera_adc_ai_server	1.0.0	Up 2 months	8001/tcp	sclera-adc-ai-server
6477a12f526c	scleradev/staging_sclera_adc_ai_validation_server	1.0.0	Up 2 months	2001/tcp	sclera-adc-ai-node-server
739edb34668e	scleradev/sclera_staging_skill_profile_ai	1.0.0	Up 3 months	8000->8000	sclera-itam-skill-profile-ai-server
0c6f05fc439d	scleradev/staging_ai_inventory_suggestion	1.0.0	Up 3 months	6000->6000	sclera-itam-inventory-ai-server
5c51a7727818	scleradev/sclera_staging_call_agent_ai	1.0.0	Up 3 months	6060->6060	sclera-itam-call-agent-ai-server




Figure: Staging master docker ps output.

Proxy Server — sclera-cloud-staging-ai-proxy-server

Instance ID	i-0a0a67501fe651706	**Instance type**	t3a.medium
State	Running	**IMDSv2**	Required
Public IPv4	3.88.17.122	**Private IPv4**	15.0.1.99
Public DNS	ec2-3-88-17-122.compute-1.amazonaws.com	**Elastic IP**	—
Hostname	ip-15-0-1-99.ec2.internal	**VPC**	vpc-0b46a5a12fc5c4c29 (sclera-cloud-staging-vpc)
Subnet	subnet-084f23561869d8864 (…subnet-1a-public)	**IAM role**	sclera-cloud-staging-ai-instance-role-ec2
ARN	arn:aws:ec2:us-east-1:652894588881:instance/i-0a0a67501fe651706		

Instance summary (AWS console)




Figure: Staging proxy EC2 instance summary.

Running containers (docker ps)

Container ID	Image	Ver	Status	Port(s)	Name
6cdb111c6540	scleradev/sclera_staging_skill_profile_ai_nginx	1.0.0	Up 3 months	80->80, 443->443	sclera_staging_skill_profile_ai_nginx




Figure: Staging proxy docker ps output.

Reverse-Proxy Configuration (NGINX)

Domain staging-ai.sclera.com on HTTPS:443 with an HTTP:80 → HTTPS 301 redirect. Adds global proxy timeouts (connect 120s, send 120s, read 300s) and common forwarding headers. Unlike QA/UAT/Prod, this config does not include the TRACK/TRACE method block or dotfile deny rules.

Route map

Location	Upstream (proxy_pass)	Notes
/call-agent/	sclera-itam-call-agent-ai-server:6060	
/wscall-agent/	sclera-itam-call-agent-ai-server:6060	WebSocket upgrade
/skill-profile/	sclera-itam-skill-profile-ai-server:8000	
/inventory-suggestion-ai/	sclera-itam-inventory-ai-server:6000	
/sclera-mcp-chat-agent-server/	sclera-mcp-chat-agent-server:8000	
/asset-data-collection-ai/	sclera-adc-ai-server:8001	Python service
/asset-data-collection-ai/node/	sclera-adc-ai-node-server:2001	Node service
/status	stub_status	health

Full configuration — default.conf

```
server {
    listen 443 ssl;
    server_name staging-ai.sclera.com;
    ssl_certificate /home/bundle_chained.crt;
    ssl_certificate_key /home/private.key;
    error_log /var/log/nginx/reverse-error.log;
        proxy_connect_timeout 120s;
        proxy_send_timeout 120s;
        proxy_read_timeout 300s;
    # Common headers
    proxy_set_header Host $host;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    # Call Agent
    location /call-agent/ {
        rewrite ^/call-agent/(.*)$ /$1 break;
        proxy_pass http://sclera-itam-call-agent-ai-server:6060;
    }
    # WS Call Agent (WebSocket support)
    location /wscall-agent/ {
        rewrite ^/wscall-agent/(.*)$ /$1 break;
```

```
        proxy_pass http://sclera-itam-call-agent-ai-server:6060;
        proxy_set_header Upgrade $http_upgrade;
        proxy_set_header Connection "upgrade";
    }
    # Skill Profile
    location /skill-profile/ {
        rewrite ^/skill-profile/(.*)$ /$1 break;
        proxy_pass http://sclera-itam-skill-profile-ai-server:8000;
    }
    # Inventory Suggestion
    location /inventory-suggestion-ai/ {
        rewrite ^/inventory-suggestion-ai/(.*)$ /$1 break;
        proxy_pass http://sclera-itam-inventory-ai-server:6000;
    }
    # MCP Chat Agent
    location /sclera-mcp-chat-agent-server/ {
        rewrite ^/sclera-mcp-chat-agent-server/(.*)$ /$1 break;
        proxy_pass http://sclera-mcp-chat-agent-server:8000;
    }
    # Asset Data Collection - Python
    location /asset-data-collection-ai/ {
        rewrite ^/asset-data-collection-ai/(.*)$ /$1 break;
        proxy_pass http://sclera-adc-ai-server:8001;
    }
    # Asset Data Collection - Node
    location /asset-data-collection-ai/node/ {
        rewrite ^/asset-data-collection-ai/node/(.*)$ /$1 break;
        proxy_pass http://sclera-adc-ai-node-server:2001;
    }
    # NGINX status
    location /status {
        stub_status on;
    }
}
server {
    listen 80;
    server_name staging-ai.sclera.com;
    return 301 https://$host$request_uri;
}
```

Production Environment

Domain ai.sclera.com · Region us-east-1 · vpc-00773ede3683cd46d (sclera-cloud-prod-vpc)

Note: This master is the largest instance in the fleet (m8a.xlarge) and is the only one flagged **Over-provisioned** by AWS Compute Optimizer. The proxy is the only environment with a dedicated **Elastic IP**, and all images come from the **sclera77/** registry namespace.

Master Server — sclera-cloud-prod-ai-master-server

Instance ID	i-0b8e8c649244a8026	**Instance type**	m8a.xlarge
State	Running	**Region**	us-east-1
Private IPv4	12.0.2.169	**Public IPv4**	—
Hostname	ip-12-0-2-169.ec2.internal	**IMDSv2**	Required
VPC	vpc-00773ede3683cd46d (sclera-cloud-prod-vpc)	**Subnet**	subnet-0ea80d67df8a7ec88 (…subnet-1a-private)
IAM role	sclera-cloud-prod-ai-instance-role-ec2	**ARN**	arn:aws:ec2:us-east-1:652894588881:instance/i-0b8e8c649244a8026

Instance summary (AWS console)




Figure: Production master EC2 instance summary.

Running containers (docker ps)

Container ID	Image	Ver	Status	Port(s)	Name
c07310f3ac93	sclera77/sclera_document_chatbot_server	1.0.1	Up 6 weeks	8004/tcp	sclera-document-chatbot-server
ba3216a59a11	sclera77/sclera_adc_ai_node_server	1.0.1	Up 3 months	2001/tcp	sclera-adc-ai-node-server
ab488518c1c8	sclera77/sclera_adc_ai_server	1.0.1	Up 3 months	8001/tcp	sclera-adc-ai-server
8105a741214f	sclera77/sclera_itam_inventory_ai	1.0.0	Up 5 months	6000/tcp	sclera-itam-inventory-ai-server
ec1b270c6c0f	sclera77/sclera_itam_skill_profile_ai	1.0.0	Up 6 months	8000/tcp	sclera-itam-skill-profile-ai-server
66ec086e8acb	sclera77/sclera_itam_call_agent_ai	1.0.0	Up 6 months	6060/tcp	sclera-itam-call-agent-ai-server




Figure: Production master docker ps output.

Proxy Server — sclera-cloud-prod-ai-proxy-server

Instance ID	i-0e58a51a848e1229d	**Instance type**	t3a.small
State	Running	**IMDSv2**	Required
Public IPv4	34.238.63.42	**Private IPv4**	12.0.1.69
Public DNS	ec2-34-238-63-42.compute-1.amazonaws.com	**Elastic IP**	34.238.63.42 (sclera-cloud-prod-ai-proxy-server-eip)
Hostname	ip-12-0-1-69.ec2.internal	**VPC**	vpc-00773ede3683cd46d (sclera-cloud-prod-vpc)
Subnet	subnet-0ca0fbfa8e0c1e157 (…subnet-1a-public)	**IAM role**	sclera-cloud-prod-ai-instance-role-ec2
ARN	arn:aws:ec2:us-east-1:652894588881:instance/i-0e58a51a848e1229d		

Instance summary (AWS console)




Figure: Production proxy EC2 instance summary.

Running containers (docker ps)

Container ID	Image	Ver	Status	Port(s)	Name
158a9033902f	sclera77/sclera_ai_proxy_server	1.0.0	Up 6 weeks	80->80, 443->443	sclera-ai-proxy




Figure: Production proxy docker ps output.

Reverse-Proxy Configuration (NGINX)

Bare production domain ai.sclera.com on HTTPS:443 with an HTTP:80 → HTTPS 301 redirect. Full security hardening (TRACK/TRACE/CONNECT block, dotfile deny for .env/.git/.htaccess) plus a dedicated document-chatbot streaming endpoint with buffering disabled and 3600s timeouts.

Route map

Location	Upstream (proxy_pass)	Notes
/call-agent/	sclera-itam-call-agent-ai-server:6060	Host/X-Real-IP/X-Fwd-For
/wscall-agent/	sclera-itam-call-agent-ai-server:6060	WebSocket upgrade
/skill-profile/	sclera-itam-skill-profile-ai-server:8000	
/inventory-suggestion-ai/	sclera-itam-inventory-ai-server:6000	
/asset-data-collection-ai/	sclera-adc-ai-server:8001	Python service
/asset-data-collection-ai/node/	sclera-adc-ai-node-server:2001	Node service
/document-chatbot/api/query	sclera-document-chatbot-server:8004	Streaming, 3600s
/document-chatbot/	sclera-document-chatbot-server:8004	WS upgrade, cache 1800s
/status	stub_status	health

Full configuration — default.conf

```
server {
    listen 80;
    server_name ai.sclera.com;
    return 301 https://$host$request_uri;
}
# HTTPS reverse proxy for AI services
server {
    listen 443 ssl;
    server_name ai.sclera.com;
    # SSL certificates
    ssl_certificate /home/bundle_chained.crt;
    ssl_certificate_key /home/private.key;
    index index.html index.htm index.nginx-debian.html;
    access_log off;
    error_log /var/log/nginx/reverse-error.log;
    # Block insecure HTTP methods
    if ($request_method ~* ^(TRACK|TRACE|CONNECT)$) {
        return 405;
    }
    # Block access to hidden files such as .env, .git, .htaccess
```

```
    location ~ /\. {
        access_log off;
        log_not_found off;
        deny all;
    }
    # NGINX health/status endpoint
    location /status {
        stub_status on;
    }
    # Call Agent AI API
    location /call-agent/ {
        proxy_pass http://sclera-itam-call-agent-ai-server:6060/;
        proxy_http_version 1.1;
        proxy_set_header Host $http_host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    }
    # Call Agent WebSocket endpoint
    location /wscall-agent/ {
        proxy_pass http://sclera-itam-call-agent-ai-server:6060/;
        proxy_http_version 1.1;
        proxy_set_header Upgrade $http_upgrade;
        proxy_set_header Connection "Upgrade";
    }
    # Skill Profile AI API
    location /skill-profile/ {
        proxy_pass http://sclera-itam-skill-profile-ai-server:8000/;
        proxy_http_version 1.1;
        proxy_set_header Host $http_host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    }
    # Inventory Suggestion AI API
    location /inventory-suggestion-ai/ {
        proxy_pass http://sclera-itam-inventory-ai-server:6000/;
        proxy_http_version 1.1;
        proxy_set_header Host $http_host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    }
    # Asset Data Collection AI - Python service
    location /asset-data-collection-ai/ {
        proxy_pass http://sclera-adc-ai-server:8001/;
        proxy_http_version 1.1;
        proxy_set_header Host $http_host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    }
    # Asset Data Collection AI - Node.js service
```

```
    location /asset-data-collection-ai/node/ {
        proxy_pass http://sclera-adc-ai-node-server:2001/;
        proxy_http_version 1.1;
        proxy_set_header Host $http_host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    }
    # Document Chatbot streaming query endpoint
    # Keep this separate because streaming needs buffering disabled
    # and longer read/send timeouts.
    location /document-chatbot/api/query {
        proxy_pass http://sclera-document-chatbot-server:8004/api/query;
        proxy_http_version 1.1;
        proxy_buffering off;
        proxy_cache off;
        chunked_transfer_encoding on;
        proxy_set_header Connection "";
        proxy_set_header Host $host;
        proxy_read_timeout 3600s;
        proxy_send_timeout 3600s;
        add_header Cache-Control "no-cache";
    }
    # Document Chatbot normal API/static routes
    location /document-chatbot/ {
        proxy_pass http://sclera-document-chatbot-server:8004/;
        proxy_http_version 1.1;
        proxy_set_header Upgrade $http_upgrade;
        proxy_set_header Connection "upgrade";
        proxy_set_header Host $host;
        add_header Cache-Control "max-age=1800, public";
    }
}
```