In [1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cal
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	N
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th	fema l e	38.0	1	0	PC 17599	71.2833	С
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	N
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C1
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	N
5	6	0	3	Moran, Mr. James	male	NaN	0	0	330877	8.4583	N
6	7	0	1	McCarthy, Mr. Timothy J	ma l e	54.0	0	0	17463	51.8625	E
7	8	0	3	Palsson, Master. Gosta Leonard	male	2.0	3	1	349909	21.0750	N
8	9	1	3	Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg)	female	27.0	0	2	347742	11.1333	N
9	10	1	2	Nasser, Mrs. Nicholas (Adele Achem)	female	14.0	1	0	237736	30.0708	N
	1 2 3 4 5 6 7	0 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9	0 1 0 1 2 1 2 3 1 4 5 0 5 6 0 6 7 0 7 8 0 8 9 1	1 2 1 1 2 3 1 3 3 4 1 1 4 5 0 3 5 6 0 3 6 7 0 1 7 8 0 3 8 9 1 3	0 1 0 3 Braund, Mr. Owen Harris 1 2 1 1 Cumings, Mrs. John Bradley (Florence Briggs Th 2 3 1 3 Heikkinen, Mrs. Laina 3 4 1 1 Heikkinen, Mrs. Jacques Heath (Lily May Peel) 4 5 0 3 Allen, Mr. Mrs. Henry 5 6 0 3 Moran, Mr. James 6 7 0 1 McCarthy, Mr. James 7 8 0 3 McCarthy, Mrs. Gosta Leonard 8 9 1 3 Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg) 9 10 1 2 Nasser, Mrs. Mrs. Vilholas (Adele)	0 1 0 3 Braund, Mr. Owen Harris male Harris 1 2 1 1 Cumings, Mrs. John Bradley (Florence Briggs Th female Remale Laina 2 3 1 3 Heikkinen, Mrs. Mrs. Jacques Heath (Lily May Peel) female Heath (Lily May Peel) 3 4 1 1 Allen, Mr. Mrs. Milliam male Henry 5 6 0 3 Moran, Mr. James male McCarthy, male Timothy J male McCarthy, Mrs. Gosta Leonard 7 8 0 3 Palsson, Mrs. Gosta Leonard male Leonard 8 9 1 3 Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg) female (Elisabeth Vilhelmina Berg) 9 10 1 2 Nicholas (Adele (Adele)	0 1 0 3 Braund, Mr. Owen Harris male 22.0 1 2 1 1 Ender of the part of the pa	1	1	Palsson, Master, Marked Palsson, Master, Gosta Leonard Palsson, Master, Gosta Leonard Palsson, Master, Marked Palsson, Masser, Marked Palsson, Masser, Masser, Marked Palsson, Masser, M	1

In [3]: df.describe()

O	_	
	т	 ٠,
Ou	•	

	Passengerld	Survived	Pclass	Age	SibSp	Parch	Fare
count	891.000000	891.000000	891.000000	714.000000	891.000000	891.000000	891.000000
mean	446.000000	0.383838	2.308642	29.699118	0.523008	0.381594	32.204208
std	257.353842	0.486592	0.836071	14.526497	1.102743	0.806057	49.693429
min	1.000000	0.000000	1.000000	0.420000	0.000000	0.000000	0.000000
25%	223.500000	0.000000	2.000000	20.125000	0.000000	0.000000	7.910400
50%	446.000000	0.000000	3.000000	28.000000	0.000000	0.000000	14.454200
75%	668.500000	1.000000	3.000000	38.000000	1.000000	0.000000	31.000000
max	891.000000	1.000000	3.000000	80.000000	8.000000	6.000000	512.329200

In [4]: df['Survived'].value_counts()


Out[4]: Survived

0 5491 342

Name: count, dtype: int64


In [20]: sns.countplot(x=df['Survived'],hue=df['Pclass'],color="yellow")

Out[20]: <Axes: xlabel='Survived', ylabel='count'>



```
In [6]: df["Sex"]
Out[6]: 0
                  male
         1
                female
         2
                female
         3
                female
         4
                  male
         886
                  male
         887
                female
         888
                female
                  male
         889
         890
                  male
        Name: Sex, Length: 891, dtype: object
In [7]: | sns.countplot(x=df['Sex'],hue=df['Survived'],color="green")
```

Out[7]: <Axes: xlabel='Sex', ylabel='count'>



```
In [8]: | df.groupby("Sex")[['Survived']].mean()
Out[8]:
                 Survived
```

Sex 0.742038 female male 0.188908


```
In [9]: from sklearn.preprocessing import LabelEncoder
labelencoder = LabelEncoder()
df['Sex'] = labelencoder.fit_transform(df['Sex'])
df.head()
```

Out[9]:	Pas	sengerld	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin
	0	1	0	3	Braund, Mr. Owen Harris	1	22.0	1	0	A/5 21171	7.2500	NaN
	1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th	0	38.0	1	0	PC 17599	71.2833	C85
	2	3	1	3	Heikkinen, Miss. Laina	0	26.0	0	0	STON/O2. 3101282	7.9250	NaN
	3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	0	35.0	1	0	113803	53.1000	C123
	4	5	0	3	Allen, Mr. William Henry	1	35.0	0	0	373450	8.0500	NaN
	1											•
In [10]:	df['Se	x'],df['Survive	d']								
Out[10]:	(0 1 2 3 4	1 0 0 0 1										
	886 887 888 889 890	 1 0 0 1 1										

```
Name: Sex, Length: 891, dtype: int32,
0
       0
1
       1
2
       1
3
       1
4
       0
886
       0
887
       1
888
       0
889
       1
890
Name: Survived, Length: 891, dtype: int64)
```

In [11]: sns.countplot(x=df['Sex'],hue=df['Survived'])

Out[11]: <Axes: xlabel='Sex', ylabel='count'>



In	[12]:	<pre>df.isna().sum()</pre>
----	-------	----------------------------

Out[12]: PassengerId 0 Survived 0 Pclass 0 Name 0 0 Sex 177 Age SibSp 0 Parch 0 Ticket 0 Fare 0 Cabin 687 Embarked 2 dtype: int64

In [21]: df.drop(['Age'],axis=1)
 df_final=df
 df_final.head(10)

Out[21]:		Passengerld	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin
	0	1	0	3	Braund, Mr. Owen Harris	1	22.0	1	0	A/5 21171	7.2500	NaN
	1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th	0	38.0	1	0	PC 17599	71.2833	C85
	2	3	1	3	Heikkinen, Miss. Laina	0	26.0	0	0	STON/O2. 3101282	7.9250	NaN
	3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	0	35.0	1	0	113803	53.1000	C123
	4	5	0	3	Allen, Mr. William Henry	1	35.0	0	0	373450	8.0500	NaN
	5	6	0	3	Moran, Mr. James	1	NaN	0	0	330877	8.4583	NaN
	6	7	0	1	McCarthy, Mr. Timothy J	1	54.0	0	0	17463	51.8625	E46
	7	8	0	3	Palsson, Master. Gosta Leonard	1	2.0	3	1	349909	21.0750	NaN
	8	9	1	3	Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg)	0	27.0	0	2	347742	11.1333	NaN
	9	10	1	2	Nasser, Mrs. Nicholas (Adele Achem)	0	14.0	1	0	237736	30.0708	NaN
	4											•

```
In [22]: x=df[['Pclass','Sex']]
         y=df['Survived']
         from sklearn.model_selection import train_test_split
         x_train, x_test, y_train, y_test = train_test_split(x,y,test_size = 0.2, random
         from sklearn.linear model import LogisticRegression
         log = LogisticRegression()
         log.fit(x_train, y_train)
```

Out[22]: LogisticRegression()

In a Jupyter environment, please rerun this cell to show the HTML representation or trust the notebook.

On GitHub, the HTML representation is unable to render, please try loading this page with

```
nbviewer.org.
In [23]: | pred = print(log.predict(x test))
      [0 0 0 1 1 0 1 1 0 1 0 1 0 1 1 1 1 0 0 0 0 0 1 0 0 1 1 0 1 1 1 0 1 0 0 0 0 0
      1001101010110011000000001001001
In [24]: print(y test)
      495
          0
      648
          0
      278
          0
      31
          1
      255
          1
          . .
      780
          1
      837
          0
      215
          1
      833
      372
      Name: Survived, Length: 179, dtype: int64
In [25]: import warnings
      warnings.filterwarnings("ignore")
      res=log.predict([[480,0]])
      if(res==0):
        print("Survived")
      else:
        print("Not Survived")
      Survived
In [ ]:
```