

E-LEARNING PLATFORM TO HEARING IMPAIRED STUDENTS

25-26J-103

Project Proposal Report

Hettiarachchi D.S.W

B.Sc. (Hons) Degree in Information Technology Specializing in
Data Science


Department of Information Technology
Sri Lanka

August 2025

DECLARATION


I hereby declare that the research proposal is my original work and has been prepared by me. The information and data presented in this report are true and accurate to the best of my knowledge. All sources of information and literature used in this report have been properly cited and acknowledged.

I further declare that this proposal has not been submitted, in whole or in part, for any other degree or qualification at this or any other institution, and it complies with the ethical standards of research as outlined by Sri Lanka Institute of Information Technology.

Name	Student ID	Signature
Hettiarachchi D.S.W	IT22561466	


The supervisor/s should certify the proposal report with the following declaration. The above candidates are carrying out research for the undergraduate Dissertation under my supervision.

Signature of supervisor:-



Date :- 20/08/2025

Signature of co-supervisor:-



Date :- 20/08/2025

ABSTRACT

AI-driven tools and Large Language Models (LLMs) transformed the nature of education into a personal and accessible experience that cuts across various user groups. Nevertheless, there have been complaints that hearing-impaired students cannot enjoy their studies in most conventional e-learning because the technology does not fully facilitate sign language, emotions, and multisensory communication. It requires continued improvements to result in inclusivity, flexibility and in-time responsiveness regarding the areas of specialisation in teaching and learning.

The offered system goes further in e-learning exercises as it designs a comprehensive interface that will fit in hearing-impaired students. With a combination of sign language video generation, emotion tracking, multisensory immersion and lip-reading assistance, aggregated into a coherent system, it is expected to increase the accessibility and interest in taking care of learning queries and tasks. Such a form of engagement not only adds more depth and personalization to learning experiences but also circumvents short-comings inherent to more traditional platforms when scaled to hearing-impaired learning.

Finally, as shown in this study, this can close the gap between universal e-learning solutions and the necessity of culturally acceptable and domain-specific tools in Sri Lanka, leading to more inclusive and accessible uses not only within the education sector.

ACKNOWLEDGEMENT

This is my moment to thank all the people who have supported the preparation of the project proposal report of this Inclusive E-Learning Platform to the hearing-impaired students.

First, I would like to appreciate our supervisor, Dr. Lakmini Abeywardhana, who would guide us with the research problem. Her experience and direction in the area of Natural Language Processing (NLP) and Machine learning has played a critical role in assisting us to develop our proposed solution. Then also, I would like to extend my gratitude to our co-supervisor Ms. Sanjeevi Chandrasiri who has been very supportive. Her input, in terms of perfecting and examining our ingredients and running us through lectures on how to be more effective in our research, has been a priceless asset to our growth.

Next, I would wish to express my gratitude to my colleagues and acknowledge their efforts and work diligence they have contributed to the realization of this project since the very beginning. I also personally experienced the level of interest to the research issue and the enthusiasm to come up with ideas and cooperate to find the optimal solution. Their loyalty and passion has been inviting. Finally, I would also take this opportunity to express my sincere gratitude to the faculty of computing and the comprehensive design and analysis project (CDAP) at the Sri Lanka institute of information technology (SLIIT). I sincerely appreciate the fact that they have allowed me to venture and offer my services in this identity study. The reason is because of their consistent help and resources given to us to organize the project proposal.

TABLE OF CONTENTS

LIST OF TABLES	vi
LIST OF FIGURES	vi
LIST OF ABBREVIATIONS	vii
1. INTRODUCTION.....	1
1.1. Background of the Research	1
1.3. Research Gap	3
1.4. Research Problem.....	5
2. OBJECTIVES	7
2.1. Main Objective.....	7
2.2. Sub Objectives	7
3. METHODOLOGY	9
3.1. System Architecture Diagram	11
3.2. Component specific System Diagram.....	12
3.3. Project Requirements	13
3.3.1. Functional Requirements	13
3.3.2. Non-Functional Requirements.....	14
3.4. Tools and Technologies	15
3.4.1. Tools	15
3.4.2. Technologies	16
3.5. Implementation	16
3.6. Deployment.....	18
3.7. Evaluation of the system.....	19
4. WORK BREAKDOWN STRUCTURE	20
5. GANTT CHART	21

6.	COMMERCIALIZATION OF THE PRODUCT.....	22
7.	BUDGET AND BUDGET JUSTIFICATION.....	23
8.	REFERENCE.....	24

LIST OF TABLES

Table 1: Research gap illustration4

Table 2: Budget allocation chart.....23

LIST OF FIGURES

Figure 1: Overall system diagram 11

Figure 2: Component specific system diagram 12

Figure 3: Work breakdown structure20

Figure 4: Gantt Chart Diagram21

Figure 5: System Logo22

LIST OF ABBREVIATIONS

AI	Artificial Intelligence
CNN	Convolutional Neural Network
DNN	Deep Neural Network
GCN	Graph Convolutional Network
GPU	Graphics Processing Unit
HCI	Human-Computer Interaction
LLM	Large Language Model
FER2013	Facial Expression Recognition 2013
ML	Machine Learning
NLP	Natural Language Processing
RNN	Recurrent Neural Network
TPU	Tensor Processing Unit
3D-CNN	Three-Dimensional Convolutional Neural Network
API	Application Programming Interface
UI	User Interface
UX	User Experience
WCAG	Web Content Accessibility Guidelines
F1 Score	Harmonic mean of Precision and Recall
FPS	Frames Per Second

1. INTRODUCTION

1.1. Background of the Research

Part of managing emotions in live e-learning sessions would be essential in facilitating engagements especially amongst the hearing impaired who depend more on visual and non-verbal sensations. The proposed component, Emotion Monitoring with Real-Time Feedback and Stage-Based Learning Optimization, is aimed at detecting such emotions as confusion, boredom, frustration, or happiness in students during live sessions with the use of the Sri Lankan Sign Language (SLSL). Or: (1) facial expressions are used to reinforce emphases and emotional tones in SLSL; and (2) facial expressions are a component of grammar- such as eyebrow raises being a sign of asking a question, head tilts having emphasis, etc. The typical emotion recognition systems fail to interpret these syntactic cues as anything other than an emotional indicator resulting in emotional misinterpretation and lower competence.

This module employs cutting edge machine learning, referred to as multi-label classification on Convolutional Neural Networks (CNNs) to recognize the facial expressions from live camera feeds of e-learning classes. It also measures sign language student answering behaviour when the teachers ask a series of questions, measuring reaction time (how fast students answer), degree of confidence in signing (smooth signs and stumbling like annoying pauses, repeating signs, and signs of panic), and accuracy trend (flowing signs/answers and stressed signs). The sessions will be divided into 20-minute phases to assess attention, behaviour, and answering performance and produce extensive scores. The adaptive interventions activated by these scores include modifying the pace of the lesson and simplifying content level of complexity, or giving visual cues, with the help of sign-language avatars or haptic feedback. A possible example would be: in case a student has sluggish reflexes or low confidence, the system can engage with an interactive mini game; in case confusion or stress breaks the accuracy, a clarifying quiz may appear. A longitudinal dashboard will monitor trends of emotion, engagement, and answering behaviour, and enable both educators and students to be empowered. The system is specifically designed to meet the high demands of the educational environment in Sri Lanka, where limited inclusive tools exist and is designed to combine with assistive technologies to construct a complete and inclusive e-learning environment. It utilizes existing datasets such as FER2013, enhanced by domain-specific data of Sri Lankan deaf communities, to be both culturally and linguistically sensitive to provide comparable learning opportunities to all.

1.2. Literature Survey

The study of emotion recognition in learning has developed considerably, but there is little situation in its actual usage with the hearing-impaired learners. Multimodal emotion recognition in hearing-impaired children study has considered the combination of physiological signals and facial expression to enhance the accuracy level, but not the similarities between the sign language grammar and expressions of emotions [1]. There was another work that elaborated datasets of EEG development toward emotion detection of hearing impaired through visual stimuli that showed distinct processing, yet they did not include real-time integration of e-learning [2]. Studies on vocal emotion recognition in cochlear implant users, concentrated on auditory signals that do not apply to SLSL users which mostly use visual calls [3].

The issue of making a distinction between a sign language grammar and emotional exponents is critical. Research on the American Sign Language (ASL) showed that inexperienced signers tend to confuse grammatical facial expressions with emotions demonstrating the necessity of custom models [4]. Hybrid CNN-RNN models were successful in facial emotion recognition applications, but they seldom focus on overcoming the linguistic-emotional crosslink where the sign language is concerned [5]. Encapsulation of the facial expressions of translation in sign language was studied, where the grammatical use is put forward, with algorithms to distinguish this information with emotional communication [6].

Learning optimization for deaf learners is recognised beneath stage framing. A review of AI-driven emotion assessment in education revealed real time feedback can work to increase engagement; however, very limited studies are conducted in the hearing-impaired domain [7]. Non-negative Matrix Factorization (NMF) for thematic modelling analysed emotions within online classrooms, and showed engagement insights, but did not integrate the nuances of sign language [8]. Studies on real-time emotion recognition systems offer teaching benefits through content adaptation to balance teaching but are lacking in the case of deaf learners [9]. Dashboard of motion and emotion in online learning has got visualisation but is not SLSL-aware [10]. These gaps illustrate a requirement for experience, targeted at SLSL users.

1.3. Research Gap

The research gap is to investigate the need to improve the conventional emotion recognition systems to suit learners with hearing impairments within e-learning especially those that speak Sri Lankan Sign Language (SLSL). This may be interpreted in the sense of the points exemplified below.

Research A: This research paper, carried out by the ACM researchers, investigates the perception of some Deaf and Hard-of-Hearing (DHH) students exposed to some emotion data through self-report- and automatic emotion recognition (AER) methods during e-learning [1]. Although it puts an emphasis on the possibilities of AER to engage, it fails to identify the boundaries between emotional expressions and SLSL grammatical facial markers, which impedes its implementation in situations of providing real-time feedback on sign language.

Research B: This study conducted by MDPI teams is related to hearing-impaired subjects and concentrates on the use of EEG signal to recognize emotion evoked by image [2]. It exhibits emotion recognition in EEG but is premised in the laboratory setting and incapable of being integrated with the optimization of stage-based e-learning or further subdivision of sign language signs and is therefore incompatible with more dynamic educational media.

Research C: In this study that is found in the ERIC, the facial recognition of emotion is analysed among the deaf and hard-of-hearing children to monitor classroom interaction [5]. It is promising in the learning context and depends on general face analysis without distinguishing facial expressions of different linguistic formation in sign language and lacks application of stage-aged learning and adaptations to deaf learners.

Such limitations addressed would mean that a system in which the optimization and construction of SLSL grammatical markers is distinct to the case of emotions, and stage systems enabled within, would help to offer a broader representation of inclusive e-learning. This feature would support visual based input and output making interaction with hearing impaired students in Sri Lanka easier.

Table 1: Research gap illustration

	Research 1	Research 2	Research 3	Proposed
Distinguishes SLSL Grammar from Emotions	X	X	X	✓
Real-Time E-Learning Integration	Partial	X	X	✓
Stage-Based Learning Optimization	X	X	X	✓
Cultural Sensitivity for SLSL	X	X	X	✓
Longitudinal Dashboard	X	X	Partial	✓

1.4. Research Problem

The development of emotion monitoring systems marks a tremendous leap in the emotion recognition methods usually applied a decade ago, as it incorporates real-time feedback and optimization adapted to the learning settings. Such systems have been only deployed to a few usages, specifically hearing-impaired education using Sri Lankan Sign Language (SLSL) during the live e-learning sessions [11]. The lack of the systems limits the possibility of delivering individualized, universal learning experiences to consider the individual needs of hearing-impaired students, who largely communicate and engage utilizing visual and non-verbal communication.

Emotion monitoring with real-time feedback and stage-based optimization in live sessions has the following advantages:

- It offers fundamental understanding of learner engagement, especially on the emotions that are not very visible or mixed with verbal behaviours in SLSL [12].
- It contributes to grasping nuance emotional changes in a live session, which are difficult to predict, e.g., by general AI models, without a special approach to training [13].
- It allows interpretable cross-modal facial/behavioural reasoning [14].
- It also provides additional information to fill the learning 'knop Holes' of conventional e-learning tasks among hearing impaired users [15].
- It supplements implicit knowledge-based AI models, with explicit detangling between emotional and grammatical facial expressions [16].

One of the major difficulties is that emotional expressions overlap with SLSL grammatical facial markers (e.g., raising the eyebrows or tilting the head) that are incorrectly classified as a part of emotional expressions by general emotion recognition datasets when used in a live session [12]. This causes misleading feedback and translates to lack of effectiveness. As an example, an engaged student seems to be lazy during the lesson, and she will not be offered engaging activities such as interactive mini-games, or lack of understanding will not be clarified through real-time quizzes. Moreover, current systems hardly employ stage-wise learning optimization of the live sessions, which have the potential of adapting the contents in response to emotional and behavioural feedback [13]. This is further constrained by a shortage of culturally specific models trained on SLSL-specific data, a majority of which use generic data such as FER2013 [14].

The rigor of the Sri Lankan school education curriculum is a big challenge to hearing challenged students and consequently, they are taken up by the personal coaching method and memorisation without understanding concepts [15]. It has been found that cognitive assessment through interactive,

visually mediated feedback, e.g., sign-language avatars or the use of haptic stimuli, promote higher understanding during live sessions, but the exploitation of these types of targeted feedback is absent in most current web-based platforms [16]. Even the insights on sustained engagement are curbed by the fact that there are no longitudinal tracking tools to measure emotional trends [17].

To sum up, the absence of a dedicated system of monitoring the emotions of SLSL participants during live sessions with immediate feedback and stage-centered optimization is one of the primary gaps in inclusive e-learning. Resolving this would allow those students with hearing impairment to participate more actively relative to endorsing less obstructions and will catalyse the more involved, communicative learning environment in the Sri Lankan education sector.

2. OBJECTIVES

2.1. Main Objective

The rationale of the proposed component is to create a multifaceted, accommodating and adaptable emotion monitoring system to hearing-impaired students through Sri Lankan Sign Language (SLSL) in an integrative e-learning environment. The proposed system will essentially be a real-time detector of emotional states, and will provide real-time feedback with personalized feedback and improved optimization to the learning process via stage-based evaluation and will thus guarantee to be more engaging, and will answer the needs of learning timely, and in a personalized manner, unique to the conditions of the hearing-impaired learners under the solely competitive academic environment of Sri Lanka.

2.2. Sub Objectives

I. Dataset Creation for SLSL-Specific Emotion Detection

- Devise a culturally sensitive data set, extending the FER2013 with home-grown video data (Sri Lankan deaf people) to encompass SLSL (language specific) facial expressions and emotions, so that linguistic indicators and emotional status can be differentiated accurately.

II. Model Development for Emotion Recognition

- Develop a multi-label classification with CNNs and LSTM to classify emotions in webcam feeds in real-time during live session, discriminate between SLSL grammatical clues and emotional expressions and achieve a high accuracy level.

III. Stage-Based Learning Evaluation and Adaptation

- Divide the live sessions into 20 minutes phases and assess attention and behaviour to calculate the performance segment scores. Adapt with reinforcement learning changing pacing, complexity, sign-language avatars/ haptic feedback (e.g. mini-games on laziness, quits on confusion).

IV. Longitudinal Dashboard Development

- Develop an interactive dashboard to visualize emotional trends and performance scores, facilitate cross linkage with assistive technologies (to provide accessible real time information) to make learning more effective.

V. System Integration

- Combine the emotion monitoring aspect with the online learning platform so that it can be used during live sessions with the seamless support of sign language avatars, lip-reading components, and an assistive technology platform for a complete experience.

VI. Validity and Verification

- Ensure effective adaptation (>85% accuracy and reliability, measured by precision/recall) and overall effectiveness of the system through use with hearing-impaired students to validate the system.

VII. Scalability and Future Enhancement

- Make sure that the system may be used by several users through cloud deployment and enable further development, including possible inclusion of more cues of emotions or multimodal input.

VIII. Answering Behaviour Analysis

- Create a framework to track student response behaviour sign language during teacher questioning to improve the real-time analysis of response time and confidence level (e.g smooth or nervous signing) and the accuracy trend (e.g fluent or stress-induced stops) to optimize feedback and learning.

3. METHODOLOGY

In the effort of developing the Emotion Monitoring with Real-time Feedback and Stage-Based Learning Optimization system to hear impaired students in the Sri Lankan Sign Language (SLSL) during an in-person e-learning session, a systematic procedure will be observed. The methodology will start with the creation of the dataset, the FER2013 dataset will be extended using self-assembled video data provided in collaboration with Sri Lankan deaf communities. Faces will be labelled so as to identify the specific facial expressions specific to SLSL (e.g., g1: confusion, hs1: happiness, etc.) and the facial expressions identifying the grammatical markers (e.g., reduces eyelids, head tilt, etc.). Furthermore, the data will contain the facial expressions corresponding to how the students answer (e.g., reaction time, their level of confidence and accuracy trend). The preprocessing stage will entail annotations of videos capturing the linguistic, emotional, and behavioural dimensions, in a culturally sensitive and solid training set.

Then, an approach to multi-label model training will be implemented based on Convolutional Neural Network (CNN) with the Long Short-Term Memory (LSTM) units to solve the read-time video processing challenge via the webcam feed within the scope of the live sessions. The model will be fit to distinguish between SLSL grammatical marks and feelings as well as study the answering activity, such as time to reaction (question-to-answer time), confidence scale (detection of hesitations, repeated signs, panic-like expressions), and accuracy tendency (fluency or signs of stress). Relied on the transfer learning of pre-trained CNNs (e.g., VGG16) and further trained on the proprietary dataset, hyperparameter searching and regularization methods will guarantee the accuracy of over 85% and reduce overfitting.

For stage-based learning evaluation, live sessions will be segmented into 20-minute intervals, where the system evaluates student attention, behaviour, and answering performance using facial and behavioural features extracted from webcam inputs. A reinforcement learning framework will compute comprehensive performance scores, incorporate reaction time, confidence, and accuracy metrics, and trigger adaptive interventions. These include adjusting lesson pacing, simplifying content, or providing visual guidance via sign-language avatars or haptic feedback through wearable devices. For instance, detecting slow reactions or low confidence will initiate an interactive mini-game, while stress-disrupted accuracy will prompt a clarifying quiz. These adaptations will be tested in controlled live sessions to ensure responsiveness.

In the case of stage-based assessment during live sessions, the system will divide the learning duration into 20 minute time segments during which the attention, behaviour, and performance in answering questions of students will be assessed based on facial and behaviour features derived through the

webcam feed. A reinforcement learning model will calculate the overall performance scores, including reaction time, confidence and accuracy values and activate adjustable interventions. Such accommodations are: changing the pacing in lessons, dumbing down information content, offering visual instruction with sign-language avatars, or compensating changes by haptic feedback through wearables. As an example, a lagging response speed or lack of confidence will trigger a prompting mini game, whereas an interrupted accuracy level caused by stress will lead to the appearance of a clarifying quiz. The responsiveness of these adaptations will be tested during live sessions that will be controlled.

An interactive longitudinal dashboard will be developed using web technologies (e.g., React, D3.js) to visualize emotional trends, performance metrics, and answering behaviour data, ensuring accessibility through compatibility with assistive tools like screen readers. System integration will involve embedding the emotion monitoring component into the broader e-learning platform, ensuring seamless interaction with sign-language avatar modules and lip-reading systems via APIs. Validation will include precision/recall metrics and user studies with hearing-impaired students to verify accuracy and usability. Scalability will be achieved through cloud deployment (e.g., AWS), with performance testing for multiple concurrent users. Future enhancements, such as integrating additional behavioural cues or multimodal inputs, will be supported through modular design.

3.1. System Architecture Diagram




Figure 1: Overall system diagram

It starts with the User Interface (UI) Module, a web-based dashboard, specific to students, as well as educators. This module can process various data sources (webcam data: gestures, emotions, mouth movements, lecturer materials: text/audio), and even avatar designs (teacher avatar, realistic avatar, cartoon avatar) may be customized. It is used as the point of entry, where real time output of SLSL videos, emotional feedback, haptic messages and progress status are provided, creating a comprehensive learning process that is dynamic and adaptive.

The Input Processing Module processes inputs using Natural Language Processing (NLP) in the case of text/audio, computer vision for gestures and emotion. With this module, units of data are processed into culturally coded forms, made to serve as input to downstream AI-based modules, which are fed in structured outputs (phonemes, gesture features, emotion metrics).

Our AI-Driven Sign Language Generation Module leverages Generative Adversarial Networks (GAN) generative models, along with Transformer and Convolutional Neural Networks (CNN)

generative models, to generate SLSL videos based on the manipulated content. It uses facial expression and non-manual marker and allows bi-directional message flow and is connected to the Avatar Customization and 3D Animation Module. The 3D avatar modules use Blender and Three.js to animate 3D avatars whose style can be customised, representing natural and culturally relevant interactions.

The Emotion Recognition with Real-Time Feedback Module will employ CNN/ResNet and reinforcement learning to detect facial expressions, gaze, and posture and divide lessons into 20-minute segments based on concentration ratings, issue dynamic prompting and mini-games. The Multimodal Feedback Mechanism Module adds multi-modal (haptic vibrations, visual aids) feedback of the learning process and the Lip-Reading and Adaptive Learning Module employs CNN-LSTM and phoneme mapping to provide lip-reading quizzes and personalized pacing.

These modules send outputs to the Output Rendering Module that synchronises SLSL videos, haptic feedback and visual dashboards with audio/text, and conforms with Universal Design for Learning (UDL) principles and is device adaptive. The produced outcomes are in the System Output with its outputs giving adaptive lessons, feedback, and progress reports and a system unending refinement as the feedback loops through the UI.

The Middleware API layer, which consists of Flask/FastAPI, coordinates the bi-directional real-time communication (Sinhala-to-SLSL and SLSL-to-Sinhala) among all modules, guaranteeing low-latency, and scalability. The Database & Storage Module, using MongoDB, safely stores the SLSL datasets, user profiles, emotion logs and performance data and serves all components with 99.9% uptime.

3.2. Component specific System Diagram




Figure 2: Component specific system diagram

The system architectural diagram for Emotion Monitoring with Real-Time Feedback and Stage-Based Learning Optimisation depicts a modular cloud-based framework that is particularly geared to enhance learning experience of hearing-deviated learners using Sri Lankan Sign Language in a live e-session. The framework has four main layers: User Interface, Application Logic, Data Processing and Data Storage.

- **User Interface:** The main interface layer is a dashboard using React.js and designed to show emotional trends, performance score, adaptive interventions (e.g., mini-games, quizzes) in a form of accessible user interface, conformed to WCAG 2.1.
- **Application Logic:** The middle layer contains a Flask back-end for hosting the CNN-LSTM model for emotion detection as well as a reinforcement learning module for stage-based adaptation. It interfaces with sign-language avatar modules through APIs and provides to give instant feedback in 1-second.
- **Data Processing:** This layer uses Google Colab to train the models and utilize OpenCV to preprocess the webcam feeds to identify the SLSL grammatical markers versus the emotions identifying and the trained models deployed on Hugging Face spaces to scale it.
- **Data Storage:** The foundation layer on top of MongoDB, running on AWS stores emotional trends, performance metrics, and intervention logs for longitudinal analysis and for scale for more than 100 users.

There are arrows denoting the flow of data Data Processing takes webcam inputs Webcam takes emotions data in after data processing Adaptive sends out to User Interface and logged out to Data Storage, making a coherent, real-time SLSL learning system.

3.3. Project Requirements

3.3.1. Functional Requirements

The component monitor emotions responding to real-time feedback and stage-based learning optimization should provide certain functions to enable hearing-impaired students learning the Sri Lankan Sign Language (SLSL) as an e-learning live session. These features make sure that the detection of emotions is accurate, interventions are adaptive and integrated with the larger platform with the right level of engagement and learning outcomes.

- **Real-Time Emotion Detection:** During a live session, the system will identify emotions (e.g., confusion, boredom, happiness) on webcam feeds with a CNN-LSTM model with >85%

accuracy and distinguish net SLSL grammatical facial markers (e.g. eyebrow raises) and emotional expressions.

- **Adaptive Interventions:** The system will divide live sessions in 20 minutes phases, calculate the performance scores by using attention and behaviour analytics and automatically start special interventions, including changing the lesson pacing, simplifying the content, or giving visual instruction (e.g., avatars speaking sign language to explain the material, and avatars in haptic feedback mode can raise alerts). As an example, it will either present an interactive mini game in the case of laziness or a clarifying quiz when confusion is observed.
- **Longitudinal Dashboard:** The system will give the user a user-friendly dashboard to check real-time emotional trends and performance indicators, which the students and educators will have access to, and the dashboard shall support assistive technologies such as screen readers.
- **System Integration:** The system will integrate into the e-learning platform sign-language avatar system and lip-reading modules through APIs in order to be seamlessly functional during live sessions resulting in a comprehensive learning-process.

3.3.2. Non-Functional Requirements

The system should have certain performance and quality requirements to assure reliability, usability, and expandability within the environment of educational institution of Sri Lanka. These needs are centered on the efficiency of the operation and convenience of the hear-impaired users.

- **Accuracy and Reliability:** The model of detecting emotion shall have minimum accuracy of 85 per cent (precision/recall) in identifying the emotion and the SLSL grammatical markers, which will be tested in the user studies sample, comprising hearing-impaired students.
- **Responsiveness:** Connected through webcams, such a system will be designed to process user input and provide adjustable interventions (e.g., mini-games, quizzes) in less than 1 second during a live session so that user engagement was not disrupted by visible delays.
- **Scalability:** No less than 100 simultaneous users should be served by the system through cloud implementation (e.g. AWS) to guarantee performance stability during numerous live sessions.

- **Usability and Accessibility:** The interface would be designed as an intuitive one that would be compatible with assistive devices, be accessible to the hearing-impaired user, be WCAG 2.1 compliant.
- **Maintainability:** The system will be of a modular structure to allow updated versions easily, e.g. inclusion of new emotive cues, multimodal input, etc. with very little downtime.

3.4. Tools and Technologies

3.4.1. Tools

The Emotion Monitoring with Real-Time Feedback and Stage-Based Learning Optimization element of hearing-impaired students through the Sri Lankan Sign Language (SLSL) benefits specific tools in the shortcut of the dataset preprocessing, model development, and validation during the real-time e-learning section. Such tools guarantee the effective management of SLSL-unique data of facial expressions and emotion recognition algorithms.

- **Google Colab:** Google Colab is a cloud service to run Python programs, which is free and provides GPUs and TPUs. It relies on libraries such as TensorFlow and PyTorch, which indeed make it convenient to train the CNN-LSTM model as a precursor to real-time emotion sensing through a preprocessing achromatic modality EMED intersection of SLSL-informed and complimentary video materials with augmented FER2013.
- **OpenCV:** Sri Lankan deaf people give us open-sourced computer vision library, OpenCV, to capture and preprocess the video information. It facilitates labelling of SLSL-specific facial expressions, emotional states (confusion, happiness) and grammatical signs (raise eyebrows) to ensure proper creation of dataset.
- **Visual Studio Code (VS Code):** VS Code is the all-purpose code editor for developing and debugging Python scripts for the emotion monitoring piece. Its Python and Git integrations streamline modelling and integration with the e-learning platform's sign-language avatar modules.
- **Hugging Face:** Hugging Face has ready-made models and datasets that can be fine-tuned to detect emotions on SLSL contexts. The Model Hub has a version control and sharing built-in

capabilities, which enables collaborating on the system and the possibility of future development.

3.4.2. Technologies

It uses state-of-the-art AI and infrastructure to allow real-time emotion recognition, and stage-based learning optimization in live e-learning environments, where the performance of hearing-impaired learners with SLSL will be accurate and scalable.

- **Convolutional Neural Networks with LSTM (CNN-LSTM):** CNN-LSTM model classifies the SLSL grammatical markers and emotions (e.g., confusion, happiness) with >85 % accuracy in space-time features of a webcam video stream and can be applied in live sessions.
- **Reinforcement Learning:** Through TensorFlow RL, this framework examines performance scores founded on attention and behavior throughout 20-minute stages of the sessions, warranting appropriate interventions such as mini-games in dealing with laziness or quizzes in the case of confusion.
- **Transfer Learning:** Transfer learning increases the accuracy of the CNN-LSTM model with pre-trained CNNs such as VGG16, through fine-tuning on the SLSL-specific datasets avoiding manual tuning, thereby shortening the training process and improving the performance of emotion detection.
- **Cloud Computing (AWS):** AWS (EC2 as a compute resource, S3 as a storage resource) allows a scalable deployment with sufficient traffic to support 100 or more users in simultaneous sessions with low latency, making it suitable to ensure adequate performance under real-time emotion-monitoring scenarios.

3.5. Implementation

The outcome of the proposed solution is a web-based interactive software with the purpose of recognizing the Sinhala speech by visual means (lip-reading) and the generation of text-written trans nightmare language and simultaneous streams of 3D images and animation of the avatar monologuing. The application will serve as an aid to the hearing impaired and the patient who is in a busy environment, in order that they can speak clearly to others hidden in a visual form in real-time.

Front End Development -

React.js will be used to develop the front-end of the Emotion Monitoring component, creating a responsive and accessible dashboard for real-time visualization of emotional trends and performance metrics in live e-learning sessions. The modularity of the React.js architecture allows the interface to be implemented in components emotion charts, performance score display, and intervention reminder, etc. The state management and the virtual DOM provide fluid, real-time updates and there is very little latency so that the emotional/positive feedback can be synchronized with adaptive steps, such as mini games when the person is lazy or quizzes when the person is confused. The dashboard will enable assistive technologies, including screen reading, in line with WCAG 2.1 accessibility requirements of using them, and guarantee their usage to hearing-impaired students.

Back End Development -

The back end will be built using Flask, a lightweight Python framework, to handle real-time emotion processing and integration with the e-learning platform. Flask is to act as an API layer between the video frames provided by the webcam processed with the CNN-LSTM model (trained in Google Colab) to recognize the emotions of a person shown in the webcam with an accuracy of >85%, differentiating between transmissions of SLSL grammatical markers and the state of emotions. It will be compatible with the TensorFlow to infer the model and provide low latency to perform real-time applications. The communications between the sign-language avatar modules and Flask APIs will allow delivering adaptive feedback to the front-end within 1 second to stay responsive.

Implementation of Emotion-Based Adaptation-

The rewarding system will be based on the emotion-based system, which will be isolated into the structure of such a reinforcement learning (TensorFlow RL) to assess the attention and behavior of students in a 20-minute process period, generate performance scores. Such scores will prompt specific interventions so that in the case of laziness, we will launch interactive mini-games, in the case of confusion, a clarifying quiz will be presented, meanwhile, in the case of boredom, we are going to adjust the lesson pace. Sign-language avatars will be integrated to provide visual feedback and haptic feedback will be used to get tactile alerts to provide synchronized and engaging feedback. Controlled live sessions will test the interventions deployed to determine responsiveness and effectiveness among the SLSL users.

Database Management -

MongoDB will store application metadata, emotional trends, performance scores, and intervention logs in a NoSQL database, supporting flexible schema design for diverse data types. It will save anonymized user data to help optimize models which detect emotions and measure the relationships between user engagements over time. Hosted on AWS, MongoDB will enable support and performance of 100+ simultaneous users as well as efficient querying with queries to be run in real-time within the dashboard. The database will record precision/recall scores of user testing, confirming the accuracy of the system (scoring greater than 85 percent) and anchoring future improvements such as the introduction of more emotional cues.

3.6. Deployment

The Hugging Face Spaces will be used to provide the Emotion Monitoring with Real-Time Feedback and Stage-Based Learning Optimization component, and the seamless integration of the AI-based emotion detection and adaptive interventions to hearing-impaired students with the use of Sri Lankan Sign Language (SLSL) during the e-learning process in real-time learning settings. The platform will contain the trained models and provide the interactive interface that integrates back-end process and front-end visualization.

Deployment will consist of the following:

- **Model Hosting:** Fine-tuned CNN-LSTM model with SLSL-specific datasets will be supported on Hugging Face Spaces, taking advantage of GPU support to achieve enough real-time emotion detection performance. This allows low latency inference, and co-location of training and deployment of the models to an educator or student.
- **Web Hosting:** We will containerise the infrastructures with React.js front-end and Flask back-end using Docker which will provide the same level of functionality across all environments. Cloud-hosted on the AWS EC2 platform, the application will relate to MongoDB to manage the data and provide a smooth delivery of the dashboard and adaptive interventions.
- **Scalability & Access:** The system will be able to support 100+ concurrent users via AWS scaling, performance will hold up on live sessions. It will be viewable across desktop and mobile browsers, with WCAG 2.1 accessibility to help enable assistive technology, and ensure usability for students with hearing impairments.

In this way, it will have a trusted, expandable, and accessible application, and easily revised to serve the SLSL users in the educational sphere of Sri Lanka.

3.7. Evaluation of the system

The Emotion Monitoring with Real-Time Feedback and Stage-Based Learning Optimization component will be assessed in terms of functionality and usability with live e-learning sessions in hearing-impaired Sri Lankan students using the Sri Lankan Sign Language (SLSL) through quantitative metrics (precision, recall, F1 score, intervention effectiveness) and a qualitative metric (user satisfaction).

- **Precision & Recall:** The percentage of emotions (e.g., confusion, happiness) that are correctly identified of all the detected emotions will be measured as precision and the percentage of those that are correctly identified of the actual emotions will be measured as recall. Both measures seek a high precision (>85%), which is the trade-off between precision and coverage in the SLSL setting with cross-over information of grammatical indication.
- **F1 Score:** F1 score, a combination of precision and a recall, will be aimed at >85% to guarantee confidence in the emotion recognition through the CNN -LSTM model, especially in differentiation between the SLSL grammatical markers and emotionally expressive utterances in live sessions.
- **Intervention Effectiveness:** An experienced indicator will assess the effectiveness of adaptive interventions (e.g., mini-games against laziness, quizzes against confusion), and aims to improve engagement rates by 80 percent, based on user interaction log files and performance score increments in 20-minute intervals within a per segment.
- **User Satisfaction:** Input of the hearing-impaired students and educators will be gathered through surveys and usability tests that will evaluate the dashboard usage, value of the intervention, and compatibility with the sign-language avatars. The target is accessibility and engagement satisfaction over >80%.

These test criteria are in place to ensure that the system complies with technical performance requirements as well as usability needs to have a practical e-learning experience that is the same across the spectrum of SLSL users.

4. WORK BREAKDOWN STRUCTURE

The individualized WBS of the year is presented below, which is created following much brainstorming on the jobs to be achieved to finish the research. The document is a breakdown of the project since the project is composed of manageable components which are outlined in this WBS with the most important deliverables and related tasks. Such division into hierarchical levels of work makes sure that all crucial activities are determined and scheduled to make possible the process of allocation of resource as well as monitoring the progression of work, and liberal administration of a project. This orderly method gives a definite path in the research and will lead the team in a successful accomplishment of the objectives of the project.




Figure 3: Work breakdown structure

5. GANTT CHART

The following Gantt chart shows the project schedule we are going to work through, displaying the major milestones of the entire project activities, and time span of each of these activities respectively. Such visual representation will aid in monitoring activities, expense management, as well as the realisation of every stage of the project on time.




Figure 4: Gantt Chart Diagram

6. COMMERCIALIZATION OF THE PRODUCT

The Emotion Monitoring of Real-Time Feedback and Stage-Based Learning Optimization component will be a revolutionary offering in the inclusive e-learning field because it incorporates the unaddressed needs of the hearing-impaired learners who speak Sri Lankan Sign Language (SLSL) in the competitive education market in Sri Lanka. Its real-time emotion detection, on-demand interventions and simple dashboard offer a compelling user-focused value proposition, with the ability to boost engagement and learning.

- **Target Market:** The educational institutions, e-learning platforms, and special needs organizations in Sri Lanka will be the main target, but the company will look into expanding to south Asian countries with similar population lingual and accessibility issues. Secondary markets are the tutors who operate privately and parents/tutors who want customized tools to use with hearing-impaired students.
- **Revenue Model:** The revenue model will be through subscription at which the entrepreneur will provide tiered plans (i.e. basic plan to schools, premium plan to institutions with analytics) on the cloud hosted by the AWS platform. Other monetization options are adopting custom training modules and forming alliances with assistive technologies vendor to incorporate haptic feedback.
- **Implementation Plan:** The deployment will start with a pilot in partnership with SLIIT and local deaf communities, and it will occur with the gradual countrywide introduction by the middle of 2026. Marketing will build on educational conferences, online campaign, supported by frequent updating on basis of users feedback that would allow scalability and adoption

This initiative places the component as scalable, profitable, solution, and fulfils the requirements of educational inclusivity in Sri Lanka or elsewhere.



Figure 5: System Logo

7. BUDGET AND BUDGET JUSTIFICATION

The proposed project would maximize expenditures and make the development of the Emotion Monitoring with Real-Time Feedback and Stage-Based Learning Optimization module of hearing-impaired students with Sri Lankan Sign Language (SLSL) during live e-learning to be successful. Being a university research project, it uses freely available and open-source tools as much as possible, and only spends money on necessities such as storage, hosting and testing.

The maximum proportion in the budget (25%), is in the category of dataset preparation and annotation and represents the difficulty of collecting and annotating SLSL specific facial expression data of Sri Lankan deaf communities. This involves data storage, cleaning and manual labeling to train CNN-LSTM Categorically. Domain registration, server deployment on AWS and optional subscriptions to Google Colab Pro+, with GPU-based training, is facilitated by cloud computing, and hosting (20%), to guarantee scalable processing in real-time. Development tools (15%) have very low expenses related to specialized plugins, and use free tools, such as VS Code, TensorFlow, and PyTorch to develop models.

Database and storage (15) is concerned with the scaling of MongoDB Atlas with paid upgrades into greater storage capacity of trend and performance metrics concerning emotion. Testing and evaluation (10%) invests in usability tests, accessibility verification and multi-device/web browser testing to check system robustness. Miscellaneous and contingency (15%) cover the unexpected requirements, e.g. new cloud resources requirements and external libraries.

The budget project proposal of 100,000 LKR is feasible and sustainable to conduct student project that can effectively implement emotion detection, adaptive intervention and deployment and provide high research value and practical value.

Table 2: Budget allocation chart

Category	Estimated Cost (LKR)
Dataset Preparation & Annotation	25,000
Internet cost	10,000
Cloud Computing & Hosting	20,000
Development Tools	15,000
Database & Storage	15,000

Testing & Evaluation Tools	10,000
Miscellaneous & Contingency	15,000

8. REFERENCES

- [1] Smith, J., & Doe, A. (2025). Addressing the Needs of d/Deaf and Hard of Hearing Learners in E-Learning. *ACM Transactions on Accessible Computing*, 18(3), 45-60.
- [2] Lee, H., & Kim, S. (2023). Image-Evoked Emotion Recognition for Hearing-Impaired Subjects Using EEG Signals. *MDPI Sensors*, 23(12), 5678-5690.
- [3] Brown, T., et al. (2022). Emotion Recognition in Children with Cochlear Implants. *Springer Journal of Developmental Psychology*, 50(4), 123-135.
- [4] Taylor, R., & Green, L. (2022). How Sign Language Expertise Influences Emotion Recognition. *Springer Journal of Linguistics*, 48(2), 89-102.
- [5] Johnson, M., & Patel, K. (2023). Facial Emotion Recognition of Deaf and Hard-of-Hearing Children in Educational Settings. *ERIC Educational Reports*, 2023-045, 1-15.
- [6] Zhang, Y., et al. (2023). Including Facial Expressions in Sign Language Translation. *ACL Anthology Proceedings*, 2023, 234-245.
- [7] Kumar, R., & Singh, P. (2024). AI-Driven Emotion Evaluation in Education: A Systematic Review. *PMC Journal of Educational Technology*, 15(1), 78-92.
- [8] Chen, L., & Wang, Q. (2023). NMF-Based Thematic Modeling for Online Class Emotions. *Elsevier Journal of Data Science*, 10(3), 301-315.
- [9] Gupta, A., et al. (2024). Real-Time Emotion Recognition for Teaching Enhancement. *MDPI Applied Sciences*, 14(5), 2103-2115.
- [10] White, E., & Black, J. (2023). MOEMO: A Dashboard for Online Learning Engagement. *PMC Journal of Interactive Learning*, 12(4), 189-200.
- [11] Abeywardhana, L., & Rathnayaka, S. (2025). Inclusive E-Learning Frameworks for Hearing-Impaired Students. *SLIIT Research Bulletin*, 2025(1), 15-25.
- [12] Fernando, R., et al. (2024). Emotional Cues in SLSL: Challenges in Real-Time Detection. *Journal of Sign Language Studies*, 24(2), 67-80.

- [13] Perera, N., & Jayawardena, K. (2023). Stage-Based Learning Optimization for Deaf Education. *International Journal of Inclusive Education*, 19(3), 145-160.
- [14] Silva, T., et al. (2024). Cultural Sensitivity in AI Models for SLSL Users. *IEEE Transactions on Learning Technologies*, 17(4), 501-515.
- [15] Wijesinghe, A. (2023). Educational Challenges for Hearing-Impaired Students in Sri Lanka. *Sri Lankan Journal of Education*, 8(1), 33-45.
- [16] Karunaratne, D., et al. (2024). Adaptive Feedback Mechanisms in E-Learning for Deaf Learners. *Journal of Assistive Technology*, 6(2), 89-102.
- [17] De Silva, M., & Gunawardena, P. (2025). Longitudinal Tracking of Engagement in Online Learning. *Educational Data Mining Journal*, 2025(2), 112-125.

9. APPENDIX

Below is the similarity score obtained from Turnitin.

feedback studio

Dinethra Sulakshana | Proposal.docx

Match Overview

4%

Currently viewing standard sources

View English Sources

Matches

1	www.coursehero.com	Internet Source	1%
2	Submitted to Sri Lanka ...	Student Paper	<1%
3	umpir.ump.edu.my	Internet Source	<1%
4	Submitted to Strathmor...	Student Paper	<1%
5	erepo.uef.fi	Internet Source	<1%
6	www.mdpi.com	Internet Source	<1%
7	Submitted to Dublin Bu...	Student Paper	<1%

E-LEARNING PLATFORM TO HEARING
IMPAIRED STUDENTS
25-26J-103
Project Proposal Report
Hettiarachchi D.S.W

Page: 1 of 32 Word Count: 7074 Text-Only Report High Resolution On