

R1

```
R1>
R1>
R1>
R1>conf t
    ^
% Invalid input detected at '^' marker.

R1>en
R1#conf t
Enter configuration commands, one per line.  End with CNTL/Z.
R1(config)#int e0/0
R1(config-if)#stanby 1 ip 10.0.0.5
    ^
% Invalid input detected at '^' marker.

R1(config-if)#standby 1 ip 10.0.0.5
R1(config-if)#exit
R1(config)#exit
R1#show sta
*Sep 21 10:18:15.899: %SYS-5-CONFIG_I: Configured from console by console
R1#show standby
Ethernet0/0 - Group 1
  State is Speak
  Virtual IP address is 10.0.0.5
  Active virtual MAC address is unknown
    Local virtual MAC address is 0000.0c07.ac01 (v1 default)
  Hello time 3 sec, hold time 10 sec
    Next hello sent in 2.432 secs
  Preemption disabled
  Active router is unknown
```

R1

```
State is Speak
Virtual IP address is 10.0.0.5
Active virtual MAC address is unknown
  Local virtual MAC address is 0000.0c07.ac01 (v1 default)
Hello time 3 sec, hold time 10 sec
  Next hello sent in 2.432 secs
Preemption disabled
Active router is unknown
Standby router is unknown
Priority 100 (default 100)
Group name is "hsrp-Et0/0-1" (default)
R1#
*Sep 21 10:18:27.570: %HSRP-5-STATECHANGE: Ethernet0/0 Grp 1 state Standby -> Active
R1#
*Sep 21 10:19:31.307: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R1#show standby
Ethernet0/0 - Group 1
  State is Active
    2 state changes, last state change 00:03:42
  Virtual IP address is 10.0.0.5
  Active virtual MAC address is 0000.0c07.ac01
    Local virtual MAC address is 0000.0c07.ac01 (v1 default)
  Hello time 3 sec, hold time 10 sec
    Next hello sent in 2.048 secs
  Preemption disabled
  Active router is local
  Standby router is 10.0.0.2, priority 100 (expires in 9.680 sec)
  Priority 100 (default 100)
  Group name is "hsrp-Et0/0-1" (default)
R1#
```

Trying 49.204.127.18...

Connected to labs.surennetwork.com.

Escape character is '^['.

R2>

R2>

R2>en

R2#conf t

Enter configuration commands, one per line. End with CNTL/Z.

R2(config)#int e0/0

R2(config-if)#standby 1 ip 10.0.0.5

R2(config-if)#exit

R2(config)#

*Sep 21 10:19:25.626: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)

R2(config)#

*Sep 21 10:19:26.205: %HSRP-5-STATECHANGE: Ethernet0/0 Grp 1 state Speak -> Standby

R2(config)#exit

R2#sho

*Sep 21 10:20:37.071: %SYS-5-CONFIG_I: Configured from console by console

R2#show ip int breif

^

% Invalid input detected at '^' marker.

R2#show ip int brief

Interface	IP-Address	OK?	Method	Status	Protocol
Ethernet0/0	10.0.0.2	YES	TFTP	up	up
Ethernet0/1	30.0.0.1	YES	TFTP	up	up
Ethernet0/2	unassigned	YES	TFTP	administratively down	down
Ethernet0/3	unassigned	YES	TFTP	administratively down	down
NVI0	10.0.0.2	YES	unset	up	up

