



















```
ROUTER
ROUTER#
ROUTER#
ROUTER#conf t
Enter configuration commands, one per line. End with CNTL/Z.
ROUTER(config)#
*Aug 29 18:10:51.404: %LINK-3-UPDOWN: Interface Ethernet0/3, changed state to down
*Aug 29 18:10:52.404: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/3, changed state to down
ROUTER(config)#int e0/0
ROUTER(config-if)#ip add 172.16.0.1 255.255.0.0
ROUTER(config-if)#no sh
ROUTER(config-if)#exit
ROUTER(config)#int e0/1
ROUTER(config-if)#ip add 8.0.0.1 255.0.0.0
ROUTER(config-if)#no sh
ROUTER(config-if)#exit
ROUTER(config)#int e0/2
ROUTER(config-if)#ip add 50.0.0.1 255.0.0.0
ROUTER(config-if)#no sh
ROUTER(config-if)#
ROUTER(config-if)#
ROUTER(config-if)#exit
ROUTER(config)#exit
ROUTER#
ROUTER#
*Aug 29 18:12:20.745: %SYS-5-CONFIG_I: Configured from console by console
ROUTER#
ROUTER#show ip int brief
Interface      IP-Address      OK? Method Status      Protocol
Ethernet0/0    172.16.0.1      YES manual up          up
Ethernet0/1    8.0.0.1         YES manual up          up
Ethernet0/2    50.0.0.1        YES manual up          up
Ethernet0/3    unassigned      YES TFTP  down        down
ROUTER#
*Aug 29 18:15:40.983: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
ROUTER#
```