

Staff Login

Faculty Attendance System

Institutional email

name@university.ac.th

Password

••••••••••

Email or password is incorrect. Please try again.

Log in

Forgot password?

Accounts are created by the faculty administrator.
No public sign-up.

Step 2 of 2

Turn on attendance monitoring

The app asks you to check in when you enter the faculty area and to check out when you leave. If you don't respond within 5 minutes, it checks your location again before recording automatically.

01

Notifications — Allowed

Shows check-in and check-out requests.

02

Precise location — Allowed

Needed to tell whether you are inside the attendance area.

03

Background location — Needed

Detects entry and exit while the app is closed. Choose “Allow all the time”.

Open settings

Monitoring is **not active** yet. Background location must be set to “Allow all the time”.

Start monitoring

Your location is checked only for attendance. No travel history is stored.

Welcome, Dr. Somchai P.

Attendance

Synced

Current status

Staff ID 6600123

Checked in

Session open since 08:31

Check-in	Check-out
08:31	--:--
Manual	Not yet

Location

Inside · 84 m from centre

Map

Updated 2 min ago · ±12 m

Today

08:28	Entered faculty area
08:28	Check-in request sent
08:31	Checked in · manual

Check out now

Check-out is available once you are outside the area.

Faculty Attendance · now

Please confirm your check-in

You appear to be within the faculty attendance area. If you do not respond within 5 minutes, the system will attempt automatic check-in after verifying your location again.

Check in | Dismiss

Welcome, Dr. Somchai P.

Attendance

Pending check-in Request #a7f3

3:12

Waiting for your response

Auto check-in at about 08:33 if your location is still inside.

Check in now

Dismissing the notification does not cancel this request.


Location Uncertain

143 m from centre, accuracy ±28 m. You are close to the edge of the 150 m area.

Centre — Boundary 150 m

Automatic check-in needs a confirmed inside reading.

Pending synchronization · 1 action waiting



Confirmed inside

Inside

Distance	Accuracy	Radius
84 m	±12 m	150 m

- Green: accuracy circle fully inside
- Orange: accuracy circle crosses the boundary
- Grey: fully outside

Updated 08:44:10 · Shown on this phone only, never uploaded.

Attendance history

27 Oct – 31 Oct 2026

All methods

Fri 31 Oct — Completed

In: 08:31 — Manual

Out: 16:42 — Automatic

Thu 30 Oct — Completed

In: 08:55 — Automatic

Out: 17:10 — Manual

Wed 29 Oct — Needs review

In: 09:02 — Manual

Out: --:-- — Unresolved

Request a correction

Tue 28 Oct — Corrected

In: 08:40 — Admin corrected

Out: 16:30 — Manual

Request a correction

Session

Wed 29 Oct 2026 Unresolved

In 09:02 · Out --:--

What needs fixing?

- ○ Check-in time
- ◉ **Missing check-out**
- ○ Missing whole day

Correct check-out time

05:05 PM

Reason (required)

Phone battery ran out before I left the building.

An attendance administrator reviews your request. The original record is kept and the change is logged.

Submit request

Faculty Attendance

Attendance records
Open sessions
Correction requests 3
Staff accounts
Geofence settings
Reports
Audit log

Attendance records

Saturday 1 November 2026 · Asia/Bangkok

Export CSV / XLSX

Checked in now	Pending requests	Unresolved	Automatic today
41	3	2	18%
of 64 active staff	waiting for response	need admin review	of recorded actions

Search name, staff ID or email | Date 11/01/2026 | Department All | Method All | Status All

STAFF	DEPARTMENT	CHECK-IN	CHECK-OUT	LOCATION AT APPROVAL	STATUS	
SP Dr. Somchai P. 6600123	ICT	08:31 Manual	--:--	Inside · 84 m ±12 m	Open	View
NW Nicha W. 6600418	Administration	08:12 Automatic	--:--	Inside · 40 m ±8 m	Open	View
KT Dr. Kittipong T. 6600087	Engineering	07:58 Manual	12:05 Manual	Outside · 310 m ±10 m	Completed	View
AR Arisa R. 6600532	ICT	--:-- Request 08:44	--:--	Uncertain · 143 m ±28 m	Pending	View
PM Dr. Pimchanok M. 6600201	ICT	09:02 Manual	--:-- Unresolved	Uncertain at timeout	Unresolved	View
TJ Thanakorn J. 6600377	Engineering	08:40 Admin corrected	--:--	Corrected by admin	Corrected	View
WS Wanida S. 6600655	Administration	08:05 Manual	--:--	Inside · 22 m ±6 m	Open	View
CB Dr. Chaiwat B. 6600019	Engineering	08:50 Automatic	--:--	Inside · 97 m ±15 m	Open	View

Showing 1–8 of 64 staff

Previous Next

Admin user
Attendance Administrator

Staff accounts

64 active · 3 awaiting activation · 2 deactivated

Import CSV | + Add staff

Search name, staff ID or email | Role: All | Status: All

NAME	STAFF ID	DEPARTMENT	ROLE	STATUS	LAST ATTENDANCE
Dr. Somchai P. somchai.p@university.ac.th	6600123	ICT	Staff	Active	Today 08:31
Nicha W. nicha.w@university.ac.th	6600418	Administration	Attendance Admin	Active	Today 08:12
Dr. Kittipong T. kittipong.t@university.ac.th	6600087	Engineering	Staff	Active	Today 07:58
Arisa R. arisa.r@university.ac.th	6600532	ICT	Staff	Active	Yesterday 17:20
Dr. Pimchanok M. pimchanok.m@university.ac.th	6600201	ICT	Staff	Active	Today 09:02
Krit S. krit.s@university.ac.th	6600701	Engineering	Staff	Pending activation	Never
Admin user it.admin@university.ac.th	6600002	Administration	System Admin	Active	n/a (web only)
Dr. Ratana K. ratana.k@university.ac.th	6600044	Engineering	Staff	Deactivated	30 Sep 2026

Showing 1–8 of 69 accounts

Previous | Next

SP

Dr. Somchai P.

Staff ID 6600123

Institutional email

somchai.p@university.ac.th

Department

ICT

Role

Staff

Status	Active
Created	12 Aug 2026 by Admin user
Device	Android 16 · app 1.0.0
This month	19 sessions · 4 automatic · 1 corrected

Save changes | Deactivate

View attendance history


Every change is written to the audit log.

Geofence settings

Active configuration: version 3 · since 15 Oct 2026 09:00

Search building (Google Places)

Click the map to move the centre · drag the edge to resize



Configuration

Centre latitude: 14.069300

Centre longitude: 100.603500

Radius: 150 m

1–1,000 m · slide default 150 m, DS2 suggests testing 200 m

Grace (min): 5

Max age (s): 60

Max ± (m): 30

Reason for change (required)

e.g. include the new annex building

Publish as version 4

Pending requests keep the version they started with. Phones pick up the new version next time they sync.

Version history

v3 · active — 15 Oct 2026
150 m · grace 5 min · ±30 m

v2 — 1 Oct 2026
200 m · grace 5 min · field test

v1 — 12 Aug 2026
150 m · initial prototype